

BENZOIN- benzoin swab
James Alexander Corporation

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

COMPOUND BENZOIN TINCTURE USP

Drug Facts

Active Ingredients (each swab)

Benzoin 10%}
Aloe 2%}
Storax 8%}
Tolu Balsam 4%}

Purpose

Topical bandage adhesive

Uses

An adhesive to hold bandages in place.

Warnings

For external use only.

Allergy alert if you have had a history of contact dermatitis with benzoin compounds.

When using this product avoid getting in the wound.

Stop and ask a doctor if a rash develops.

Flammable liquid Keep away from heat, sparks and open flame.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Clean and dry skin around the wound. • Gently squeeze vial to crush inner ampoule. • Allow tincture to saturate the tip of the vial, and carefully apply a thin film of the tincture to the skin on each side of the wound. • Allow tincture to dry (30 –40 seconds) before applying bandages.

Other Information

Store at room temperature.

Inactive Ingredients

Alcohol

Questions?

Call 1-908-362-9266, Monday through Friday, 9:00am – 5:00pm e.s.t.

DISPENSING SOLUTIONS®


JAMES ALEXANDER CORPORATION

Blairstown, NJ • (908) 362-9266

Product information and MSDS available on-line at:

www.james-alexander.com

Packaging



DRUG FACTS

Drug Facts	Purpose
Active Ingredients (each swab)	
Benzoin 10%	
Aloe 2%	Topical bandage adhesive
Storax 8%	
Tolu Balsam 4%	
Uses An adhesive to hold bandages in place.	
Warnings	
For external use only.	
Allergy alert if you have had a history of contact dermatitis with benzoin compounds.	
When using this product avoid getting in the wound.	
Stop and ask a doctor if a rash develops.	
Flammable liquid Keep away from heat, sparks and open flame.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • Clean and dry skin around the wound. • Gently squeeze vial to crush inner ampoule. • Allow tincture to saturate the tip of the swab, and carefully apply a thin film of the tincture to the skin on each side of the wound. • Allow tincture to dry (30 –40 seconds) before applying bandages.	
Other Information Store at room temperature.	
Inactive Ingredients Alcohol	
Questions? Call 1-908-362-9266, Monday through Friday, 9:00am – 5:00pm e.s.t.	

BENZOIN

benzoin swab

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46414-8888
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOIN, (+/-)- (UNII: L7J6A1NE81) (BENZOIN, (+/-)- UNII:L7J6A1NE81)	BENZOIN, (+/-)-	0.6 g in 0.6 mL
ALOE (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9)	ALOE	.12 g in 0.6 mL
TOLU BALSAM (UNII: TD2LE91MBE) (BALSAM PERU - UNII:8P5F881OCY)	TOLU BALSAM	.24 g in 0.6 mL
LIQUIDAMBAR STYRACIFLUA RESIN (UNII: P41GWD11CX) (LIQUIDAMBAR STYRACIFLUA RESIN - UNII:P41GWD11CX)	LIQUIDAMBAR STYRACIFLUA RESIN	.48 g in 0.6 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46414-8888-2	60 mL in 1 BOX; Type 0: Not a Combination Product	10/25/1976	02/28/2025

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/25/1976	02/28/2025

Labeler - James Alexander Corporation (040756421)

Registrant - James Alexander Corporation (040756421)

Establishment

Name	Address	ID/FEI	Business Operations
James Alexander Corporation		040756421	manufacture(46414-8888)