

BEST CHOICE BISACODYL LAXATIVE- bisacodyl tablet, coated
Best Choice (Valu Merchandisers Company)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Bisacodyl USP 5 mg

Purpose

Simulant laxative

Uses

- for temporary relief of occasional constipation and irregularity
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with a glass of water

adults and children 12 years of age and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years of age	take 1 tablet in a single daily dose
children under 6 years of age	ask a doctor

Other information

- store between 20^o-25^oC (68^o-77^oF)

Inactive ingredients

acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Package Label.Principal Display Panel

Compare to the active ingredient in Dulcolax®*

Laxative

Bisacodyl

- Stimulant laxative for gentle, dependable overnight relief

Comfort Coated TABLETS 5 mg Each

*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of Dulcolax® Laxative.

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

COMPARE TO THE ACTIVE
INGREDIENT IN DULCOLAX®*



Laxative

Bisacodyl



Actual Size

• Stimulant laxative for gentle, dependable overnight relief

Comfort Coated
25 TABLETS 5 mg Each

Lot No.:
Exp. Date:

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of Dulcolax® Laxative.

Best Choice.
100% Guaranteed
www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:
VALU MERCHANTISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106

BEST CHOICE



PLD-E23J FC001692

<p>Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>	<p>professional before use. If pregnant or breast-feeding, ask a health professional before use.</p> <p>Do not use if you cannot swallow without chewing.</p> <p>Do not use if you cannot swallow without chewing.</p>
<p>Other information ■ store between 20°-25°C (68°-77°F)</p>	<p>Warnings ■ this product generally produces a bowel movement in 6 to 12 hours</p>
<p>Inactive ingredients acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide</p>	<p>When using this product ■ stomach pain, nausea or vomiting ■ a sudden change in bowel habits that lasts more than 2 weeks</p> <p>Stop use and ask a doctor if ■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p>
<p>Children 6 to under 12 take 1 tablet in a single daily dose</p>	<p>When using this product ■ do not use within 1 hour after taking an antacid or milk ■ it may cause stomach discomfort, flatness and cramps</p>
<p>Children under 6 years ask a doctor</p>	<p>When using this product ■ do not chew or crush tablet(s) ■ do not use within 1 hour after taking an antacid or milk ■ it may cause stomach discomfort, flatness and cramps</p>

Drug Facts (continued)	Drug Facts Bisacodyl USP 5 mg.....Stimulant laxative
Active Ingredient (in each tablet)	Purpose Stimulant laxative
Use ■ for temporary relief of occasional constipation	Directions ■ take with a glass of water
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	Directions adults and children 12 take 1 to 2 tablets in

Best Choice Laxative Tablet

BEST CHOICE BISACODYL LAXATIVE

bisacodyl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-190
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
POVIDONE (UNII: FZ989GH94E)	
SHELLAC (UNII: 46N107B71O)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange, yellow	Score	no score
--------------	----------------	--------------	----------

Shape	ROUND	Size	6mm
Flavor		Imprint Code	TCL003
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-190-25	1 in 1 BOX	11/02/2012	12/29/2023
1		25 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	11/02/2012	12/29/2023

Labeler - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 10/2021

Best Choice (Valu Merchandisers Company)