

ECO-GARD- iodine solution
Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Wash hands thoroughly after handling. Get medical advice/attention if you feel unwell.

DIRECTIONS:

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

IMPORTANT: Do not mix Eco-Gard 50 S.A. with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly precleaned and bears the proper container labeling for Eco-Gard 50 S.A. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with Eco-Gard 50 S.A. Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup containing Eco-Gard 50 S.A. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, use Eco-Gard 50 S.A. at full-strength. Dip each teat full-length into the teat dip cup containing Eco-Gard 50 S.A. Allow to air dry. Do not wipe. Always use fresh, full-strength Eco-Gard 50 S.A. Do not turn cows out in freezing weather until Eco-Gard 50 S.A. is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with Eco-Gard 50 S.A. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Immediately after each milking, use Eco-Gard 50 S.A. at full-strength. Spray entire teat with Eco-Gard 50 S.A. Allow to air dry. Do not wipe. Always use fresh, full-strength Eco-Gard 50 S.A. Do not turn cows out in freezing weather until Eco-Gard 50 S.A. is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving. PRECAUTION: Eco-Gard 50 S.A. is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

FIRST AID

If in Eyes or on Skin: Rinse with plenty of water.

If Swallowed: Rinse mouth. Get medical attention if symptoms occur.

If Inhaled: No special measures required. Treat symptomatically.

Ingestion: Get medical attention if symptoms occur.

READ MATERIAL SAFETY DATA SHEET (MSDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Representative label and principal display panel

ECOLAB

Eco-Gard™ 50 S.A.

Sanitizing Teat Dip

- An aid in reducing the spread of organisms which may cause mastitis
- Does not contain Nonylphenol Ethoxylate (NPE)

ACTIVE INGREDIENT:

Iodine.....0.5%

INERT INGREDIENTS:..... 99.5%

TOTAL:.....100.0%

Net Contents: _____ US gal

Preparation Date: _____ **Lot Code:** _____

Ecolab · 370 Wabasha Street N · St Paul MN 55102-1390 USA · tel. 1 800 392 3392

© 2014 Ecolab USA · All rights reserved

Made in United States

www.ecolab.com · 760669/5300/1114

Eco-Gard™ 50 S.A.

Sanitizing Teat Dip

- An aid in reducing the spread of organisms which may cause mastitis
- Does not contain Nonylphenol Ethoxylate (NPE)

6301387

ACTIVE INGREDIENT:

Iodine.....0.5%

INERT INGREDIENTS:.....99.5%

TOTAL:.....100.0%

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Wash hands thoroughly after handling. Get medical advice/attention if you feel unwell.

FIRST AID

If in Eyes or on Skin: Rinse with plenty of water.

If Swallowed: Rinse mouth. Get medical attention if symptoms occur.

If Inhaled: No special measures required. Treat symptomatically.

Ingestion: Get medical attention if symptoms occur.

READ MATERIAL SAFETY DATA SHEET (MSDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

DIRECTIONS:

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

IMPORTANT: Do not mix Eco-Gard 50 S.A. with water, any other teat dips, or other products unless specified in product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Eco-Gard 50 S.A. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Before Milking: Wash teats thoroughly just prior to next milking with appropriate udder wash solution or pre-milking teat dip to avoid contamination of milk. Teats should then be dried with single-service towels. Use proper procedures for udder washing or pre-dipping.

Directions for Teat Dipping

Pre-Milk Dipping: Fill teat dip cup with Eco-Gard 50 S.A. Do not dilute. Before each cow is milked, dip each teat full-length into the teat dip cup containing Eco-Gard 50 S.A. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Immediately after each milking, use Eco-Gard 50 S.A. at full-strength. Dip each teat full-length into the teat dip cup containing Eco-Gard 50 S.A. Allow to air dry. Do not wipe. Always use fresh, full-strength Eco-Gard 50 S.A. Do not turn cows out in freezing weather until Eco-Gard 50 S.A. is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, spray entire teat with Eco-Gard 50 S.A. Wipe teats after spraying using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Immediately after each milking, use Eco-Gard 50 S.A. at full-strength. Spray entire teat with Eco-Gard 50 S.A. Allow to air dry. Do not wipe. Always use fresh, full-strength Eco-Gard 50 S.A. Do not turn cows out in freezing weather until Eco-Gard 50 S.A. is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving. **PRECAUTION:** Eco-Gard 50 S.A. is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.



Teat Dip



Teat Spray



Net Contents: _____ US gal

Preparation Date: _____ Lot Code: _____

Ecolab - 370 Wabasha Street N - St Paul MN 55102-1390 USA - tel:1 800 392 3392
© 2014 Ecolab USA - All rights reserved
Made in United States
www.ecolab.com - 760669/5300/114

ECO-GARD

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-527
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-527-35	2000000 mL in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/28/2015	

Labeler - Ecolab Inc. (006154611)

Revised: 2/2020

Ecolab Inc.