ICEKING FRECKLE REMOVING WHITENING FACIAL CLEANSER- iceking freckle removing whitening facial cleanser ointment

ICEKING FRECKLE REMOVING WHITENING MASQUE- iceking freckle removing whitening masque liquid

ICEKING REPELLENT MOSQUITO- iceking repellent mosquito spray

ICEKING SKIN EXPERT HEPARIN SCAR REPAIR GEL- iceking skin expert heparin scar repair gel gel

ICEKING REFRESH ARMPIT- iceking refresh armpit spray

ICEKING WHITENING FRECKLE REMOVING ESSENCE- iceking whitening freckle removing essence lotion

ICEKING SKIN EXPERT ANTI-ONYCHOMYCOSIS GEL- iceking skin expert anti-onychomycosis gel gel

ICEKING SKIN EXPERT REFRESHING BODY ROLLER- iceking skin expert refreshing body roller liquid

Shanghai Iceking Biotechnology Co.,Ltd.

iceking heparin scar repair gel

Drug Facts

Active ingredient purpose

Heparin sodium (dosage: 0.5%).....

anticoagulation

Equisetum (dosage: 10%).....

antiphlogosis

Lavender (dosage: 1.0%).....antioxidant

iceking anti-onychomycosis gel

Active ingredient	purpose
Acetic acid (dosag	e: 10%)
	antisepsis
Boric acid (dosage	: 1.0%)
	antiphlogosis

Drug Facts

Active Ingredient Section

(Purpose)

Arbutin (dosage: 1.2%)...... Inhibits the activity of tyrosinase

iceking repellent mosquito spray

Drug Facts

Active ingredient (purpose)

Wild chrysanthemum (strength consumption: 10%)(antibacterial,antipyretic,anti-allergic effect)
Chinese mugwort(dosage:10%)
(antipruritic,anti-inflammatory)

iceking whitening freckle removing essence lotion

Drug Facts	
Active ingredient	purpose
Arbutin (dosage: 1.2%) .	Inhibits the activity of
tyrosinase	

iceking freckle removing whitening facial cleanser

iceking refresh armpit spray

Drug Facts

Active ingredient purpose Hydroxyl aluminum chloride (dosage: 0.5%).....bacteriostat

iceking refreshing body roller

Drug Facts

Active ingredient section	purpose
Benzalkonium chloride (dosag	ge: 0.1%)
antisepsis	
Chlorhexidine diacetate (dosa	age: 0.05%)
sterilize	

iceking heparin scar repair gel

Uses

This product is mainly used for skin on skin marks:

- ■repairing old and new skin marks
- ■softening print marks ■improving skin tone and smoothing skin.

iceking anti-onychomycosis gel

Uses

clean gray nails, nail layer chipping, thickening, gray black, polish nail.

iceking freckle removing whitening masque

Uses

- ■improve skin with chloasma, freckles, sunburn, pregnancy spots, radiation spots, and dark spots.
- ■reduce skin dullness, roughness, and melanin accumulation.

iceking repellent mosquito spray

Uses

- ■relieve itchy skin, cools and refreshes
- ■protect against insects and insects.

iceking whitening removing essence lotion

Uses

- ■Improve the skin of chloasma, freckles, sun spots, pregnancy spots, radiation spots, dark spots
- ■Reduce skin dullness, roughness, and melanin accumulation

iceking freckle removing whitening facial cleanser

Uses:

■Improve dark yellow, greasy, whitening and whitening.

iceking refresh armpit spray

Uses

- ■underarm odor, local sweating
- ■general body sweat, odor

iceking refreshing body roller

Uses

- underarm odor, local sweating
- ■general sweat odor.

iceking heparin scar repair gel

Warnings

For external use only.
Ask a doctor before using if you have

■a history of allergies to such products

When using this product

- ■avoid contact with the eyes.
- ■if contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if

- condition worsens
- ■condition does not improve after regular use of this product as directed. Keep out of reach of children. If pregnant or breast-feeding, please use with care.

iceking anti-onychomycosis gel

For external use only. Ask a doctor before using if you

■ have a history of allergies to such products

When using this product

- ■avoid contact with the eyes.
- ■if contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if

- condition worsens
- condition does not improve after regular use of this product as directed.

Keep out of reach of children. If pregnant or breast-feeding, please use with care.

iceking freckle removing whitening masque

For external use only

Ask a doctor before using if you have

■ a history of allergies to such products

When using this product

- ■avoid contact with the eyes.
- ■if contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if

- condition worsens
- ■condition does not improve after regular use of this product as directed.

Keep out of reach of children.

If pregnant or breast-feeding, please use with care.

iceking repellent mosquito spray

For external use only. Ask a doctor before using. If you have

■a history of allergies to such products

When using this product

- ■avoid contact with the eyes.
- ■if contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if

■ condition worsens ■ condition does not improve after regular use of this product as directed.

Keep out of reach of children. If pregnant or breast-feeding, please use with care.

iceking whitening freckle removing essence lotion

Warnings

For external use only.

Ask a doctor before using. If you have

- ■a history of allergies to such products
- When using this product
- ■avoid contact with the eyes.
- if contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if

- condition worsens
- ■condition does not improve after regular use of this product as directed. Keep out of reach of children. If pregnant or breast-feeding, please use with care.

iceking freckle removing whitening facial cleanser

For external use only

Ask a doctor before using. If you have

■a history of allergies to such products

When using this product

- ■avoid contact with the eyes.
- ■if contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if

- condition worsens
- ■condition does not improve after regular use of this product as directed.

Keep out of reach of children.

If pregnant or breast-feeding, please use with care.

iceking refresh armpit spray

Warnings

For external use only
Ask a doctor before using you If
have

a history of allergies to such products

When using this product

- ■avoid contact with the eyes.
- ■if contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if

- condition worsens
- condition does not improve after regular use of this product as directed.

Keep out of touch of children. If pregnant or breast-feeding, please use with care.

For external use only.

Ask a doctor before using if you have

■a history of allergies to such products

When using this product

- ■avoid contact with the eyes.
- ■if contact occurs, rinse eyes thoroughly with water.

Stop use and ask a doctor if

- condition worsens
- Condition does not improve after regular use of this product as directed.

Keep out of reach of children. If pregnant or breast-feeding, please use with care.

iceking heparin scar repair gel

Direction

Apply this product to the area to be applied and gently rub it with your fingers for a few minutes until the gel is absorbed several times a day. Apply a proper amount to the area to be applied and gently rub with your fingers for a few minutes until the gel is absorbed several times a day.

iceking anti-onychomycosis gel

Directions

First use a nail file to scrape off the gray nails (with no pain or no bleeding), apply the appropriate amount to the nail surface, gently massage until fully absorbed, and wrap it with a band-aid (pharmacy). Once a day, stick to 1-2 months, the effect is better.

iceking freckle removing whitening masque

Directions

- Clean the face with Ice King's White Spot Cleanser.
- Remove the mask, spread the mask and apply it on the face, gently press to fit.
- Uncover the outer support film and enjoy the mask for 10-20 minutes.
- Uncover the mask and massage gently until the skin absorbs the remaining essence.(Use with Ice King Freckle series products, the effect is particularly good)
- ■It is recommended to use it every day for the first week, 3-5 times a week later, or use it for a long time according to the skin's own condition.

iceking repellent mosquito spray

Direction

Apply a proper amount to the skin where it is needed. Children should drink a proper amount of water in the bath to prevent healthy mosquito bites.

iceking whitening freckle removing essence lotion

Direction

After cleansing the face with ICEKING Freckle Removing Whitening Facial Cleanser, apply a proper amount of this product to the face and gently massage until the essence is fully absorbed. When used every day morning and evening, match ICEKING Freckle removing whitening masque for better effect.

iceking freckle removing whitening facial cleanser

Direction: Take appropriate amount of this product on the palm, gently rub with water until it is rich in foam, apply it on the wet face, massage it easily, then rinse by clean water. After cleansing, it is recommended to us Ice King Whitening Freckle removing masque for better effect.

iceking refresh armpit spray

Directions

- Spray directly on the underarm with this product.
- It is advisable to spray 2-3 times each time.

iceking refreshing body roller

Direction

Roll the ball evenly around underarm or body privacy areas that easy to sweat.

iceking heparin scar repair gel

Inactive ingredients

glycerin, Hydroxyethyl cellulose, Proline, Pyrrolidone carboxylic acid, PEG-60 hydrogenated castor oil, Hydroxypropyl propyl ester, Methylparaben, Imidazolidinyl urea

iceking anti-onychomycosis gel

Inactive ingredients

Hydroxyethyl cellulose,Cork,Soil wattle

iceking freckle removing whitening masque

Inactive Ingredients

Propylene glycol

PEG-8 polydimethylsiloxane

Hyaluronic acid

Methylparaben

Hydroxypropyl propyl ester

iceking repellent mosquito spray

Inactive ingredients

Ethanol, Menthol Lactate, Thymol, Borneol

iceking whitening freckle removing essence lotion

iceking freckle removing whitening facial cleanser

Inactive ingredient: Stearyl alcohol, Isopropyl palmitate, Glycerol stearate, Stearic acid, Jojoba seed oil, Glycerin, Sodium lauryl sulfate, Allantoin, Methylparaben, Hydroxypropyl propyl ester, Bis(hydroxymethyl)imidazolidinyl urea

iceking refresh armpit spray

Inactive ingredients
Propylene glycol,PEG-40
hydrogenated castor oil,Xanthan
gum,Imidazolidinyl

iceking refreshing body roller

Inactive ingredients
Ethanol,Glycerin,Boric acid, Hydroxyethyl
cellulose,Aloe vera

NET: 75 m

iceking heparin scar repair gel

NOTES: 1.Sealed after using, avoid direct sunlight or high temperature above 40°C; 2.Keep out of reach of children.

iceking whitening freckle removing essence lotion

NOTES

- 1. Using this product does not affect the daily make-up, avoid using other brands of Freckle Removal products;
- Because this product contains plant active ingredients, it should be sealed in time after using, protected from light and avoid high temperatures;
- 3. A small number of people may have a slight allergic reaction for this product, if discomfort, it is recommended to temporarily stop using for a few days, then go on.

iceking heparin scar repair gel




NET: 20g

iceking anti-onychomycosis gel



iceking freckle removing whitening masque



iceking repellent mosquito spray




iceking whitening freckle removing essence lotion

冰王美白祛斑精华液 30ml 尺寸:L:4.2*W:4.2*H:9.5cm




iceking freckle removing whitening facial cleanser



iceking refresh armpit spray



iceking refreshing body roller



ICEKING FRECKLE REMOVING WHITENING FACIAL CLEANSER

iceking freckle removing whitening facial cleanser ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72501-076
Route of Administration	CUTANEOUS, INFILTRATION		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ARBUTIN (UNII: C5INA23HXF) (ARBUTIN - UNII:C5INA23HXF)	ARBUTIN	1.2 g in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
JOJOBA OIL (UNII: 724GKU717M)		
GLYCERIN (UNII: PDC6A3C0OX)		
ALLANTO IN (UNII: 344S277G0Z)		

PROPYLPARABEN (UNII: Z8 IX2SC1OH)	
METHYLPARABEN (UNII: A2I8 C7HI9 T)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
DIAZO LIDINYL UREA (UNII: H5RIZ3MPW4)	
ISOPROPYL PALMITATE (UNII: 8 CRQ2TH63M)	

Product Characteristics		
Color	white	Score
Shape		Size
Flavor	VANILLA (potpourri)	Imprint Code
Contains		

l	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:72501-076-87	1 mL in 1 TUBE; Type 0: Not a Combination Product	09/15/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		09/15/2018	

ICEKING FRECKLE REMOVING WHITENING MASQUE

iceking freckle removing whitening masque liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72501-073
Route of Administration	CUTANEOUS, INFILTRATION		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ARBUTIN (UNII: C5INA23HXF) (ARBUTIN - UNII:C5INA23HXF)	ARBUTIN	0.36 g in 5 g	

Inactive Ingredients			
Ingredient Name	Strength		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
HYALURO NIC ACID (UNII: S270 N0 TRQY)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
PEG-8 DIMETHICONE (UNII: GIA7T764OD)			

Product Characteristics				
Color		Score		
Shape		Size		
Flavor	VANILLA (potpourri)	Imprint Code		
Contains				

ı	Packaging			
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:72501-073-95	1 in 1 BOX	09/15/2018	
ı	1 NDC:72501-073-94	1 g in 1 BAG; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		09/15/2018	

ICEKING REPELLENT MOSQUITO

iceking repellent mosquito spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72501-074
Route of Administration	CUTANEOUS, INFILTRATION		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CHRYSANTHEMUM INDICUM FLOWER (UNII: 16 O ER6 U 0 4 L) (CHRYSANTHEMUM INDICUM FLOWER - UNII: 16 O ER6 U 0 4 L)	CHRYS ANTHEMUM INDICUM FLOWER	6 g in 5 mL	
MENTHA ARVENSIS LEAF (UNII: A4IWO4DDZ9) (MENTHA ARVENSIS LEAF - UNII: A4IWO4DDZ9)	MENTHA ARVENSIS LEAF	6 g in 5 mL	
ARTEMISIA ARGYI LEAF (UNII: 2JYC99Q0WZ) (ARTEMISIA ARGYI LEAF - UNII:2JYC99Q0WZ)	ARTEMISIA ARGYI LEAF	6 g in 5 mL	

Inactive Ingredients	
Ingredient Name	Strength
THYMOL (UNII: 3J50XA376E)	
BORNEOL (UNII: M89NIB437X)	
ALCOHOL (UNII: 3K9958V90M)	
MENTHYL D-LACTATE, (-)- (UNII: XFS8QYW6WY)	

Product Characteristics			
Color yellow (faint yellow) Score			
Shape		Size	

Flavor	LICORICE (Plant smell)	Imprint Code
Contains		

	Packaging				
:	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
	NDC:72501-074-	1 in 1 BOX, UNIT-DOSE	09/15/2018		
	NDC:72501-074-	1 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category Application Number or Monograph Citation Marketing Start Date Marketing End Date				
Export only		09/15/2018		

ICEKING SKIN EXPERT HEPARIN SCAR REPAIR GEL

iceking skin expert heparin scar repair gel gel

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72501-071	
Route of Administration	INFILTRATION, CUTANEOUS			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	2 g in 5 g
LAVENDER OIL (UNII: ZBP1YXW0H8) (LAVENDER OIL - UNII:ZBP1YXW0H8)	LAVENDER OIL	0.02 g in 5 g
EQUISETUM HYEMALE (UNII: 59677RXH25) (EQUISETUM HYEMALE - UNII:59677RXH25)	EQUISETUM HYEMALE	2 g in 5 g
HEPARIN SODIUM (UNII: ZZ45AB24CA) (HEPARIN - UNII:T2410KM04A)	HEPARIN	0.1 g in 5 g

Inactive Ingredients			
Ingredient Name	Strength		
GLYCERIN (UNII: PDC6A3C0OX)			
POLYOXYL 60 HYDROGENATED CASTOR OIL (UNII: 02NG325BQG)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
METHYLPARABEN (UNII: A218 C7HI9 T)			
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)			
PROLINE (UNII: 9 DLQ4CIU6 V)			
SODIUM PIDOLATE (UNII: 1V74VH163T)			

Product Characteristics			
Color	bro wn	Score	
Shape		Size	

Flavor	VANILLA (lavendar smell)	Imprint Code
Contains		

F	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72501-071-19	1 in 1 BOX, UNIT-DOSE	09/15/2018	
1	NDC:72501-071-18	1 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		09/15/2018	

ICEKING REFRESH ARMPIT

iceking refresh armpit spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72501-077
Route of Administration	INFILTRATION, CUTANEOUS		

l	Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength	
ı	ALUMINUM CHLOROHYDRATE ANHYDROUS (UNII: 407PSC3OC7) (ALUMINUM CHLOROHYDRATE ANHYDROUS - UNII:407PSC3OC7)	ALUMINUM CHLOROHYDRATE ANHYDROUS	9 g in 5 g	

Inactive Ingredients			
Ingredient Name	Strength		
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)			
IMIDUREA (UNII: M629807ATL)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
METHYLPARABEN (UNII: A218 C7H19 T)			
XANTHAN GUM (UNII: TTV12P4NEE)			

Product Characteristics			
Color	white (lucid)	Score	
Shape		Size	
Flavor	VANILLA (potpourri)	Imprint Code	
Contains			

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:72501-077- 26	1 in 1 BOX, UNIT-DOSE	09/15/2018	
1 NDC:72501-077- 25	1 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Export only		09/15/2018		

ICEKING WHITENING FRECKLE REMOVING ESSENCE

iceking whitening freckle removing essence lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:72501-075

Route of Administration CUTANEOUS, INFILTRATION

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthARBUTIN (UNII: C5INA23HXF) (ARBUTIN - UNII:C5INA23HXF)ARBUTIN0.36 g in 5 mL

Inactive Ingredients Ingredient Name Strength ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4) CARBOXYPOLYMETHYLENE (UNII: 0 A5MM307FC)

METHYLPARABEN (UNII: A2I8C7HI9T)

ALLANTO IN (UNII: 344S277G0Z)

POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor	VANILLA	Imprint Code	
Contains			

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:72501-075-	1 in 1 BOX, UNIT-DOSE	09/15/2018	

1 NDC:72501-075-70 1 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Export only		09/15/2018		

ICEKING SKIN EXPERT ANTI-ONYCHOMYCOSIS GEL

iceking skin expert anti-onychomycosis gel gel

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72501-072
Route of Administration	CUTANEOUS, INFILTRATION		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BORIC ACID (UNII: R57ZHV85D4) (BORIC ACID - UNII:R57ZHV85D4)	BORIC ACID	0.2 g in 5 g	
ACETIC ACID (UNII: Q40Q9N063P) (ACETIC ACID - UNII:Q40Q9N063P)	ACETIC ACID	2 g in 5 g	

Inactive Ingredients	
Ingredient Name	Strength
PHELLO DENDRO N AMURENSE BARK (UNII: PBG27B754G)	
PSEUDOLARIX AMABILIS WHO LE (UNII: G2TMJ38TAU)	

Product Characteristics			
Color	brown (rufous)	Score	
Shape		Size	
Flavor	FRUIT (acetic acid)	Imprint Code	
Contains			

l	Packaging				
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
l	1 NDC:72501-072-02	1 in 1 BOX, UNIT-DOSE	09/15/2018		
l	1 NDC:72501-072-01	1 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
Export only		09/15/2018		

ICEKING SKIN EXPERT REFRESHING BODY ROLLER

iceking skin expert refreshing body roller liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72501-078
--------------	----------------	--------------------	---------------

Route of Administration CUTANEOUS, INFILTRATION

Active Ingredient/Active Moiety Ingredient Name Basis of Strength CHLORHEXIDINE (UNII: R4K00DY52L) (CHLORHEXIDINE - UNII:R4K00DY52L) CHLORHEXIDINE CHLORHEXIDINE 0.0375 g in 5 mL BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM UNII:7N6JUD5X6Y) BENZALKONIUM CHLORIDE 0.075 g in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
GLYCERIN (UNII: PDC6 A3C0 OX)	
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)	
BORIC ACID (UNII: R57ZHV85D4)	
ALCOHOL (UNII: 3K9958V90M)	

Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor	MINT	Imprint Code		
Contains				

l	Packaging									
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date					
	1	NDC:72501-078- 32	$1\ mL$ in $1\ TUBE,\ WITH\ APPLICATOR;\ Type\ 0$: Not a Combination Product	09/15/2018						

Marketing Information								
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
Export only		09/15/2018						

Labeler - Shanghai Iceking Biotechnology Co.,Ltd. (526903007)

Establishment

Name	Address	ID/FEI	Business Operations
Shanghai Iceking Biotechnology Co.,Ltd.		526903007	manufacture(72501-071, 72501-072, 72501-073, 72501-074, 72501-075, 72501-076, 72501-077, 72501-078)

Revised: 7/2018

Shanghai Iceking Biotechnology Co.,Ltd.