

## **MI ACID- calcium carbonate, magnesium hydroxide tablet, chewable**

### **Major Pharmaceuticals**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Mi-Acid Double Strength Antacid Tablets**

#### **Active ingredients (in each tablet)**

Calcium carbonate 700 mg

Magnesium hydroxide 300 mg

#### **Purpose**

Antacid

Antacid

#### **Uses**

- relieves:
- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Enter section text here

#### **Warnings**

##### **Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

##### **Ask a doctor or pharmacist before use if**

you are

- taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 8 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

**Keep out of reach of children.** In case of overdose get a medical help or contact a Poison Control Center immediately.

- chew 2 to 4 tablets thoroughly as needed between meals and at bedtime or as directed by a doctor.

**Other information**

- each tablet contains: calcium 280 mg and magnesium 125 mg
- do not use if printed seal under cap is torn or missing.
- store at room temperature
- keep tightly closed and dry

corn starch, D&C yellow no. 10 lake, FD&C blue no. 1 lake, flavor, magnesium stearate, maltodextrin, sorbitol, sugar

**PDP**

Mi-Acid™

Double Strength Antacid Tablets

Calcium Rich Antacid

Cool Mint Flavor

70 Chewable Tablets

Compare to the Active ingredients in Mylanta® Double Strength



NDC 0904-5115-71

Mi-Acid™  
 DOUBLE STRENGTH  
 ANTACID TABLETS

CALCIUM RICH  
ANTACID

COOL MINT FLAVOR

70 CHEWABLE TABLETS

\*Compare to the Active Ingredients in Mylanta® Double Strength

Drug Facts

<b>Active ingredients (in each tablet)</b>	<b>Purpose</b>
Calcium carbonate 700 mg .....	Antacid
Magnesium hydroxide 300 mg .....	Antacid

**Uses** relieves: ■ acid indigestion ■ heartburn ■ sour stomach ■ upset stomach associated with these symptoms

**Warnings**  
 Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet  
 Ask a doctor or pharmacist before use if you are ■ taking a prescription drug. Antacids may interact with certain prescription drugs.  
 Do not take more than 8 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.  
 Keep out of reach of children. In case of overdose get a medical help or contact a Poison Control Center immediately

**Directions** ■ chew 2 to 4 tablets thoroughly as needed between meals and at bedtime or as directed by a doctor

**Other information** ■ each tablet contains: calcium 280 mg and magnesium 125 mg ■ do not use if printed seal under cap is torn or missing ■ store at room temperature ■ keep tightly closed and dry

**Inactive ingredients** corn starch, D&C yellow No.10 lake, FD&C blue No. 1 lake, flavor, magnesium stearate, maltodextrin, sorbitol, sugar.

Questions or Comments? (800) 616-2471  
 \*This product is not manufactured or distributed by McNeil consumer Healthcare the manufacturer of Mylanta® Double Strength.

Re-Order No. 700656    REV 04/12    M-30    Distributed By MAJOR® PHARMACEUTICALS  
 31778 Enterprise Drive, Livonia, MI 48150 USA



3 09045 11571 8

LOT:    EXP:

<b>MI ACID</b>			
calcium carbonate, magnesium hydroxide tablet, chewable			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0904-5115
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	700 mg
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	300 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCROSE</b> (UNII: C151H8M554)	

**Product Characteristics**

<b>Color</b>	green	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	MINT (Cool Mint)	<b>Imprint Code</b>	GDC111
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-5115-71	70 in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	01/01/2020	

**Labeler** - Major Pharmaceuticals (191427277)