GOOD NEIGHBOR ULTRA STRENGTH STOMACH RELIEF- bismuth subsalicylate suspension AMERISOURCE BERGEN

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

GOOD NEIGHBOR Pink Bismuth Ultra Strength Stomach Relief Drug Facts

Active ingredient (in each 15 mL dose)

Bismuth subsalicylate 525 mg

Purposes

Upset stomach reliever and antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- indigestion
- nausea
- qas
- belching
- fullness

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea or vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem

■ bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are

taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at (1-800-222-1222).

Directions

- shake well before use
- only use dose cup provided
- adults and children 12 years and over: 15 mL (1 dose) every 1/2 or 30 mL (2 doses) every hour as needed for diarrhea/traveler's diarrhea.
- 15 mL (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- children under 12 years: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

each 15 mL contains: sodium 10 mg

- salicylate 230 mg
- low sodium
- sugar free
- store at room temperature
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

carboxymethylcellulose sodium, D&C Red No. 22, D&C Red No. 28, flavor, microcrystalline cellulose, potassium hydroxide, potassium sorbate, purified water, salicylic acid, simethicone emulsion, sodium benzoate, sucralose, xanthan gum

Questions or comments?

1-866-467-2748

DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN.

Principal Display Panel

GOOD NEIGHBOR PHARMACY®

Compare to PEPTO-BISMOL® Ultra Strength active ingredient* Pink Bismuth

Ultra-Strength

Bismuth Subsalicylate

Upset Stomach Reliever & Anti-diarrheal

Relieves Upset Stomach, Nausea, Heartburn Indigestion & Diarrhea

Original Flavor

Distributed by:

AmerisourceBergen

1 West First Avenue

Conshohocken PA 19428

Questions or Concerns?

www.mygnp.com

*This product is not manufactured or distributed by PROCTER & GAMBLE INC., distributor of PEPTO-BISMOL® Ultra Strength



GOOD NEIGHBOR ULTRA STRENGTH STOMACH RELIEF

bismuth subsalicylate suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-747
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD118YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	525 mg in 15 mL	

Inactive Ingredients		
Ingredient Name	Strength	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)		
D&C RED NO. 22 (UNII: 1678RKX8RT)		
D&C RED NO. 28 (UNII: 767IP0Y5NH)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)		
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)		
WATER (UNII: 059QF0KO0R)		

SALICYLIC ACID (UNII: O414PZ4LPZ)		
DIMETHICONE (UNII: 92RU3N3Y10)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		
XANTHAN GUM (UNII: TTV12P4NEE)		

Packaging				
# Ite	em Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC 06	C:46122-747-	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/23/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part335	01/23/2023	

Labeler - AMERISOURCE BERGEN (007914906)

Revised: 2/2023 AMERISOURCE BERGEN