

**TRIPLE ANTIBIOTIC- bacitracin zinc neomycin sulfate polymyxin b sulfate ointment**  
**Medsource Pharmaceuticals**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Triple Antibiotic Ointment (Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate)**

***Drug Facts***

***Active ingredients (in each gram)***

Bacitracin zinc, USP 400 units

Neomycin 3.5 mg

Polymyxin B sulfate, USP 5,000 units

***Purpose***

First aid antibiotic

***Uses***

First aid to help prevent infection in

- minor cuts
- scrapes
- burns

***Warnings***

**For external use only**

**Allergy alert:**

- do not use if allergic to any of the ingredients

**Do not use**

- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**When using this product**

- do not use longer than 1 week unless directed by a doctor

**Stop use and ask a doctor if**

- condition persists or gets worse
- a rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- clean affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

### Other information

- Store at controlled room temperature 59°-86°F (15°-30°C). Protect from freezing.
- Before using any medication, read all label directions. Keep carton, it contains important information.

### Inactive ingredient

white petrolatum

### Questions?

1-800-432-8534 between 9 am and 4 pm EST, Monday–Friday.

### Principal Display Panel

**TRIPLE ANTIBIOTIC OINTMENT 1 OZ.**  
GENERIC FOR NEOSPORIN

LOT: NDC: 45865-0640-1 EXP: #1

UNIT DESCRIPTION: OFF-WHITE TRANSLUCENT  
FACSIMIL CONDENSED: SEE LISTED BELOW  
MFR: ACTAVIS PHARMA, INC. PARLISSEPPANY, NJ  
BACITRACIN ZINC 400 UNITS, NEOMYCIN SULFATE EQUIV. TO 3.5MG NEOMYCIN BASE, POLYMYXIN B SULFATE 5000 UNITS  
APPLY TO AFFECTED AREA(S) \_\_\_ TIMES DAILY.  
FOR EXTERNAL USE ONLY

TRIPLE ANTIBIOTIC OINTMENT 1 OZ.  
GENERIC FOR NEOSPORIN # 1  
lot: exp: NDC: 45865-0640-1 MFR NDC: 00472-0179-56

TRIPLE ANTIBIOTIC OINTMENT 1 OZ.  
GENERIC FOR NEOSPORIN # 1  
lot: exp: NDC: 45865-0640-1 MFR NDC: 00472-0179-56

TRIPLE ANTIBIOTIC OINTMENT 1 OZ.  
GENERIC FOR NEOSPORIN # 1  
lot: exp: NDC: 45865-0640-1 MFR NDC: 00472-0179-56

PATIENT  
FEEL HERE  
↓  
LOG  
CHART  
↑  
CLAIM  
FEEL HERE

**M**  
Actavis

NDC 0472-0179-34

Compare to the active ingredients  
in Neosporin®\*

# Triple Antibiotic Ointment

(Bacitracin Zinc - Neomycin Sulfate - Polymyxin B Sulfate Ointment)

## First Aid Antibiotic

First Aid to Help Prevent Infection in  
Minor Cuts, Scrapes and Burns

Net wt. 0.5 oz (14g)

- Protection Against Infection
- For Minor Cuts, Scrapes, and Burns

**M**  
Actavis

NDC 0472-0179-34

Compare to the active ingredients  
in Neosporin®\*

# Triple Antibiotic Ointment

(Bacitracin Zinc - Neomycin Sulfate - Polymyxin B Sulfate Ointment)

## First Aid Antibiotic

First Aid to Help Prevent Infection in Minor Cuts, Scrapes and Burns

Net wt. 0.5 oz (14g)

\*This product is not affiliated with, manufactured by,  
or produced by the makers of Neosporin®.

01790714 R0914 AAU3A/00  
Distributed by: Actavis Pharma, Inc.  
Parsippany, NJ 07054 USA  
Made in India Code: GO/DRUGS/362



<b>Drug Facts</b>	<b>Active ingredients (in each gram)</b> Bacitracin zinc, USP 400 units Neomycin 3.5 mg Polymyxin B sulfate, USP 5,000 units
<b>Purpose</b>	First aid antibiotic
<b>Uses</b>	First aid to help prevent infection in • minor cuts • scrapes • burns
<b>Warnings</b>	For external use only Allergy alert: • do not use if allergic to any of the ingredients Do not use • in the eyes • over large areas of the body Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns When using this product • do not use longer than 1 week unless directed by a doctor Stop use and ask a doctor if • condition persists or gets worse • a rash or other allergic reaction develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
<b>Directions</b>	• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage
<b>Other information</b>	• Store at controlled room temperature 59°-86°F (15°-30°C). Protect from freezing. • Before using any medication, read all label directions. Keep carton, it contains important information
<b>Inactive ingredient</b>	white petrolatum
<b>Questions?</b>	1-800-432-8534 between 9 am and 4 pm EST, Monday-Friday.

## TRIPLE ANTIBIOTIC

bacitracin zinc neomycin sulfate polymyxin b sulfate ointment

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:45865-640(NDC:0472-0179)

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45865-640-01	1 in 1 CARTON	01/01/2018	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	05/01/1997	

### Labeler - Medsource Pharmaceuticals (833685915)

### Establishment

Name	Address	ID/FEI	Business Operations
Medsource Pharmaceuticals		833685915	repack(45865-640)