# TOPIX MINERAL MATTIFYING TINTED SUNSCREEN SPF 30- zinc oxide cream Topiderm, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# **Topix Mineral Mattifying Tinted Sunscreen SPF 30**

## **Drug Facts**

Active ingredient	Purpose
Zinc Oxide 16.5%	Sunscreen
Titanium Dioxide 3.2%	Sunscreen

#### Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

## **Warnings**

## For external use only.

- When using this product keep out of eyes, rinse with water to remove.
- Stop use if signs of irritation or rash appear. If irritation or rash persists consult a doctor.
- Keep out of reach of children.
- In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

### Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sunscreen measures including:

- limit time in the sun, especially from 10a.m.-2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

#### **Directions**

- Apply liberally and spread evenly by hand 15 minutes before sun exposure
- Re-apply after swimming, excessive perspiring, or anytime after towel drying
- Use a water resistant sunscreen if swimming or sweating
- Use on children under 6 months of age: consult a doctor.

## **Inactive ingredients**

Alumina, Ascorbic Acid, Biotin, Butylene Glycol, Butyrospermum Parkii (Shea) Butter, Camellia Sinensis Leaf (Green Tea) Polyphenols, Caprylic/Capric Triglyceride, Centella Asiatica Extract, Ceramide NS, Cyclopentasiloxane, Cyclotetrasiloxane, Dimethicone Crosspolymer, Dimethicone, Hexyl Laurate, Iron Oxides, Isodoecane, Methyl Trimethicone, PEG/PPG-18/18 Dimethicone, PEG-10 Dimethicone, PEG-8 Methyl Ether Triethoxysilane, Phospholipids, Phyllanthus Emblica Fruit Extract, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Polymethylsilsesquiloxane, Polysilicone-11, Purified Water, Resveratrol, Silica Dimethyl Silylate, Silica, Stearic Acid, Tocopherol, Ubiquinone (Co-Enzyme Q10).

## PRINCIPAL DISPLAY PANEL - 54 g Bottle Label

COMPLIMENTS OF TOPIX PHARMACEUTICALS, INC

**MULTI-TASKING** 

Mineral Mattifying Tinted Sunscreen SPF 30

Broad Spectrum SPF 30

Net wt. 1.9 oz. (54 g)

Available Custom Branded 800.445.2595 c.service@topixpharm.com COMPLIMENTS OF

# **MULTI-TASKING**

# Mineral Mattifying Tinted Sunscreen SPF 30

Broad Spectrum SPF 30

Net wt. 1.9 oz. (54 g)

Available Custom Branded 800.445.2595 c.service@topixpharm.com

# **Drug Facts**



# Active ingredient

Purpose

Zinc Oxide 16.5%.....Sunscreen

Titanium Dioxide 3.2%.....Sunscreen

**Uses** Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

# Warnings

For external use only. When using this product keep out of eyes, rinse with water to remove. Stop use if signs of irritation or rash appear. If irritation or rash persists consult a doctor. Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

#### Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sunscreen measures including:

محمدها مدرية المحمد المقطية المقاطعة والمحاددة

limit time in the sun, especially from 10a.m.-2 p.m.

# Drug Facts (continued)

## Directions

Apply liberally and spread evenly by hand 15 minutes before sun exposure Re-apply after swimming, excessive perspiring, or anytime after towel drying Use a water resistant sunscreen if swimming or sweating Use on children under 6 months of age: consult a doctor.

# Inactive ingredients

Alumina, Ascorbic Acid, Biotin, Butylene Glycol, Butyrospermum Parkii (Shea) Butter, Camellia Sinensis Leaf (Green Tea) Polyphenols, Caprylic/Capric Triglyceride, Centella Asiatica Extract, Ceramide NS, Cyclopentasiloxane, Cyclotetrasiloxane, Dimethicone Crosspolymer, Dimethicone, Hexyl Laurate, Iron Oxides, Isodoecane, Methyl Ether Triethoxysilane, Pbyllanthus Ethers Fruit Phylanthus Ethers Fruit Phylanthus Ethers Fruit Phylanthus Ethers Fruit Phylanthus Ethers Phylanthus Phylanthus Phylanthus Phylanthus Phylanthus Phylanthus Phylanthus Phylan Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Polymethylsilsesquiloxane,

# ninge non printing area

## TOPIX MINERAL MATTIFYING TINTED SUNSCREEN SPF 30

zinc oxide cream

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:51326-130

**Route of Administration** TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	<b>Basis of Strength</b>	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	162 mg in 1 g	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	32 mg in 1 g	

Inactive Ingredients	
Ingredient Name	Strength
ALUMINUM OXIDE (UNII: LMI26O6933)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
BIOTIN (UNII: 6SO6U10H04)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SHEA BUTTER (UNII: K49155WL9Y)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CENTELLA ASIATICA WHOLE (UNII: 7M867G6T1U)	
CERAMIDE NG (UNII: C04977SRJ5)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 4 (UNII: CZ227117JE)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
FERROUS OXIDE (UNII: G7036X8B5H)	
ISODODECANE (UNII: A8289P68Y2)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
PEG-10 DIMETHICONE (220 CST) (UNII: 287GF3Y3WC)	
OMEGA-3 FATTY ACIDS (UNII: 71M78END5S)	
PHYLLANTHUS EMBLICA FRUIT (UNII: YLX4CW2576)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

WATER (UNII: 059QF0KO0R)	
RESVERATROL (UNII: Q369O8926L)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
.ALPHATOCOPHEROL (UNII: H4N855PNZ1)	
COENZYME Q10, (2Z)- (UNII: U705VLF0VW)	

Packaging				
	# Item Cod	e Package Description	Marketing Start Date	Marketing End Date
	<b>1</b> NDC:51326-1	30- 54 g in 1 BOTTLE; Type 0: Not a Combination Product	02/21/2023	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/21/2023	
FINAL	P		

# Labeler - Topiderm, Inc. (049121643)

# Registrant - Topiderm, Inc. (049121643)

Establishment				
Name	Address	ID/FEI	Business Operations	
Topiderm, Inc.		049121643	MANUFACTURE(51326-130)	

Revised: 2/2023 Topiderm, Inc.