FEMMESIL CREME MAXIMUM STRENGTH- miconazole nitrate cream Aidance Skincare & Topical Solutions, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient Miconazole Nitrate 2%

Purpose Vaginal Antifungal

Use Treats vaginal yeast infections.

Warnings

For vaginal use only. Do not use if you have never had a vaginal yeast infection diagnosed by a doctor; if you have a fever (higher than 100° F), pain in the lower abdomen, back, or either shoulder, or a foul-smelling vaginal discharge. You should see a doctor for treatment of these symptoms.

Ask doctor before use if you have

- Vaginal itching and discomfort for the first time; lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. You may have a more serious condition.
- Vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- Been exposed to the human immunodeficiency virus (HIV) that causes AIDS.

When using this product

- Do not use tampons, douches, spermicides, or other vaginal products; condoms or diaphragms may be damaged and fail to prevent sexually transmitted disease or pregnancy.
- Do not have vaginal intercourse.
- Mild increase in vaginal burning, itching or irritation may occur.

Stop use and ask a doctor if symptoms do not get better in 3 days; symptoms last more than 7 days; you get a rash orhives, abdominal pain, fever, chills, nausea, vomiting or a foul-smelling vaginal discharge.

Directions

Children under 12	Ask a physician
children 12	Femmesil may be used topically (outside the vaginal area) or intravaginally. Squeeze a small amount of cream onto fingertip. Apply 2-3 times daily for up to 3 days or longer,

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

If swallowed, call poison control or seek medical help.

Other Information

Store at room temperature.

Inactive Ingredients

bentonite clay, distilled water, jojoba seed oil, peppermint oil, silver oxide, tea tree oil, zinc oxide.

Questions? 877-4-AIDANCE

PRINCIPAL DISPLAY PANEL - 28g Carton



 Arring Constraint of the second of				
Warnings For varing line used if you have never had a varinal use at if you have a fever (higher than 100° F), pain in the lower abdoman, back, or should see a doctor for treatment of these symptoms. Active Ingredient: Miconazole Nitrate 2% Varinal Antifungal Was a doctor before use if you have *Vaginal doctor for treatment of these symptoms. Ise: Treats vaginal yeast infections For warnings, see back of box addoman, back, or should erain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. You may have a more serious condition. Ise: Treats vaginal yeast infections For warnings, see back of box Directions Directions Mild neumder 12 Ask a physicinal children 12 years and ouer Formersimal becomes and instrume system. Washing induction of a line methy induction of a line methy ward and back a doctor for treatment of these symptoms. For warnings, see back of box Directions Must aread ward ware aread ward internet is and ouer symptoms, including diabetes or a weakened immun system. For warnings, see back of box Directions Must aread ward ware aread ward internet is adour if you have vaginal product - to not use tampons, doubres, symptoms and be damaged and fail prevent sward vaginal burning, itching or initation may occur. For warnings, see back of box burnet is a needed. Wight prevent sward ward aread fail prevent sward in treatoring and ward in the adding have a roo ward in the methy and and fail prevent sward in the adding have and the adding and prevent sward in the adding have and thereaded and fail prevent sward in the adding have and thereaded have adding burnet s	Drug Facts (continued)	Drug Facts	MAXIMUM STRENGTH	Drug Facts (continued)
doctor for treatment of these symptoms. Ask a doctor before use if you have *Vaginal itching and discomfort for the first time; lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. Vour may have a more serious condition. *Vaginal yeast infections infections *Vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system. *Been exposed to the human immunodeficiency virus (HIV) that causes AIDS. When using this product * Do not use tampons, douches, spermicides, or other vaginal products; condoms or diaphragm smy be damaged and fail to prevent sexually transmitted disease or pregnancy.*Do not have vaginal burning, itching or irritation may occur. Stop us and ask x doctor if symptoms do not get burst in days, symptoms in cluding or in fiss, seed dominal pain, fever, chills, nausea, vomiting or a foul-smelling vaginal discharge. Ask a physician Adults and children 12 years and over For mensil way be used topically cursta the vaginal area lor intervaginally days or longer, as needed. For mensil way be used topically days or longer, as needed. With Activated Minerals ^m (Mile in USA Manufactured by Aidance Skincare. & Relieves Multiple Symptoms Made in USA Manufactured by Aidance Skincare and Topical Solutions LLC. Wate in usa, Manufactured by aidance Skincare. and Topical Solutions LLC. Made in USA Manufactured by Aidance Skincare and Topical Solutions LLC.	For vaginal use only. Do not use if you have never had a vaginal yeast infection diagnosed by a doctor; if you have a fever (higher than 100° F), pain in the lower abdomen, back, or either shoulder, or	Miconazole Nitrate 2% Purpose: Vaginal Antifungal		swallowed, call poison control or
itching and discomfort for the first time; lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting of toul-smelling vaginal discharge. You may have a more serious condition. Vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system. * Been exposed to the human immunodeficiency virus (HIV) that causes AIDS. When using this product * Do not use tampons, douches, spermicides, or other vaginal products; condoms or diaphragms may be damaged and fail to prevent sexually transmitted disease or pregnancy.* Do not have vaginal informing, itching or irritation may occur. Stop use and ask a doctor if symptoms do not get better in 3 days: symptoms last more than 7 days; you get a rash or hives, abdominal pain, fever, chills, nausea, womiting or a foul-smelling vaginal discharge. We transmitted disease and the discase or pregnancy.* The setter is a days: symptom setting or a foul-smelling vaginal discharge. With active as a doctor if symptoms do not get better in 3 days: symptoms last more than 7 days; you get a rash or hives, abdominal pain, fever, chills, nausea, womiting or a foul-smelling vaginal discharge. We take as a doctor if symptoms do not get better in 3 days: symptoms last more than 7 days; you get a rash or hives, abdominal pain, fever, chills, nausea, yomiting or a foul-smelling vaginal discharge. We take as a doctor if symptoms do not get better in 3 days: symptoms last more than 7 days; you get a rash or hives, abdominal pain, fever, chills, nausea, yomiting or a foul-smelling vaginal discharge. We take a doctor if symptoms do not get better in 3 days: symptoms last more than 7 days; you get a rash or hives, abdominal pain, fever, chills, nausea, yomiting or a foul	doctor for treatment of these symptoms.			Other information: Store at room temperature.
symptoms, including diabetes or a weakened immunodeficiency virus (HV) that causes AIDS. When using this product * Do not use tampons, douches, spermicides, or other vaginal products; condoms or diaphragms may be damaged and fail to prevent sexually transmitted disease or pregnancy. *Do not have vaginal intercourse. * Mild increase in vaginal burning, itching or irritation may occur. * Stop use and ask a doctor if symptoms do not get better in 3 day; symptoms last more than 7 day; you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting or a foul-smelling vaginal discharge.	itching and discomfort for the first time; lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting or foul-smelling vaginal discharge. You may have a more serious condition. «Vaginal yeast infections often (such as once a month or 31 n6 months). You could be pregnant or	Directions Children under 12 Ask a physician Adults and Children 12 years Used topically		bentonite clay, distilled water, jojoba seed oil, peppermint oil, silver oxide,
When using this product - voltage tampoints, douches, spermicides, or other vaginal products; condoms or diaphragms may be damaged and fail to prevent sexually transmitted disease or pregnancy. →Do not have vaginal intercourse. - Mild increase in vaginal burning, itching or irritation may occur. - Stop use and ask a doctor if symptoms do not get better in 3 days; symptoms last more than 7 days; you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting or a foul-smelling vaginal discharge.	symptoms, including diabetes or a weakened immune system. • Been exposed to the human	vaginal area) or intravaginally.	with Activated Minerals™	Questions? 877-4-AIDANCE
Stop use and ask a doctor if symptoms do not get better in 3 days; symptoms last more than 7 days; you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting or a foul-smelling vaginal discharge.	When using this product = Do not use tampons, douches, spermicides, or other vaginal products; condoms or diaphragms may be damaged and fail to prevent sexually transmitted disease or pregnancy. = Do not have vaginal intercourse. = Mild increase in vaginal burning, itching or	amount of cream onto fingertip. Apply 2-3 times daily for up to 3 days or longer,	All-Natural Cure for Vaginal Itch, Odor and Yeast Infection	by Aidance Skincare. www.aidance.com Protected by US and international patents granted and pending. Femmesil™ and
	better in 3 days; symptoms last more than 7 days; you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting or a foul-smelling vaginal		& Relieves Multiple Symptoms	
		AidanceSkincare	Net WL 20 grans	Aidance Skincare

FEMMESIL CREME MAXIMUM STRENGTH							
Product Information							
Product Type	HUMAN OTC DRUG	Item Code (Sour	ce)	NDC:2490	9-201		
Route of Administration	TOPICAL						
Active Ingredient/Active Moi	ety						
Ing	redient Name		Basis of St	rength	Strength		
MICONAZOLE NITRATE (UNII: VW4F	HICYWIK) (MICONAZOLE - UNI	I:7NNO0D7S5M)	MICONAZOLE	NITRATE	2.0 g in 100 g		
Inactive Ingredients							

			Strength			
BENT	FONITE (UNII: A3N	5ZCN45C)				
JOJO	DBA OIL (UNII: 724	GKU717M)				
PEPP	PERMINT OIL (UNI	I: AV092KU4JH)				
SILV	TER O XIDE (UNII: 89	97WUN6G6T)				
TEA '	TREE OIL (UNII: V	IF565UC2G)				
WAT	' ER (UNII: 059QF0K	.00R)				
ZINC	C OXIDE (UNII: SOI2	PLOH54Z)				
Pac	kaging					
	kaging Item Code	Package Description	Marketin	ng Start Date	Ma	arketing End Date
#	0 0	Package Description 1 in 1 CARTON	Marketii	ıg Start Date	Ma	arketing End Date
# 1 ND	Item Code		Marketin	ng Start Date	Ma	arketing End Date
# 1 ND	Item Code	1 in 1 CARTON	Marketii	ıg Start Date	Ma	arketing End Date
#	Item Code	1 in 1 CARTON	Marketin	ıg Start Date	M	arketing End Date
# 1 1 ND	Item Code	1 in 1 CARTON 28 g in 1 BOTTLE	Marketin	ıg Start Date	Ma	arketing End Date
# 1 ND 1	Item Code DC:24909-201-28	1 in 1 CARTON 28 g in 1 BOTTLE		ng Start Date Marketing Start		arketing End Date Marketing End Dat

Labeler - Aidance Skincare & Topical Solutions, LLC (018950611)

Establishment

Name	Address	ID/FEI	Business Operations
Aidance Skincare & Topical Solutions, LLC		018950611	manufacture(24909-201) , label(24909-201)

Revised: 9/2012

Aidance Skincare & Topical Solutions, LLC