SIGNATURE CARE CHILDRENS MULTI SYMPTOM COLD- dextromethorphan hbr, guaifenesin, phenylephrine hcl solution Safeway

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Better Living Brands LLC Children's Multi-Symptom Cold Drug Facts

Active ingredients (in each 5 mL)

Dextromethorphan HBr 5 mg
Guaifenesin 100 mg
Phenylephrine HCl 2.5 mg

Purposes

Cough suppressant

Expectorant

Nasal decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
- cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help your child get to sleep
- nasal congestion due to a cold
- stuffy nose

Warnings

Do not use

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with asthma

When using this product

do not use more than directed

Stop use and ask a doctor if

- your child gets nervous, dizzy or sleepless
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter

Age	Dose	
children 6 years to under 12 years	10 mL every 4 hours	
children 4 years to under 6 years	5 mL every 4 hours	
children under 4 years	do not use	

Other information

- each 5 mL contains: sodium 3 mg
- · do not use if printed neckband is broken or missing
- store at 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose,

xanthan gum

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Compare to Children's Mucinex® Multi-Symptom Cold active ingredients

Quality Guaranteed

FOR AGES 4 TO 12 YEARS

Children's Multi-Symptom Cold

GUAIFENESIN 100 mg

Expectorant

DEXTROMETHORPHAN HBr 5 mg

Cough Suppressant


PHENYLEPHRINE HCl 2.5 mg

Nasal Decongestant

VERY BERRY FLAVOR LIQUID

Relieves

- Stuffy Nose
- Cough
- Chest Congestion
- Breaks Up Mucus
- 4 FL OZ (118 mL)







Drug Facts

Purposes
0.0000-0.000000000
Cough suppressant
Expectorant
lasal decongestant

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productiv
- bothersome mucus and make coughs more productive temporarily relieves:

 cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants to the intensity of coughing the impulse to cough to help your child get to sleep assal congestion due to a cold stiffnores.
- stuffy nose

Warrinings
Do not use in a child who is taking a prescription
monoamine oxidase inhibitor (MAOI) (certain drugs for
depression, psychiatric, or emotional conditions, or
Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescriptior drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has

- heart disease high blood pressure
 thyroid disease diabetes
 cough that occurs with too much phlegm (mucus)
 persistent or chronic cough such as occurs

When using this product do not use more than directed

- Stop use and ask a doctor if

 your child gets nervous, dizzy or sleepless
 symptoms do not get better within 7 days or occur
 with fever
 couph lasts more than 7 days, comes back, or occurs
 with fever resh, or periistert headache. These could
- with fever, rash, or persistent headache. These could be signs of a serious condition.

be signs of a seriods control.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

- Directions
 do not take more than 6 doses in any 24-hour period
 measure only with dosing cup provided
 do not use dosing cup with other products
- dose as follows or as directed by a doctor

Drug Facts (continued)

Age	Dose	
children 6 years to under 12 years	10 mL every 4 hours	
children 4 years to under 6 years	5 mL every 4 hours	
children under 4 years	do not use	

Other information

- each 5 mL contains: sodium 3 mg
 do not use if printed neckband is broken or missing
 store at 20-25°C (68-77°F)
- do not refrigerate
- dosing cup provided

Inactive ingredients anhydrous citric acid, edetate disodium, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions or comments? 1-800-719-9260

**This product is not manufactured or distributed by Reckitt Benckiser, distributor of Children's Mucinex® Multi-Symptom Cold.

DISTRIBUTED BY: BETTER LIVING BRANDS LLC P.O. BOX 99, PLEASANTON, CA 94566-0009 1-888-723-3929/www.betterfivingbrands.L.C.com

OUR PROMISE 100% GUARANTEED









Compare to Children's Mucinex® Multi-Symptom Cold active ingredients*

NDC 21130-272-26



Children's Mucinex® Multi-Symptom Cold active ingredients** NDC 21130-272-26 Signature care. Quality Guaranteed

Compare to

AGES 4 TO 12 YEARS

Children's Multi-Symptom

GUAIFENESIN 100 mg DEXTROMETHORPHAN HBr 5 mg PHENYLEPHRINE HCI 2.5 mg



- Cough Chest Congestion
- Breaks Up Mucus

4 FL OZ (118 mL)




GUAIFENESIN 100 mg DEXTROMETHORPHAN HBr 5 mg PHENYLEPHRINE HCI 2.5 mg



- Stuffy Nose
- Cough
- Chest Congestion • Breaks Up Mucus

4 FL OZ (118 mL)







SIGNATURE CARE CHILDRENS MULTI SYMPTOM COLD

dextromethorphan hbr, quaifenesin, phenylephrine hcl solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:21130-272 **Route of Administration** ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
GLYCERIN (UNII: PDC6A3C0OX)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
SORBITOL (UNII: 506T60A25R)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
XANTHAN GUM (UNII: TTV12P4NEE)			

Product Characteristics			
Color	RED (clear)	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:21130-272- 26	1 in 1 CARTON	07/08/2021		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/08/2021	

Revised: 7/2021 Safeway