

FONOW- bacitracin, neomycin, polymyxin b, lidocaine hcl ointment
Zhejiang Fonow Medicine Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

FONOW Triple Antibiotic Ointment With Pain Relief

FONOW
Triple Antibiotic Ointment
With Pain Relief

Active ingredients (in each gram)

Bacitracin 500 units
Neomycin 3.5mg
Polymyxin B 5000 units
Lidocaine HCL 40 mg

Purpose

First aid antibiotic
First aid antibiotic
First aid antibiotic
Anesthetic

Uses First aid to help prevent infection and provide temporary pain relief in minor cuts scrapes burns

Warnings

For external use only.

Do not use

if allergic to any of the ingredients
in or near the eyes
over large areas of the body

Stop use and ask a doctor if
condition lasts or gets worse
symptoms last for more than 7 days or clear up and come back within a few days
a rash or other allergic reaction occurs

Keep out of reach of children If swallowed, get medical help or contact a Poison

Control Center immediately.

Directions

Adults and children 2yrs. and older: apply amount (equal to the surface area of a fingertip) on area 1 to 3 times daily. may be cover with a sterile bandage

Children under 2: ask a doctor

Inactive ingredient

White Petrolatum

PRINCIPAL DISPLAY PANEL

Drug Facts

Active ingredients (in each gram) Purpose

Bacitracin 500 unitsFirst aid antibiotic

Neomycin 3.5mgFirst aid antibiotic

Polymyxin B 5000 units.....First aid antibiotic

Lidocaine Hcl 40 mg..... Anesthetic

Uses First aid to help prevent infection and provide temporary pain relief in minor cuts scrapes burns

Warnings

For external use only.

Do not use

if allergic to any of the ingredients

in or near the eyes

over large areas of the body

Ask a doctor before use if you have

deep or puncture wounds

animal bites

serious burns

Stop use and ask a doctor if

condition lasts or gets worse

symptoms last for more than 7 days or clear up and come back within a few days

a rash or other allergic reaction occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

Adults and children 2yrs. and older: apply amount (equal to the surface area of a fingertip) on area 1 to 3 times daily. may be cover with a sterile bandage

Children under 2: ask a doctor

Other information Store at temperature 50°-86°F(10°-30°C)

Inactive ingredient White Petrolatum

107*140*70mm

35.4cm

10.7cm

7cm

10.7cm

7cm

MONOW

24-Hour Protection Against Germs

FONOW
Triple Antibiotic Ointment
With Pain Relief

Bacitracin, Neomycin, Polymyxin B,
Lidocaine HCl

LOT

First aid to help prevent infection
Store at temperature 50°F-86°F(10°C-30°C)

NET WT. 1g
100 each/box

MONOW

NDC 52454-001-01

24-Hour Protection Against Germs

FONOW
Triple Antibiotic Ointment
With Pain Relief

Bacitracin, Neomycin, Polymyxin B,
Lidocaine HCl

First aid to help prevent infection

Store at temperature 50°F-86°F(10°C-30°C)

FONOW Zhejiang Fonow Medicine Co., Ltd., 209 West Hulan Road, Dongyang,
Zhejiang, 322100, P.R.China | Made in China

NET WT. 1g
100 each/box

FONOW Zhejiang Fonow Medicine Co., Ltd., 209 West Hulan Road,
Dongyang, Zhejiang, 322100, P.R.China | Made in China
Tel: +86-579-86358015

Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin 500 units	First aid antibiotic
Neomycin 5.5mg	First aid antibiotic
Polymyxin B 5000 units	First aid antibiotic
Lidocaine HCl 40 mg	Anesthetic

Uses First aid to help prevent infection and provide temporary pain relief in: ■ minor cuts ■ scrapes ■ burns

Warnings For external use only.
Do not use: ■ if allergic to any of the ingredients ■ in or near the eyes ■ over large areas of the body

Ask a doctor before use if you have: ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if: ■ condition lasts or gets worse ■ symptoms last for more than 7 days or clear up and come back within a few days ■ a rash or other allergic reaction occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions ■ Adults and children 2yrs. and older: apply amount (equal to the surface area of a fingertip) on area 1 to 3 times daily. May be covered with a sterile bandage. ■ Children under 2: ask a doctor

Other information
Store at temperature 50°F-86°F(10°C-30°C).

Inactive ingredient White Petrolatum.

14cm

NDC 52454-001-02

24-Hour Protection Against Germs



Triple Antibiotic Ointment With Pain Relief

Bacitracin / Neomycin / Polymyxin B / Lidocaine HCl

NET WT. 15g

24-Hour Protection Against Germs



FONOW



Triple Antibiotic Ointment With Pain Relief

Bacitracin / Neomycin / Polymyxin B / Lidocaine HCl

NET WT. 15g

Store at temperature 50 °F -86 °F (10 °C -30 °C).

See box or tube for lot number and expiration date.

LOT

FONOW Zhejiang Fonow Medicine Co.,Ltd., 209 West Hulan Road,
Dongyang, Zhejiang, 322100, P.R.China | Made in China
Tel: +86-579-86358015



FONOW

Drug Facts

Active Ingredients (in each gram)

Bacitracin 500 units First aid antibiotic
Neomycin 3.5mg First aid antibiotic
Polymyxin B 5000 units First aid antibiotic
Lidocaine HCl 40 mg Anesthetic

Purpose

First aid to help prevent infection and provide temporary pain relief in ■ minor cuts ■ scrapes ■ burns

Warnings

For external use only.

Do not use ■ if allergic to any of the ingredients ■ in or near the eyes ■ over large areas of the body

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns


Stop use and ask a doctor if ■ condition lasts or gets worse ■ symptoms last for more than 7 days or clear up and come back within a few days ■ a rash or other allergic reaction occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions ■ Adults and children 2yrs. and older: apply amount (equal to the surface area of a fingertip) on area 1 to 3 times daily. may be cover with a sterile bandage ■ Children under 2: ask a doctor.

Inactive Ingredient White Petrolatum.





FONOW

bacitracin, neomycin, polymyxin b, lidocaine hcl ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52454-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN (UNII: 58H6RWO52I) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)	POLYMYXIN B	5000 [iU] in 1 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	945 mg in 1 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52454-001-01	100 in 1 BOX	01/01/2018	
1		1 g in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:52454-001-02	1 in 1 BOX	01/01/2018	
2		15 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:52454-001-03	25 in 1 BOX	01/01/2018	
3		1 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	01/01/2018	

Labeler - Zhejiang Fonow Medicine Co., Ltd. (420094818)

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang Fonow Medicine Co., Ltd.		420094818	manufacture(52454-001)

Revised: 6/2023

Zhejiang Fonow Medicine Co., Ltd.