

MEIJER KIDS TEAR FREE SPF 50 - titanium dioxide, zinc oxide lotion

Meijer Distribution, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Titanium Dioxide 3.2%, Zinc Oxide 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

- May stain some fabrics

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. to 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Inactive ingredients

Water, Caprylic/Capric Triglyceride, Isohexadecane, Butyloctyl Salicylate, Octyldodecyl Citrate Crosspolymer, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, C30-38 Olefin/Isopropyl Maleate/MA Copolymer, Sodium Chloride, Ethylhexyl Methoxycrylene, Dimethicone, Phenoxyethanol, Caprylyl Glycol, PEG-8, Alumina, Glycerin, Sodium Citrate, Tocopheryl Acetate, Aloe Barbadosis Leaf Juice.

Other information

protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-697-9868 Mon-Fri

Principle Display Label

NDC: 41250-922-57

meijer

tear free

kids

Sunscreen lotion

pediatrician tested

UVA/UVB protection

50

Broad Spectrum

SPF 50

Water Resistant

(80 minutes)

1 FL. OZ. (295 mL)



Drug Facts

Active ingredients	Purpose
Titanium Dioxide 3.2%, Zinc Oxide 4.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only • Do not use on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions
 • apply liberally 15 minutes before sun exposure
 • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying
 • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses
 • children under 6 months of age: Ask a doctor

Inactive ingredients Water, Caprylic/Capric Triglyceride, Isohexadecane, Butyloctyl Salicylate, Octyldodecyl Citrate Crosspolymer, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, C30-38 Olefin/Isopropyl Maleate/MA Copolymer, Sodium Chloride, Ethylhexyl Methoxycrylene, Dimethicone, Caprylyl Glycol, PEG-8, Alumina, Glycerin, Sodium Citrate, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice, Phenoxyethanol.

Other information protect this product from excessive heat and direct sun

Questions or comments?
 Call 1-800-697-9868 Mon-Fri

DIST. BY MEIJER DISTRIBUTION, INC.
 GRAND RAPIDS, MI 49544
 www.meijer.com

7 13733 91661 5 93017935

MEIJER KIDS TEAR FREE SPF 50

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-922
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	3.2 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
ISOHEXADECANE (UNII: 918X1OUF1E)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)
DIMETHICONE (UNII: 92RU3N3Y1O)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
ALUMINUM OXIDE (UNII: LM26O6933)
GLYCERIN (UNII: PDC6A3C0OX)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALOE VERA LEAF (UNII: ZY81Z83H0X)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-922-57	295 g in 1 BOTTLE; Type 0: Not a Combination Product	06/02/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/02/2016	

Labeler - Meijer Distribution, Inc. (006959555)

Revised: 6/2016

Meijer Distribution, Inc.