

**DE LA CRUZ DESEMPACHO - sodium bicarbonate liquid
DLC LABORATORIES, INC.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DE LA CRUZ[®] DESEMPACHO[®] LIQUID

Drug Facts

Active ingredient (in each 15 mL=1 tablespoon)

Sodium bicarbonate 525 mg

Purpose

Antacid

Uses

relieves:

- heartburn
- sour stomach
- acid indigestion
- upset stomach associated with these symptoms

Warnings

Do not use

- this product when abdominal pain, nausea, vomiting or other symptoms of appendicitis are present
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- take only the recommended dosage
- do not use the maximum dosage for more than 2 weeks, unless directed by a doctor

Stop use and ask a doctor if severe stomach pain occurs after taking this product.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose get medical help or contact a Poison Control Center immediately.

Directions

- shake well before using
- adults and children 12 years of age and older: one tablespoonful (15 mL) every four hours as needed or as directed by a doctor. Do not take more than 6 tablespoons in 24 hours.
- consult a doctor for use in children under 12 years of age
- **do not exceed recommended dosage. See Warnings.**

Other information

- **each tablespoon contains:** sodium 144 mg
- do not accept if plastic seal around cap is broken or missing
- see label for expiration date
- keep tightly closed at room temperature and protect from light

Inactive ingredients

glycerin, peppermint spirit, purified water, rhubarb fluid extract. **Contains 5.5% alcohol.**

Questions

1-800-858-3889

@delacruzproducts

@DLCLaboratories

dlclabs.com

©2021 DLC Laboratories, Inc.

Manufactured by:

De La Cruz Products

A Division of DLC Laboratories, Inc.

Paramount, CA 90723 USA

PRINCIPAL DISPLAY PANEL - 236 mL Bottle Label

Fast Relief

DESEMPACHO®

Liquid Antacid

Relieves

Upset Stomach

Heartburn

Indigestion

Sugar Free • mint

5.5% Alcohol

8 FL OZ (236 mL)

Trusted since 1972

Fast Relief Alivio Rápido

DESEMPACHO
Liquid Antacid / Antiácido Líquido

Relieves / Alivia
Upset Stomach
Malestar Estomacal
Heartburn
Acidez
Indigestion
Indigestión

5.5% Alcohol
8 FL OZ (236 mL)

Sugar Free • Mint
Sin Azúcar • Menta

Manufactured by / Fabricado por
De La Cruz Products
A Division of De La Cruz, Inc.
P.O. Box 1000
Channahon, IL 61018
Distribuido por / Distribuido por
De La Cruz Pharmaceuticals
P.O. Box 1000
Channahon, IL 61018
© 2011 De La Cruz Pharmaceuticals, Inc.

Drug Facts	Drug Facts (continued)
Active ingredient (In each 15 mL=1 tablespoon) Sodium bicarbonate 525 mg.	Purpose Antacid
Uses relieves: ■ heartburn ■ sour stomach ■ acid indigestion ■ upset stomach associated with these symptoms	Directions ■ shake well before using ■ adults and children 12 years of age and older: one tablespoonful (15 mL) every four hours as needed or as directed by a doctor. Do not take more than 6 tablespoons in 24 hours. ■ consult a doctor for use in children under 12 years of age ■ do not exceed recommended dosage. See Warnings.
Warnings Do not use ■ this product when abdominal pain, nausea, vomiting or other symptoms of appendicitis are present ■ if you have ever had an allergic reaction to this product or any of its ingredients	Other information ■ each tablespoon contains: sodium 144 mg ■ do not accept if plastic seal around cap is broken or missing ■ see label for expiration date ■ keep tightly closed at room temperature and protect from light
Ask a doctor before use if you have ■ a sodium-restricted diet	Inactive ingredients glycerin, peppermint spirit, purified water, rhubarb fluid extract. Contains 5.5% alcohol.
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.	When using this product ■ take only the recommended dosage ■ do not use the maximum dosage for more than 2 weeks, unless directed by a doctor
Stop use and ask a doctor if severe stomach pain occurs after taking this product.	Stop use and ask a doctor if severe stomach pain occurs after taking this product.
If pregnant or breast-feeding, ask a health professional before use.	 0 24286 15091 4

Datos Medicinales en Español

Datos Medicinales	
Ingrediente activo (en cada 15 ml = 1 cucharada)	Propósito
Bicarbonato de sodio 525 mg	Antiácido
Usos Alivia: ■ acidez ■ ardor de estómago ■ indigestión ácida ■ malestar estomacal asociado con estos síntomas	
Advertencias No usar ■ este producto cuando presenta dolor abdominal, náuseas, vómitos u otros síntomas de apendicitis ■ si alguna vez tuvo una reacción alérgica a este producto o a alguno de sus ingredientes Consulte con un médico antes de usarlo si usted tiene ■ una dieta restringida en sodio Consulte con un médico o farmacéutico antes de usarlo si usted actualmente toma un medicamento recetado. Es posible que los antiácidos interactúen con ciertos medicamentos recetados. Cuando use este producto ■ tome sólo la dosis recomendada ■ no use la dosis máxima durante más de 2 semanas, a menos que se lo indique un médico Deje de usarlo y consulte con un médico si presenta dolor de estómago severo después de tomar este producto. Si está embarazada o lactando, consulte con un profesional de la salud antes de usarlo. Manténgase fuera del alcance de los niños. En caso de sobredosis, solicite ayuda de un médico o comuníquese con un Centro de Control de Envenenamientos de inmediato.	
Indicaciones ■ agítelo bien antes de usar ■ adultos y niños de 12 años o más: una cucharada (15 ml) cada cuatro horas, según sea necesario, o según lo indique un médico. No tome más de 6 cucharadas en 24 horas. ■ consulte con un médico antes de usar en niños menores de 12 años ■ no exceda la dosis recomendada. Consulte las advertencias.	
Otra información ■ cada cucharada contiene: 144 mg de sodio ■ no lo acepte si el sello de plástico alrededor de la tapa falta o está roto ■ vea la fecha de vencimiento en la etiqueta ■ consérvelo bien cerrado, a temperatura ambiente y protegido de la luz	
Ingredientes inactivos glicerina, esencia de menta, agua purificada, extracto líquido de ruibarbo. Contiene 5.5% alcohol.	

P0250-1Y2

DE LA CRUZ DESEMPACHO
sodium bicarbonate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24286-1523
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1ZRA3Q20)	SODIUM BICARBONATE	525 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
PEPPERMINT (UNII: V95R5KMY2B)	
WATER (UNII: 059QF0KO0R)	
RHUBARB (UNII: G280W4MW6E)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24286-1523-4	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/15/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	03/15/2016	

Labeler - DLC LABORATORIES, INC. (093351930)**Establishment**

Name	Address	ID/FEI	Business Operations
DLC Laboratories, Inc.		093351930	manufacture(24286-1523) , label(24286-1523)

Revised: 1/2022

DLC LABORATORIES, INC.