

## **DUOFILM WART REMOVER- salicylic acid liquid**

**Bayer HealthCare LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DuoFilm** ®

### **SALICYLIC ACID WART REMOVER**

#### **Drug Facts**

##### **Active ingredient**

Salicylic acid 17% (w/w)

##### **Purpose**

Wart Remover

##### **Uses**

- for removal of common and plantar warts
- common warts can be easily recognized by the rough cauliflower-like appearance of the surface
- plantar warts can be recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern

##### **Warnings**

**For external use only**

**Flammable** Keep away from fire or flame

##### **Do not use**

- if you have diabetes
- if you have poor blood circulation
- on irritated skin or any area that is infected or reddened
- on moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes

##### **When using this product**

- if product gets in eyes, flush with water for 15 minutes
- do not inhale vapors
- cap bottle tightly when not in use and store at room temperature away from heat

**Stop use and ask a doctor if** discomfort lasts

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

##### **Directions**

- wash affected area

- may soak wart in warm water for 5 minutes
- dry thoroughly
- apply one drop at a time with applicator to sufficiently cover each wart
- let dry
- self-adhesive cover-up discs may be used to conceal wart
- repeat procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

**Other information**

- store between 20° to 25°C (68° to 77°F)
- keep tightly closed

**Inactive ingredients**

castor oil, ethyl lactate, flexible collodion, polybutene. (Contains alcohol 18% v/v and ether 53% v/v from flexible collodion).

**Questions?**

866-360-3226

**PRINCIPAL DISPLAY PANEL - 9.8 mL Bottle Carton**

**LIQUID**

**DuoFilm®**

**SALICYLIC ACID WART REMOVER**

- Safe and reliable removal of  
  
common and plantar warts
- Cover-up discs protect warts  
  
as they heal

1/3 FL OZ (9.8 mL)

20 cover-up discs

**DuoFilm®**  
**WART REMOVER**  
**LIQUID**

<b>Drug Facts</b>	<b>Drug Facts (continued)</b>
<b>Active Ingredient</b>	<b>Warnings (continued)</b>
Salicylic acid 17% (w/w) .....	Stop use and ask a doctor if discomfort
<b>Purpose</b>	Keep out of reach of children. If swallow
Wart remover	medical help or contact a Poison Control
<b>Uses</b>	right away.
<ul style="list-style-type: none"> <li>■ for removal of common and plantar warts</li> <li>■ common warts can be easily recognized by the rough cauliflower-like appearance of the surface</li> <li>■ plantar warts can be recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern</li> </ul>	<b>Directions</b>
<b>Warnings</b>	<ul style="list-style-type: none"> <li>■ wash affected area</li> <li>■ may soak wart in warm water for 5 min</li> <li>■ dry thoroughly</li> <li>■ apply one drop at a time with applicator sufficiently cover each wart</li> </ul>
For external use only	

15151456



M9383

Flammable: Keep away from fire or flame

Do not use

- if you have diabetes
- if you have poor blood circulation
- on irritated skin or any area that is infected or reddened
- on moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes

When using this product

- if product gets in eyes, flush with water for 15 minutes
- do not inhale vapors
- cap bottle tightly when not in use and store at room temperature away from heat

Let dry before applying

- let dry
- self-adhesive cover-up discs may be used to conceal wart
- repeat procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

**Other information**

- store between 20° to 25° C (68° to 77° F)
- keep tightly closed

**Inactive ingredients**

castor oil, ethyl lactate, flexible colloidior polybutene. (Contains alcohol 18% w/v and 53% w/v from flexible colloidior.)

Questions? 1-866-360-3226



11017-252-20  
51514-56  
Bayer HealthCare LLC, Whippany, NJ 07981

Bayer

**DUOFTIM**  
REMOVER  
LIQUID

© 2011 Bayer Cross and Duofilm  
All trademarks of Bayer

NO PRINT  
NO VARNISH  
CODE AREA

1/3 FL OZ (9.8 mL)  
20 cover-up discs


- Safe and reliable removal of common and plantar warts
- Cover-up discs protect warts as they heal

**DUOFTIM**  
SALICYLIC ACID WART REMOVER

**DUOFTIM**  
WART REMOVER

**Fast Acting  
Liquid**





## DUOFILM WART REMOVER

salicylic acid liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11523-0635
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	150.28 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
CASTOR OIL (UNII: D5340 Y2I9G)	
ETHYL LACTATE (UNII: F3P750 VW8I)	
ALCOHOL (UNII: 3K9958 V90M)	
ETHER (UNII: 0F5N573A2Y)	

### Product Characteristics

<b>Color</b>	yellow (clear yellow)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0635-2	1 in 1 CARTON	08/14/1990	
1		9.8 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358B	08/14/1990	

**Labeler** - Bayer HealthCare LLC (968091715)

