

**PAIN RELIEVER- acetaminophen solution**  
**Better Living Brands, LLC**

-----  
**Signature Care 44-045-30 mL**

***Active ingredient (in each 30 mL)***

Acetaminophen 1,000 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - muscular aches
  - toothache
  - backache
  - minor pain of arthritis
  - the common cold
  - premenstrual and menstrual cramps
  - headache
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

***Do not use***

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease.

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not take more than directed**
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over
  - take 30 mL every 6 hours while symptoms last
  - do not take more than 90 mL in 24 hours, unless directed by a doctor
  - do not take for more than 10 days unless directed by a doctor
- children under 12 years: do not use

***Other information***

- **each 30 mL contains:** sodium 11 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

***Inactive ingredients***

anhydrous citric acid, flavor, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium saccharin, sucralose

***Questions or comments?***

**1-800-426-9391**

***Principal display panel***

***Signature***

care®

Quality

Guaranteed

NDC 21130-945-19

Extra Strength

**Pain Reliever**

**ACETAMINOPHEN** 1,000 mg per 30 mL

Pain Reliever/Fever Reducer

**CHERRY FLAVOR**

- Dye Free

- Contains

no aspirin

F-045-19 REV0123B

**8 FL OZ (237 mL)**

**TAMPER EVIDENT: DO NOT USE IF PRINTED  
NECK WRAP IS BROKEN OR MISSING**

B-045-19

REV0123B

50844

REV0123B04519

**DISTRIBUTED BY:** BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

‡1-888-723-3929

**LOVE IT OR IT'S ON US‡**

NDC 21130-945-19



Quality  
Guaranteed

**Extra Strength**  
**Pain Reliever**  
**ACETAMINOPHEN 1,000 mg per 30 mL**  
**Pain Reliever/Fever Reducer**

- Dye Free
- Contains no aspirin

**CHERRY FLAVOR** 

Ages 12 Years and Over

**8 FL OZ (237 mL)**

F-045-19 REV0123B

RD 22321

3 21130 20624 B

\$1714

Scan here for more information

**Drug Facts**

**TAMPER EVIDENT: DO NOT USE IF PRINTED NECK WRAP IS BROKEN OR MISSING**

Active ingredient (in each 30 mL)	Purpose
Acetaminophen 1,000 mg	Pain reliever/fever reducer

**Uses** ■ temporarily relieves minor aches and pains due to:

- headache ■ muscular aches ■ backache ■ minor pain of arthritis
- toothache ■ the common cold ■ premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen

50844 REV0123B04519 B-045-19 REV0123B

No print/No varnish Lot & Exp date

**PEEL HERE FOR COMPLETE DRUG FACTS**

**Drug Facts (continued)**

■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ blisters ■ rash ■ skin reddening. If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have liver disease.**

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**

**Stop use and ask a doctor if** ■ redness or swelling is present

- fever gets worse or lasts more than 3 days ■ new symptoms occur
- pain gets worse or lasts more than 10 days

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

HINGE

**Drug Facts (continued)**

**Directions** ■ do not take more than directed

- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over
- take 30 mL every 6 hours while symptoms last
- do not take more than 90 mL in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor
- children under 12 years: do not use

**Other information** ■ each 30 mL contains: sodium 11 mg

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

**Inactive ingredients** anhydrous citric acid, flavor, glycerin, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sodium saccharin, sucralose

**Questions or comments? 1-800-426-9391**

**DISTRIBUTED BY: BETTER LIVING BRANDS LLC**  
P.O. BOX 99, PLEASANTON, CA 94566-0009  
\*1-888-723-3929

**LOVE IT OR IT'S ON US†**

HINGE

**Signature Care 44-045**

## PAIN RELIEVER

acetaminophen solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-945
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	1000 mg in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-945-19	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/15/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/15/2021	

**Labeler** - Better Living Brands, LLC (009137209)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(21130-945) , pack(21130-945)