# WALGREENS LUBRICANT EYE- polyethylene glycol 400 and propylene glycol solution/ drops Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

Active ingredients Purpose

Polyethylene Glycol 400 0.4%....Lubricant

Propylene Glycol 0.3%...Lubricant

Uses

For the temporary relief of burning and irritation due to eye dryness.

For external use only

Do not use

- if solution changes color becomes cloudy.
- if you are sensitive or allergiv to any ingredient in this product.

### When using this product

- to avoid contamination, do not touch tip of container to any surface.
- replace cap after each use.

Stop use and ask a doctor if you have experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center immediately.

#### Directions

- Shake well before use.
- Put 1 or 2 drops in the affected eye(s) as needed.

### Other information

Store at room temperature 15-30°C (59-86°F)

Inactive ingredients

boric acid, calcium chloride, chlorhexidine gluconate, hydrochloric acid, hypromellose 2910, magnesium chloride, potassium chloride, purified water, sodium chloride, sodium hydroxide, zinc chloride

Distributed by:

Walgreen Co.

200 Wilmot Rd.

Deerfield, IL 60015

Made in Korea



#### WALGREENS LUBRICANT EYE

polyethylene glycol 400 and propylene glycol solution/ drops

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-7267	
Route of Administration	OPHTHALMIC			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ) (POLYETHYLENE GLYCOL 400 - UNII: B697894SGQ)	POLYETHYLENE GLYCOL 400	4 mg in 1 mL		
PROPYLENE GLYCOL (UNII: 6 DC9 Q167V3) (PROPYLENE GLYCOL - UNII:6 DC9 Q167V3)	PROPYLENE GLYCOL	3 mg in 1 mL		

Inactive Ingredients		
Ingredient Name	Strength	
BORIC ACID (UNII: R57ZHV85D4)		
CALCIUM CHLO RIDE (UNII: M4I0 D6 VV5M)		
CHLORHEXIDINE GLUCONATE (UNII: MOR8 4MUD8 E)		
HYDRO CHLO RIC ACID (UNII: QTT17582CB)		
MAGNESIUM CHLO RIDE (UNII: 02F3473H9O)		
POTASSIUM CHLORIDE (UNII: 660 YQ98 I10)		
WATER (UNII: 059QF0KO0R)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
SODIUM HYDRO XIDE (UNII: 55X04QC32I)		
ZINC CHLORIDE (UNII: 86Q357L16B)		

F	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0363-7267- 15	1 in 1 CARTON			
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part349	07/21/2015		

## Labeler - Walgreen Company (008965063)

Revised: 9/2015 Walgreen Company