

TENSION HEADACHE RELIEF- acetaminophen and caffeine tablet
Spirit Pharmaceuticals LLC

TENSION HEADACHE RELIEF

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg
Caffeine 65 mg

Purposes

Pain reliever
Pain reliever aid

Uses

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take.

- more than 6 caplets in 24 hours, which is the maximum daily amount.
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heartbeat.

Do not use

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin

Stop use and ask a doctor if

- any new symptoms occur
- painful area is red or swollen
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts for more than 3 days

These could be signs of a serious condition

If pregnant or breast feeding,

ask a health professional before use.

Keep Out of Reach of Children

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. 1-800-222-1222

Directions

- **do not use more than directed**
- adults and children 12 years and over; take 2 caplets every 6 hours; not more than 6 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- close cap tightly after use
- read all product information before using. Keep this box for important information.

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, D&C Red#27, FD&C Blue#2, FD&C Yellow#6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, purified water, stearic acid, talc, titanium dioxide

Questions or comments?

1-888-333-9792

PRINCIPAL DISPLAY PANEL

PULL
ME

Plastic bottles were
a headache of the past

CO THE SUSTAINABLE
HEALTHCARE

Drug Facts (continued)

Directions • do not use more than directed • adults and children 12 years and over: take 2 tablets every 6 hours; not more than 6 tablets in 24 hours • children under 12 years: ask a doctor

Other information

• Store at 20°–25°C (68°–77°F) • close cap tightly after use
• read all product information before using

Inactive ingredients colloidal silicon dioxide, croscarmellose sodium, D&C Red No. 27, FD&C Blue No. 2, FD&C Yellow No. 6, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, purified water, stearic acid, talc, titanium dioxide

Questions or comments?

1-888-333-9792

* This product is not manufactured or distributed by Novartis Consumer Health, Inc., owner of the registered trademark Excedrin®

Keeping your medicine
cabinet free of single-use
plastic is easy (and
delivers big impact).

Once this bottle is empty,
refill (again and again)
with a compostable**
Cabinet refill pouch.



Feel good about feeling better.

Meet Cabinet, the world's first refillable
medicine system. We're on a mission to
eliminate single-use plastic from
medicine—one cabinet at a time.



Reuse your bottle
forever with compostable**
refill pouches



Save up to 1 lb of
plastic each year†



Independently
quality tested
for peace of mind



Gluten-free
verified*



Proudly a B-Corp
certified company

† When switching to the Cabinet refillable system.
* Less than the limit of detection and consistent with
gluten-free diet labeling per FDA.

CABINET:

Tension Headache Relief

COMPARE TO THE ACTIVE INGREDIENTS IN:
Excedrin® Tension Headache*

Acetaminophen 500 mg
Caffeine 65 mg

RELIEVES:
HEADACHE
FEVER
MUSCLE ACHES
& PAINS
MENSTRUAL
CRAMPS



100 Caplets + 1 Refillable
glass bottle

Drug Facts

Active Ingredients (in each tablet)	Purpose
Acetaminophen 500 mg	Pain reliever/fever reducer
Caffeine 65 mg	Pain reliever aid

Uses Temporarily relieves minor aches and pains due to:
• headache • muscular aches

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: • more than 6 tablets in 24 hours, which is the maximum daily amount • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.

Caffeine warning: The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat.

Do not use • if you are allergic to acetaminophen • with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if • any new symptoms occur • painful area is red or swollen • pain gets worse or lasts for more than 10 days • fever gets worse or lasts for more than 3 days. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.


Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms (1-800-222-1222).

Lot / Expiration ▼

LCP-1-10025
Distributed by
Cabinet Health P.B.C.
Questions/Comments?
1-888-333-9792
www.cabinethealth.com
@cabinethealth



8 50044 02163 5
NDC 68210-4239-1



TENSION HEADACHE RELIEF

acetaminophen and caffeine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68210-4239
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	65 mg

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE K30 (UNII: U725QWY32X)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	red	Score	no score
Shape	CAPSULE (CAPSULE SHAPED TABLET)	Size	18mm
Flavor		Imprint Code	S431
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68210-4239-1	1 in 1 CARTON	12/29/2022	
1		100 in 1 JAR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/29/2022	

