# REDEYE RELIEF- apis mellifera, euphrasia stricta, calcium sulfide, loeselia mexicana whole, pulsatilla vulgaris liquid TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

## RedEye Relief Sterile Eye Drops

## **Active Ingredients**

Apis HPUS 6X
Euphrasia HPUS 6X
Hepar sulphuris HPUS 12X
Hoitzia coccinea HPUS 6X
Pulsatilla HPUS 6X

"HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Apis HPUS......Burning, stinging, irritation, watering Euphrasia HPUS .....Red eyes or lids, itching, burning, watering Hepar sulphuris HPUS ..Redness, stinging, discharge Hoitzia coccinea HPUS..Redness, dryness

Pulsatilla HPUS ......Itching, burning, redness, watering

### Uses:\*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Burning • Stinging • Itching • Watering • Redness • Dryness; after serious causes have been ruled out by a physician.

\*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

## Warnings:

## A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES.

## For External Use Only.

- If pregnant or breast-feeding, ask a health professional before use.
- This product is intended to complement, not replace, standard medical treatment. Initial worsening of symptoms may occur.
- Contact lens wearers consult physician prior to using.

- To avoid contamination do not touch tip to any surface.
- Replace cap after every use.
- Use within 30 days of opening.
- EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE.
- The use of this container by more than one person may spread infection.

## Do not use:

- If solution changes color or becomes cloudy.
- If you frequently contract infections that do not clear up easily.
- If you experience eye pain or changes in vision.
- If you are experiencing a thick, white, yellow, or green discharge that forms a crust on the eyelid.

## Stop use and ask a doctor if:

- You experience eye pain, changes in vision, continued redness or irritation of the eye.
- The condition worsens.
- The condition persists for more than 72 hours.

## Keep out of reach of children

- Keep out of reach of children.
- In case of accidental ingestion, get medical help or contact a Poison Control Center right away.

### **Directions:**

• Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physican before use. • Squeeze 1-3 drops in the eye. Use several times per day as needed. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

### Other information:

Non-prescription drug products cannot treat infections.

- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store at room temperature 15° to 30° C (59° to 86° F).
- Keep bottle tightly closed

RedEye Relief Homeopathic Sterile Eye Drops are homeopathic dilutions: see www.trpcompany.com for details.

## Inactive Ingredients:

Benzalkonium Chloride (preservative), Purified water, Sodium Chloride, Sodium Phosphate DiBasic, Sodium Phosphate Monobasic

## Questions or comments?

www.thereliefproducts.com, 1-888-969-6855

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

## Natural Eyes 🍐

Red Eye Relief



Active ingredients Purpose

Apis HPUS 6X......Burning, stinging, irritation, watering Euphrasia HPUS 6X......Red eyes or lids, itching, burning,

Hepar sulphuris HPUS 12X...Redness, stinging, discharge Hoitzia coccinea HPUS 6X... .Redness, dryness Pulsatilla HPUS 6X.....Itching, burning, redness, watering

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

#### Uses'

According to homeopathic indications these ingredients provide temporary relief from symptoms such as:

Burning • Stinging • Itching • Watering • Redness

 Dryness; after serious causes have been ruled out by a physician. \*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings
A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only.

 This product is intended to complement, not replace, standard medical treatment. . Initial worsening of symptoms may occur. • If pregnant or breast-feeding, ask a health professional before use. • Contact lens wearers: Consult a physician before use. . Keep out of reach of children. . In case of accidental ingestion, get medical help or contact a Poison Control Center right away. . To avoid contamination: Do not touch tip to any surface. • Replace cap after every use. • Use within 30 days of opening. • EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE. • The use of this container by more than one person may spread infection.

Do not use if: . Solution changes color or becomes cloudy. . You frequently contract infections that do not clear up easily. . You experience eye pain or changes in vision.

Stop use and ask a doctor if: . You experience eye pain or change in vision, continued redness, or irritation of the eye. . The condition worsens. . Symptoms last longer than 72 hours.

**BOTTLE IMAGE IS ACTUAL SIZE** 



**VOID OF AQUEOUS** & COLOR

#### Drug Facts (continued)

#### Directions

 Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. Squeeze 1-3 drops in the eye. Use several times per day as needed. . Homeopathic remedies may not be effective for everyone. Individual results

#### Other information

 Non-prescription drug products cannot treat infections. Store at room temperature 15° to 30° C (59° to 86°F). • Keep bottle tightly closed. . Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Red Eye Relief \* Homeopathic Sterile Eye Drops are homeopathic dilutions, for details see www.thereliefproducts.com

## Inactive ingredients

Benzalkonium chloride (preservative), Purified water, Sodium chloride, Sodium phosphate dibasic, Sodium phosphate monobasic.

Questions or comments 1-888-969-6855 8 am to 4 pm; Monday - Friday

Do not use if tamper evident ring is broken or bottle is damaged. No utilizar si es evidente la manipulación el anillo está roto o la botella está estropeado.



THE RELIEF PRODUCTS®

NDC # 17312-058-15

**NEW NAME** 



## Red Eye Relie

STERILE EYE DROPS

Redness / Irritation Watering / Dryness

> 100% NATURAL ACTIVE **INGREDIENTS**

> > HOMEOPATHIC 0.33 FL OZ (10 mL)

# Natural

Natural Eyes™ harnesses the power of nature.

Naturally sourced ingredients that work gently and safely with your body.

## Red Eye

\*New name, same trusted formula, Natural Eyes continues to deliver soothing relief.

Encontrara la informacion en espanol sobre este medicamento al interior de la caja.

© 2022 All rights reserved to TRP Company, Inc. Manufactured in Jordan, exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite# 208 Reno, NV 89502 www.thereliefproducts.com

> PLEASE RECYCLE Ini0522 R0522

THE RELIEF PRODUCTS®

NDC#17312-058-15

**Natural Eyes** 

Red Eye Relief

STERILE EYE DROPS

HOMEOPATHIC

0.33 FL OZ (10 mL)

Active ingredients
Apis HPUS 6X, Euphrasia HPUS 6X, Hepar sulphuris
HPUS 12X, Hoitzia coccinea HPUS 6X, Pulsatilla HPUS 6X

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

## phosphate monobasic. Other information

Refer to outer carton for complete information.

Non-prescription drug products cannot treat infections.

Store at room temperature 15° to

30°C (59° to 86°F). • Keep bottle tightly closed.

 To avoid contamination: Do not touch tip to any surface. Peplace cap offer every use. • Use within 30 days of opening. • EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE. • The use. of this container by more than one person may spread infection. • Active ingredients are micro-diluted in accordance with the Pharmacopoeia of the United States.

Directions

Suitable for adults and children ages 2 and over.

Children under the age of 2: Consult a physician before
see. • Squeeze 1-3 drops in the eye. Use several times
per day as needed. • Homeopathic remedies may not
be effective for everyone. Individual results may vary.

Mactive ingredients

Berusilsonium chloride (presensative), Purfied water,
Sodium chloride, Sodium phosphate dibasic, Sodium
phosphate monobasic.

© 2022 All rights reserved to TRP Company,
inc. Manufactured eachsively for: TRP
Company, Inc. 1575 Delucchi Lane, Suited 208,

© 2022 All rights reserved to TRP Company. Inc. Manufactured eachsively for: TRP Company, Inc. 1575 Defuncth Lane, Suite# 208, Reno, NV 99502 Questions or comments? www.therelielproducts.com, 888-969-6855

Do not use if tamper evident ring is broken or bottle is damaged. 80522

## NON COATING AREA 1.354" X 0.436"



FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical

## evidence. Not FDA evaluated.

## **Drug Facts**

#### Active ingredients **Purpose**

Apis HPUS 6X......Burning, stinging, irritation, watering Euphrasia HPUS 6X.....Red eyes or lids, itching, burning,

Hepar sulphuris HPUS 12X....Redness, stinging, discharge Hoitzia coccinea HPUS 6X...... .....Redness, dryness Pulsatilla HPUS 6X......Itching, burning, redness, watering

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

#### Uses\*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as:

• Burning • Stinging • Itching • Watering • Redness Dryness; after serious causes have been ruled out by a physician. \*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only. . This product is intended to complement, not replace, standard medical treatment. . Initial worsening of symptoms may occur. . If pregnant or breast-feeding, ask a health professional before use. Contact lens wearers: Consult a physician before use. Keep out of reach of children.
 In case of accidental ingestion, get medical help or contact a Poison Control Center right away. . To avoid contamination - do not touch tip to any surface. Replace cap after every use.
 Use within 30 days of opening. • EXPIRATION DATE ONLY REFERS TO THE UNOPENED BOTTLE. • The use of this container by more than one person may spread infection.

Do not use if: • Solution changes color or becomes cloudy. • You frequently contract infections that do not clear up easily. • You experience eye pain or changes in vision.

Stop use and ask a doctor if: • You experience eye pain, changes in vision, continued redness or irritation of the eye. • The condition worsens. • Symptoms last longer than 72 hours.

BOTTLE IMAGE IS ACTUAL SIZE

## **Drug Facts** (continued)

#### **Directions**

children ages 2 and over. Children under the age of 2: Consult a physician before use. • Squeeze 1-3 drops in the eye. Use several times day as ner may not be effective for everyone. Individual results may vary.

#### Other information

dilutions, for details see www.thereliefproducts.com.

#### Inactive ingredients

Benzalkonium chloride (preservative), Purified water, Sodium chloride, Sodium phosphate dibasic, Sodium phosphate monobasic.

Do not use if tamper evident seal is torn, broken or missing. No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

Suitable for adults and needed Homeopathic remedies

Non-prescription drug products cannot treat Infections. • Store at room temperature 15° to 30° C (59° to 86° F) • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • RedEye Relief® Homeopathic Sterile Eye Drops are homeopathic



## NDC # 17312-058-15 The Relief Products<sup>™</sup>





**Sterile Eye Drops** Belladonna Free

## **Temporarily Relieves:**

- Redness, irritation
- Watering, dryness
- Stinging, burning, itching



## Stay Healthy, *Naturally*.<sup>®</sup>

100% Natural Active Ingredients

MADE IN THE USA

**HOMEOPATHIC** 0.33 FL OZ (10 mL)





Also try our RedEye Relief® eye ointment for your irritated and suffering eyes.



WOMEN'S CHOICE AWARD

## RedEye Relief®

Gotas para los ojos estériles. Libre de Sulfato de Plata

#### Alivia Temporalmente:

- Enrojecimiento, irritación
- Picazón, ardor, picazón
- Lagrimeo, sequedad A causa del humo, niebla tóxica.alérgenos, estrés, fatiga o efectos secundarios de los medicamentos.

Drug Facts are in Spanish on the interior of this carton. Encontrara la informacion en espanol sobre este medicamento al interior de la caja.

© 2020 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane, Suite #208 Reno, NV 89502

Ouestions or Comments? www.thereliefproducts.com

Ini1117

R0320

NON COATING AREA 1.3595" X 0.8121"





FDA Disclaimer: Claims based on traditional homeopathic practice, not medical evidence. Not FDA evaluated.



FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

## Natural Eyes 🍐

Red Eye Relief®

Do not use if tamper evident ring is broken or bottle is damaged.

## **Drug Facts** (continued)

## Other information • Non-prescription drug products cannot

treat infections. • Store at morm temperature 15° to 30° C (59° to 86°F). • Keep bottle tightly closed. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects or contraindications. • Red Eye Relief \* Homeopathic Sterile Eye Drops are homeopathic dilutions, for details see www.thereliefproducts.com.

### Inactive ingredients

Benzalkonium chloride (preservative), Purified water, Sodium chloride, Sodium phosphate dibasic, Sodium phosphate monobasic.

#### Questions or comments 1-888-969-6855 8 am to 4 pm; Monday-Friday

© 2023 All rights reserved to TRP Company, Inc. Manufactured in Jordan, exclusively for: TPC Company, Inc., 1575 Delucchi Lane, Suite# 208 Reno, NV 89502 www.thereliefproducts.com



THE RELIEF PRODUCTS®





## Red Eye Relief\*

STERILE EYE DROPS Redness / Irritation Watering



HOMEOPATHIC 0.085 FL OZ (2.5 mL) \* NOT FOR RESALE

## Drug Facts

## Active ingredients Purpose

Apis HPUS 6X. Buming, stinging, imitation, watering Euphrasia HPUS 6X. Red eyes or lick, itching, buming, watering Hepar sulphuris HPUS 12X. Redness, stinging, discharge Hoitzia coccinea HPUS 6X. Redness, dyness Pulsatilla HPUS 6X. JItching, buming, redness, watering

"HPUS" indicates the active ingredients of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

### Uses\*

According to homeopathic indications these ingredients provide temporary relief from symptoms such as: • Burning • Stinging • Itching • Watering • Redness • Dryness; after serious causes have been ruled out by a physician. \*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drup Administration.

#### Warnings

A PHYSICIAN SHOULD ALWAYS BE CONSULTED TO RULE OUT SERIOUS CAUSES. For External Use Only. • This product is intended to complement, not •

## Drug Facts

#### (continued)

replace, standard medical treatment.

Initial worsening of symptoms may occur

- If pregnant or breast-feeding, ask a health professional before use.
- wearers: Consult a physician before use.
   Keep out of reach of children. In case of accidental ingestion, get medical help or
- contact a Poison Control Center right away.

  To avoid contamination: Do not touch tip to any surface.

  Replace cap after every use.
- Use within 30 days of opening.
   EXPIRATION DATE ONLY REFERS TO THE
  UNOPENED BOTTLE. The use of this container
  by more than one person may spread infection.

Do not use if: • Solution changes color or becomes cloudy. • You frequently contract infections that do not clear up easily. • You experience eye pain or changes in vision.

Stop use and ask a doctor if: • You experience eye pain or change in vision, continued redness, or irritation of the eye. • The condition worsens. • Symptoms last longer than 72 hours.

#### Directions

 Suitable for adults and children ages 2 and over. Children under the age of 2: Consult a physician before use. • Squeeze 1-3 drops in the eye. Use several times per day as needed. • Homeopathic remedies may not be effective for everyone. Individual results may vary.

## **REDEYE RELIEF**

apis mellifera, euphrasia stricta, calcium sulfide, loeselia mexicana whole, pulsatilla vulgaris liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-058	
Route of Administration	OPHTHALMIC			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	12 [hp_X] in 1 mL		
<b>EUPHRASIA STRICTA</b> (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII: C9642I91WL)	EUPHRASIA STRICTA	6 [hp_X] in 1 mL		
<b>PULSATILLA VULGARIS</b> (UNII: 176KB35JEV) (PULSATILLA VULGARIS - UNII:176KB35JEV)	PULS ATILLA VULGARIS	6 [hp_X] in 1 mL		
LOESELIA MEXICANA WHOLE (UNII: XA8YCV5M3E) (LOESELIA MEXICANA WHOLE - UNII:XA8YCV5M3E)	LOESELIA MEXICANA WHOLE	6 [hp_X] in 1 mL		
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_X] in 1 mL		

Inactive Ingredients		
Ingredient Name	Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)		
WATER (UNII: 059QF0KO0R)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)		
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)		

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:17312- 058-15	1 in 1 PACKAGE	06/01/2018			
1		10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product				
2	NDC:17312- 058-99	1 in 1 PACKAGE	02/09/2023			
2		2.5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/01/2018		

## Labeler - TRP Company (105185719)

## Registrant - TRP Company (105185719)

Revised: 2/2023 TRP Company