
Oxygen Label

OXYGEN, COMPRESSED USP UN1072 PRODUCED BY AIR LIQUIFACTION OXYGEN 2 WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

DANGER: MAY CAUSE OR INTENCIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL INDUSTRIAL SOURCE 1574 WEST SIXTH AVE EUGENE, OR 97402 . 541-344-1438



REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2 WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be filled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible

materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

INDUSTRIAL SOURCE 6330 SE 101ST AVE PORTLAND, OR 97266 503-235-0168



WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, R, only.

> Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children.

> Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

> Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

503-235-0168

41533 (01/15)

OXYGEN

oxygen gas

Product Information				
	Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:64169-011
	Route of Administration	RESPIRATORY (INHALATION)		

	Active Ingredient/Active Moiety		
ı	Ingredient Name	Basis of Strength	Strength
ı	Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	990 mL in 1 L

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64169-011-01	165 L in 1 CYLINDER		
2	NDC:64169-011-02	248 L in 1 CYLINDER		
3	NDC:64169-011-03	420 L in 1 CYLINDER		
4	NDC:64169-011-04	581 L in 1 CYLINDER		
5	NDC:64169-011-05	690 L in 1 CYLINDER		
6	NDC:64169-011-06	1272 L in 1 CYLINDER		
7	NDC:64169-011-07	1770 L in 1 CYLINDER		
8	NDC:64169-011-08	2544 L in 1 CYLINDER		
9	NDC:64169-011-09	3373 L in 1 CYLINDER		
10	NDC:64169-011-10	3470 L in 1 CYLINDER		
11	NDC:64169-011-11	4286 L in 1 CYLINDER		
12	NDC:64169-011-12	7760 L in 1 CYLINDER		
13	NDC:64169-011-13	9340 L in 1 CYLINDER		
14	NDC:64169-011-14	27651 L in 1 DEWAR		
15	NDC:64169-011-15	124427 L in 1 DEWAR		
16	NDC:64169-011-16	142594 L in 1 DEWAR		
17	NDC:64169-011-17	152078 L in 1 DEWAR		
18	NDC:64169-011-18	168945 L in 1 DEWAR		
19	NDC:64169-011-19	199084 L in 1 DEWAR		
20	NDC:64169-011-20	129606 L in 1 DEWAR		
21	NDC:64169-011-21	144302 L in 1 DEWAR		

22	NDC:64169-011-22	153902 L in 1 DEWAR	
23	NDC:64169-011-23	146030 L in 1 DEWAR	
24	NDC:64169-011-24	176810 L in 1 DEWAR	
25	NDC:64169-011-25	167918 L in 1 DEWAR	
26	NDC:64169-011-27	300 L in 1 DEWAR	
27	NDC:64169-011-28	400 L in 1 DEWAR	
28	NDC:64169-011-26	192866 L in 1 DEWAR	

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
NADA	NADA141365	10/01/1997			

Labeler - Industrial Source (027633486)

Establishment				
Name	Address	ID/FEI	Business Operations	
Industrial Source		027633486	manufacture	

Establishment				
Name	Address	ID/FEI	Business Operations	
Industrial Source		059451505	manufacture	

Establishment				
Name	Address	ID/FEI	Business Operations	
Industrial Source		038042214	manufacture	

Establishment				
Name	Address	ID/FEI	Business Operations	
Industrial Source		801576526	manufacture	

Establishment				
Name	Address	ID/FEI	Business Operations	
Industrial Source		834553765	manufacture	

Establishment				
Name	Address	ID/FEI	Business Operations	
Industrial Source		056440919	manufacture	

Revised: 1/2016 Industrial Source