

STEPSEPT CSE-200 - phosphoric acid liquid
BouMatic, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

StepSept CSE-200

Concentrated hoof bath enhancer

NOT FOR HUMAN USE

DIRECTIONS FOR HOOFBATH SYSTEMS to help prevent Hoof Rot and Hairy Heel Warts

Dilute and mix 0.5 gallon (2 L) of this product with half the normal amount of footbath additive diluted to 50 gallons (190 L) with water. For example: 0.5 gallon (2 L) of this product plus 25 pounds (11 kg) of copper sulfate diluted to 50 gallons (190 L) is equal to or better than 50 pounds (23 kg) of copper sulfate diluted to 50 gallons (190 L). Rinse and clean footbaths when solution becomes excessively contaminated.

RECOMMENDATION: To increase efficacy of StepSept CSE-200, use a cleaning foot bath in conjunction with BouMatic's StepSept PB-50, a pre-bath hoof cleaner concentrate to help maintain clean treatment solutions.

Active Ingredients (Phosphoric Acid 20%, Third Generation Quaternary Ammonium Chloride 10%)

Inactive Ingredients (Ethanol, Water, FD(and)C Blue No. 1)

DANGER

KEEP OUT OF REACH OF CHILDREN

FIRST AID:

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately.

If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately.

If on skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Contact a physician immediately.

Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center.

HAZARD: Corrosive. Contains Phosphoric Acid. Severe eye, skin, and digestive tract irritant. May cause permanent eye damage. Contact with chlorinated compounds liberates toxic gas. Contact with alkalis generates heat.

PRECAUTION: Avoid eye and skin contact. Do not breathe mist or spray. Wear impermeable gloves, safety glasses, rubber boots, rubber apron and face shield. Use only in well-ventilated area. Do not mix with alkaline or chlorinated materials.

STORAGE: Store closed container in a cool, dry location away from sources of heat. If product becomes frozen, thaw and mix well before use.

SEE MATERIAL SAFETY DATA SHEET



StepSept™ CSE-200



Concentrated hoof bath enhancer

Complément concentré pour les sabot

Potenciador concentrado para las pezuñas

NOT FOR HUMAN USE

NE PAS EMPLOYER SUR L'HUMAIN

NO PARA USO HUMANO

DIRECTIONS FOR HOOFBATH SYSTEMS to help prevent Hoof Rot and Hairy Heel Warts

SEULEMENT DIRECTIONS D'USAGE

DIRECCIONES DE USO PARA SISTEMAS DE LAVADO DE PEZUÑAS

Dilute and mix 0.5 gallon (2 L) of this product with half the normal amount of footbath additive diluted to 50 gallons (190 L) with water. For example: 0.5 gallon (2 L) of this product plus 25 pounds (11 kg) of copper sulfate diluted to 50 gallons (190 L) is equal to or better than 50 pounds (23 kg) of copper sulfate diluted to 50 gallons (190 L). Rinse and clean footbaths when solution becomes excessively contaminated.

Diluez et mélangez 0.5 gallon (2 L) de ce produit avec la moitié d'additif que vous utilisez normalement dans le bain. Diluez ce produit avec 50 gallons (190 L) d'eau. **Par exemple:** 0.5 gallon (2 L) avec plus de 25 livres (11 kg) de sulfate de cuivre dilué dans 50 gallons (190 L) d'eau est égal à 50 livres (23 kg) ou mieux de sulfate de cuivre dilués à 50 gallons (190 L) avec de l'eau. Rincez et nettoyez les containers des bains lorsqu'ils sont excessivement pollués.

Diluya y mezcla 0.5 galón (2 L) de este producto con la mitad de aditivo que normalmente se utiliza en el lava pezuñas. Dilúyalo en 50 galones (190 L) de agua. Por ejemplo: 0.5 galón (2 L) de este producto mas 25 libras (11 kg) de sulfato de cobre diluido en 50 galones (190 L) de agua equivale a 50 libras (23 kg) o mas de sulfato de cobre diluido en 50 galones (190 L). Enjuague y limpie el lava pezuñas cuando la solución este excesivamente contaminada.

RECOMMENDATION: To increase efficacy of StepSept CSE-200, use a cleaning foot bath in conjunction with BouMatic's StepSept PB-50, a pre-bath hoof cleaner concentrate to help maintain clean treatment solutions.

RECOMMENDATION: Augmenter l'efficacité du StepSept CSE-200, en utilisant le bain pour sabots en conjonction avec StepSept PB-50 de BouMatic's, un pré bain concentré pour aider à maintenir les solutions de traitements propres.

RECOMENDACIONES: Para incrementar la eficacia del StepSept CSE-200, utilice un limpiador para el lava pezuñas en conjunto con el producto BouMatic StepSept PB-50, un limpiador concentrado pre-lava pezuñas que les ayudara a mantener la solución limpia.

Lot #:
Expires:

Net Contents:
SKU:

Active Ingredients (Phosphoric Acid 20%, Third Generation Quaternary Ammonium Chloride 10%)
Inactive Ingredients (Ethanol, Water, FD&C Blue No. 1)

Ingédients Actifs (L'Acide Phosphorique 20%, Chlorures d'Ammonium Quaternaires de Troisième Génération 10%)
Ingédients Inactif (Etanol, Eau, FD&C Blue No. 1)

Ingredientes Activos (Ácido Fosfórico 20%, Cloruro de Amonio Cuaternario de Tercera Generación 10%)
Ingredientes Inactivo (Etanol, Agua, FD&C Blue No. 1)

BouMatic LLC • PO Box 8050 • 1919 S. Stoughton Road • Madison, WI • 53708 • www.boumatic.com • Made in U.S.A.

StepSept™ CSE-200

DANGER
KEEP OUT OF REACH OF CHILDREN
FIRST AID:
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. **If swallowed:** Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. **If breathing difficulty occurs:** Move person to fresh air. Contact a physician immediately. **If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Contact a physician immediately.
HAZARD: Corrosive. Contains Phosphoric Acid. Severe eye, skin, and digestive tract irritant. May cause permanent eye damage. Contact with chlorinated compounds liberates toxic gas. Contact with alkalis generates heat.
PRECAUTIONS: Avoid eye and skin contact. Do not breathe mist or spray. Wear impermeable gloves, safety glasses, rubber boots, rubber apron and face shield. Use only in well-ventilated area. Do not mix with alkaline or chlorinated materials.
STORAGE: Store closed container in a cool, dry location away from sources of heat. If product becomes frozen, thaw and mix well before use.
SEE MATERIAL SAFETY DATA SHEET

PELIGRO
MANTENGA EL PRODUCTO FUERA DEL ALCANCE DE LOS NIÑOS
PRIMEROS AUXILIOS:
Contacto ocular: Mantenga los ojos abiertos y enjuague cuidadosamente durante 15-20 minutos. Quite las lentes de contacto, después de los primeros 5 minutos si los tiene puestos y continúe a enjuagar sus ojos. Contacte a un médico inmediatamente. Si se inhala: Haga que la persona se tome un vaso de agua si puede. No le dé nada de comer a una persona inconsciente. No induzca el vómito. Contacte a un médico inmediatamente. Si se inhala: Lleve a la persona al aire libre. Contacte a un médico inmediatamente. Contacte con la piel: Quite la ropa contaminada. Enjuague la piel inmediatamente con bastante agua durante 15-20 minutos. Contacte a un médico inmediatamente.
Agregure de tener el contenedor o la calcamanta del producto al momento de ir por atención medica, cuando habe con el medio, cuando habe el numero de asistencia que se encuentra en la hoja de información de producto o el centro de control de productos venenosos.
PRECAUCIONES: Corrosivo. Contiene Ácido Fosfórico. Irrita severamente los ojos, la piel y el aparato digestivo. Puede causar daño permanente a los ojos. El contacto con compuestos tratados con cloro libera gas tóxico. El contacto con álcali produce calor.
PRECAUCIONES: Evite el contacto con los ojos y la piel. No respire la neblina o roscada. Use guantes impermeables, anteojos de seguridad, botas de hule, delantal de hule y careta protectora. Use solamente en áreas bien ventiladas. No mezcle con metales alcalinos o tratados con cloro.
ALMACENAMIENTO: Almacene en contenedores cerrados en un lugar fresco y seco lejos de una fuente de calor. Si el producto se congela, descongéle y agítelo antes de usarlo.
VEASE LA HOJA DE DATOS SOBRE MEDIDAS DE SEGURIDAD PARA EL MANEJO DE MATERIALES

DANGER
CONSERVER LE PRODUIT HORS DE PORTÉE DES ENFANTS
PREMIERS SOINS:
Si dans les yeux: En gardant les paupières ouvertes, rincer lentement et gentiment avec de l'eau pendant 15-20 minutes. Enlever les verres de contact, si présent après les 5 premières minutes, et continuer de rincer. Communiquer avec un médecin immédiatement. Si avalé: Si la victime est capable de boire, faire boire lentement un verre d'eau. Ne donner jamais quelque chose à une victime sans conscience. Ne provoquer pas le vomissement. Communiquer avec un médecin immédiatement. Si des problèmes respiratoires se font sentir: Amener la victime à l'air frais. Communiquer avec un médecin immédiatement. Si sur la peau: Enlever les vêtements contaminés. Immédiatement, rincer la peau à fond avec de l'eau pendant 15-20 minutes. Communiquer avec un médecin immédiatement.
Ayez, avec vous, le contenu du produit ou l'étiquette en allant pour le traitement, ou en appelant un médecin, le numéro d'urgence sur l'étiquette ou la fiche signalétique, ou le centre antipoison.
PRECAUCIONES: Corrosif. Contient de l'acide phosphorique. Irritant sévère pour les yeux, la peau et le tube digestif. Peut causer des dommages irréversibles aux yeux. Tout contact avec les produits chlorés libère un gaz toxique. Tout contact avec les produits alcalins génère de la chaleur.
PRECAUCIONES: Evitez le contact avec les yeux et la peau. Ne respirez pas les émanations ou les vapeurs. Porter des gants imperméables, des lunettes de protection, des bottes et un tablier en caoutchouc, et un écran facial. Utiliser seulement dans un endroit bien ventilé. Ne mélanger pas avec des produits alcalins ou chlorés.
ENTREPOSAGE: Entreposer dans un récipient fermé, éloigné des sources de chaleur. Entreposer dans un endroit sec. Si le produit est dégelé et mélangé le bien avant l'usage.
VOIR LA FICHE SIGNALÉTIQUE

Distributed by/Distribué par/Distribuido por
BouMatic



Hazmat/DG



LR.06.2010
 LN 9890041

UN 3264, Corrosive,
 Liquid, Acidic, Inor-
 ganic NOS (Phosphoric
 Acid), 8, PG II

Enter section text here

STEPSEPT CSE-200

phosphoric acid liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:48 106-1150
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	1500 mg in 10 L
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	400 mg in 10 L
N-ALKYL ETHYLBENZYL DIMETHYL AMMONIUM CHLORIDE (C12-C14) (UNII: G258TFN6 1X) (N-ALKYL ETHYLBENZYL DIMETHYL AMMONIUM (C12-C14) - UNII:85440928 RV)	N-ALKYL ETHYLBENZYL DIMETHYL AMMONIUM CHLORIDE (C12-C14)	400 mg in 10 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48 106-1150-1	3.8 L in 1 DRUM		
2	NDC:48 106-1150-2	18.9 L in 1 DRUM		
3	NDC:48 106-1150-3	56.8 L in 1 DRUM		
4	NDC:48 106-1150-4	114 L in 1 DRUM		
5	NDC:48 106-1150-5	208 L in 1 DRUM		
6	NDC:48 106-1150-6	1040 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2007	

Labeler - BouMatic, LLC (124727400)

Registrant - BouMatic, LLC (124727400)

Establishment

Name	Address	ID/FEI	Business Operations
BouMatic, LLC		124727400	manufacture, api manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Knapp Manufacturing		063012827	manufacture, api manufacture

Revised: 1/2012

BouMatic, LLC