

**NU-DERM SYSTEM NORMAL-DRY SKIN TRANSFORMATION- hydroquinone,  
octisalate and zinc oxide  
OBAGI COSMECEUTICAL LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

---

**OBAGI NU-DERM® SYSTEM**

**OBAGI NU-DERM®**

**Rx only**

**For external use only**

**DESCRIPTION**

Hydroquinone, USP 4% is 1, 4-benzenediol. The drug is freely soluble in water and in alcohol. Chemically, hydroquinone is designated as p-dihydroxybenzene; the empirical formula is C<sub>6</sub>H<sub>6</sub>O<sub>2</sub>; molecular weight is 110.11 g/mol. The chemical structure is in the diagram below.



**Each gram of Obagi Nu-Derm® Clear contains:**

**ACTIVE:** Hydroquinone, USP 4% (40 mg/g)

**INACTIVES:** ascorbic acid, BHT, butylparaben, cetyl alcohol, disodium EDTA, glycerin, lactic acid, methylparaben, propylparaben, saponins, sodium lauryl sulfate, sodium metabisulfite, stearyl alcohol, tocopheryl acetate, water (aqua)

**Each gram of Obagi Nu-Derm Blender® contains:**

**ACTIVE:** Hydroquinone, USP 4% (40 mg/g)

**INACTIVES:** ascorbic acid, BHT, cetyl alcohol, disodium EDTA, glycerin, lactic acid, methylparaben, phenyl trimethicone, PPG-2 myristyl ether propionate, propylparaben, saponins, sodium lauryl sulfate, sodium metabisulfite, TEA-salicylate, tocopheryl acetate, water (aqua)

## **Each gram of Obagi Nu-Derm® Sunfader® contains:**

**ACTIVES:** Hydroquinone, USP 4% (40mg/g); Octinoxate, USP 7.5%; Oxybenzone, USP 5.5%

**INACTIVES:** ascorbic acid, BHT, butylparaben, cetyl alcohol, disodium EDTA, glycerin, methylparaben, propylparaben, saponins, sodium lauryl sulfate, sodium metabisulfite, stearyl alcohol, tocopheryl acetate, water (aqua)

## **CLINICAL PHARMACOLOGY**

Topical application of hydroquinone produces a reversible depigmentation of the skin by inhibition of the enzymatic oxidation of tyrosine to 3, 4-dihydroxyphenylalanine (DOPA) and suppression of other melanocyte metabolic processes. Exposure to sunlight or ultraviolet light will cause repigmentation of the bleached areas, which may be prevented by the use of sunscreen agents such as those contained in Obagi Nu-Derm Sunfader® and Obagi Nu-Derm® Sun Shield Matte Broad Spectrum SPF 50.

## **INDICATIONS AND USAGE**

For the gradual bleaching of hyperpigmented skin conditions such as chloasma, melasma, freckles, senile lentigines and other unwanted areas of melanin hyperpigmentation.

## **CONTRAINDICATIONS**

People with prior history of sensitivity or allergic reaction to this product or any of its ingredients should not use it. The safety of topical hydroquinone use during pregnancy or in children (12 years and under) has not been established.

## **WARNINGS**

Hydroquinone is a skin-bleaching agent, which may produce unwanted cosmetic effects if not used as directed. The physician should be familiar with the contents of this insert before prescribing or dispensing this product.

Test for skin sensitivity before using by applying a small amount to an unbroken patch of skin and check within 24 hours. Some users of this product may experience a mild skin irritation. If skin irritation becomes severe, stop use and consult a doctor. Close patient supervision is recommended.

**WARNINGS: Avoid contact with eyes, nose, mouth and lips. In case of accidental contact, patient should rinse thoroughly with water and contact a physician. Sunscreen use is an essential aspect of hydroquinone therapy because even minimal sunlight exposure sustains melanocytic activity.**

**Contains sodium metabisulfite, a sulfite that may cause allergic-type reactions including anaphylactic symptoms and life-threatening or less severe asthmatic episodes in certain susceptible people. The overall prevalence of sulfite sensitivity in the general population is unknown and probably low. Sulfite sensitivity is seen more frequently in asthmatic than in**

**nonasthmatic people.**

## **PRECAUTIONS**

### **(also see WARNINGS):**

Treatment should be limited to relatively small areas of the body at one time since some patients experience a transient skin reddening and a mild burning sensation, which does not preclude treatment.

## **PREGNANCY CATEGORY C**

Animal reproduction studies have not been conducted with topical hydroquinone. It is also not known whether hydroquinone can cause fetal harm when used topically on a pregnant woman or affect reproductive capacity. It is not known to what degree, if any, topical hydroquinone is absorbed systemically. Topical hydroquinone should be used on pregnant women only when clearly indicated.

## **NURSING MOTHERS**

It is not known whether topical hydroquinone is absorbed or excreted in human milk. Caution is advised when topical hydroquinone is used by a nursing mother.

## **PEDIATRIC USAGE**

Safety and effectiveness in children below the age of 12 years have not been established.

## **ADVERSE REACTIONS**

No systemic adverse reactions have been reported. Occasional hypersensitivity (localized contact dermatitis) may occur, in which case the product should be discontinued and the physician notified immediately.

**To report SUSPECTED ADVERSE REACTIONS, contact Obagi Cosmeceuticals LLC, at 1-800-636-7546 or FDA at 1-800-FDA-1088 or [www.fda.gov/medwatch](http://www.fda.gov/medwatch).**

## **DOSAGE AND ADMINISTRATION**

A thin application should be applied once or twice daily or as directed by a physician. If no improvement is seen after three (3) months of treatment, use of this product should be discontinued. Sun exposure should be limited by using a sunscreen agent or protective clothing to cover bleached skin when using and after using this product in order to prevent darkening from reoccurring.

## **HOW SUPPLIED**

**Obagi Nu-Derm® Clear** is available as follows:

Net wt. 2 oz. (57 g) bottle

NDC 62032-101-36

**Obagi Nu-Derm Blender®** is available as follows:

Net wt. 2 oz. (57 g) bottle

NDC 62032-100-36

Net wt. 1 oz. (28 g) bottle

NDC 62032-100-10

**Obagi Nu-Derm Sunfader®** is available as follows:

Net wt. 2 oz. (57 g) bottle

NDC 62032-116-36

Store at controlled room temperature: 15° to 25°C (59° to 77°F). Keep out of direct sunlight.

 **1-800-636-7546**

**Manufactured for:**

Obagi Cosmeceuticals LLC,

Long Beach, CA 90806

All products/brand names, whether designated by notice or not (®/TM), are trademarks of Obagi Cosmeceuticals LLC and/or its affiliates.

©2019 Obagi Cosmeceuticals LLC.

All rights reserved. [www.obagi.com](http://www.obagi.com)

Revised 01/2019

9458404

**Obagi Nu-Derm® Clear (Hydroquinone, USP 4%) Skin Bleaching Cream**

**Obagi Nu-Derm Blender® (Hydroquinone, USP 4%) Skin Bleaching Cream**

**Obagi Nu-Derm Sunfader® (Hydroquinone, USP 4%; Octinoxate, USP 7.5%; Oxybenzone, USP 5.5%) Skin Bleaching Cream with Sunscreens**

**Sun Shield Matte Broad Spectrum SPF 50**

**Net wt. 3 oz. (85 g) AM**

**Drug Facts**

| <b>Active ingredients</b> | <b>Purpose</b> |
|---------------------------|----------------|
| Homosalate 10%            | Sunscreen      |
| Octisalate 5%             | Sunscreen      |
| Zinc Oxide 16.5%          | Sunscreen      |

**Uses**

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

## **For external use only**

**Do not use** on damaged or broken skin

**Stop use and ask a doctor** if rash occurs

**When using this product** keep out of eyes. Rinse with water to remove.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

## **Other information**

- store at controlled room temperature: 15°C-25°C (59°F-77°F)
- protect this product from excessive heat and direct sun

## **Inactive ingredients**

Water (Aqua), C15-19 Alkane, Octyldodecyl Neopentanoate, Polymethylsilsesquioxane, Sorbitan Olivate, Silica, Polyglyceryl-6 Polyricinoleate, Sodium Chloride, Xanthan Gum, Glycerin, Hydroxyacetophenone, Disodium EDTA, 1,2-Hexanediol, Caprylyl Glycol, Sodium Hydroxide, Triethoxycaprylsilane, Polyhydroxystearic Acid, Disteardimonium Hectorite, Polyglyceryl-2 Isostearate, Euphorbia Cerifera (candelilla) Wax, Beeswax, Dimethicone

## **Questions or comments?**

**1.800.636.7546**

Monday-Friday 9 a.m.-4 p.m. Pacific Time

Distributed by Obagi Cosmeceuticals LLC,  
Long Beach, CA 90806

## **PRINCIPAL DISPLAY PANEL - Kit Carton**


NDC# 62032-529-06

OBAGI®

MEDICAL

NORMAL DRY  
Skin Transformation Kit





# **NU-DERM SYSTEM NORMAL-DRY SKIN TRANSFORMATION**

hydroquinone, octisalate and zinc oxide kit

## **Product Information**

|                     |                         |                           |               |
|---------------------|-------------------------|---------------------------|---------------|
| <b>Product Type</b> | HUMAN PRESCRIPTION DRUG | <b>Item Code (Source)</b> | NDC:62032-529 |
|---------------------|-------------------------|---------------------------|---------------|

## **Packaging**

| # | <b>Item Code</b> | <b>Package Description</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---|------------------|----------------------------|-----------------------------|---------------------------|
| 1 | NDC:62032-529-06 | 1 in 1 CARTON              | 12/02/2019                  |                           |

## **Quantity of Parts**

| <b>Part #</b> | <b>Package Quantity</b> | <b>Total Product Quantity</b> |
|---------------|-------------------------|-------------------------------|
| <b>Part 1</b> | 1 BOTTLE, PLASTIC       | 198 mL                        |
| <b>Part 2</b> | 1 BOTTLE, PLASTIC       | 198 mL                        |
| <b>Part 3</b> | 1 BOTTLE, PLASTIC       | 57 g                          |
| <b>Part 4</b> | 1 BOTTLE, PLASTIC       | 57 g                          |
| <b>Part 5</b> | 1 BOTTLE, PLASTIC       | 48 g                          |
| <b>Part 6</b> | 1 BOTTLE, PLASTIC       | 57 g                          |
| <b>Part 7</b> | 1 TUBE                  | 85 g                          |

## **Part 1 of 7**

### **NU-DERM GENTLE CLEANSER**

cleansing (cold creams, cleansing lotions, liquids, and pads) liquid

## **Product Information**

|                                |         |
|--------------------------------|---------|
| <b>Route of Administration</b> | TOPICAL |
|--------------------------------|---------|

## **Other Ingredients**

| <b>Ingredient Kind</b> | <b>Ingredient Name</b>   | <b>Quantity</b> |
|------------------------|--|-----------------|
| INGR                   | <b>WATER</b> (UNII: 059QF0KOOR)  |                 |
| INGR                   | <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |                 |
| INGR                   | <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |                 |
| INGR                   | <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)  |                 |
| INGR                   | <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)  |                 |
| INGR                   | <b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)   |                 |
| INGR                   | <b>ETHYLPARABEN</b> (UNII: 14255EXE39)   |                 |
| INGR                   | <b>ISOBUTYLPARABEN</b> (UNII: 0QQJ25X58G)  |                 |
| INGR                   | <b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO) |                 |

|      |   |
|------|---|
| INGR | <b>SODIUM LAUROYL OAT AMINO ACIDS</b> (UNII: FSW2K9B9N5)    |
| INGR | <b>COCAMIDOPROPYL BETAINE</b> (UNII: 5OCF3O11KX)            |
| INGR | <b>SODIUM LAURETH-3 SULFATE</b> (UNII: BPV390UAP0)          |
| INGR | <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)                    |
| INGR | <b>GLYCERETH-7</b> (UNII: 3D2Y91QZ2H)                       |
| INGR | <b>PANTHENOL</b> (UNII: VW9CM0067Z)                         |
| INGR | <b>DIETHYLENE GLYCOL MONOETHYL ETHER</b> (UNII: A1A1I8X02B) |
| INGR | <b>TROLAMINE</b> (UNII: 9O3K93S3TK)                         |
| INGR | <b>SAGE</b> (UNII: 065C5D077J)                              |
| INGR | <b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)             |
| INGR | <b>APRICOT KERNEL OIL</b> (UNII: 54JB35T06A)                |
| INGR | <b>OLEYL LACTATE</b> (UNII: B3AWW0N3GM)                     |

## Product Characteristics

|       |        |        |
|-------|--------|--------|
| color | YELLOW | C48330 |
|-------|--------|--------|

## Packaging

| # | Item Code | Package Description  | Marketing Start Date | Marketing End Date |
|---|-----------|--|----------------------|--------------------|
| 1 |           | 198 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| COSMETIC           |  | 01/01/1988           |                    |

## Part 2 of 7

### NU-DERM TONER

cleansing (cold creams, cleansing lotions, liquids, and pads) liquid

## Product Information

|                         |         |
|-------------------------|---------|
| Route of Administration | TOPICAL |
|-------------------------|---------|

## Other Ingredients

| Ingredient Kind | Ingredient Name  | Quantity |
|-----------------|--|----------|
| INGR            | <b>WATER</b> (UNII: 059QF0KO0R)                          |          |
| INGR            | <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                       |          |
| INGR            | <b>HAMAMELIS VIRGINIANA TOP WATER</b> (UNII: NT00Y05A2V) |          |
| INGR            | <b>SODIUM PYRROLIDONE CARBOXYLATE</b> (UNII: 469OTG57A2) |          |
| INGR            | <b>DMDM HYDANTOIN</b> (UNII: BYR0546TOW)                 |          |

|      |  |
|------|--|
| INGR | <b>IODOPROPYNYL BUTYLCARBAMATE</b> (UNII: 603P14DHEB)  |
| INGR | <b>POTASSIUM ALUM</b> (UNII: 1L24V9R23S)               |
| INGR | <b>PANTHENOL</b> (UNII: W9CM0O67Z)                     |
| INGR | <b>SAGE</b> (UNII: 065C5D077J)                         |
| INGR | <b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M704Y7YD) |
| INGR | <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)               |
| INGR | <b>ALLANTOIN</b> (UNII: 344S277G0Z)                    |
| INGR | <b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)               |
| INGR | <b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)          |

### Product Characteristics

|       |      |        |
|-------|------|--------|
| color | BLUE | C48333 |
|-------|------|--------|

### Packaging

| # | Item Code | Package Description  | Marketing Start Date | Marketing End Date |
|---|-----------|--|----------------------|--------------------|
| 1 |           | 198 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| COSMETIC           |  | 01/01/1988           |                    |

### Part 3 of 7

## NU-DERM CLEAR SKIN BLEACHING AND CORRECTOR

hydroquinone cream

### Product Information

|                         |               |
|-------------------------|---------------|
| Item Code (Source)      | NDC:62032-101 |
| Route of Administration | TOPICAL       |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength     |
|--|-------------------|--------------|
| HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE) | HYDROQUINONE      | 40 mg in 1 g |

### Inactive Ingredients

| Ingredient Name                   | Strength |
|-----------------------------------|----------|
| EDETA DISODIUM (UNII: 7FLD91C86K) |          |

**BUTYLPARABEN** (UNII: 3QPI1U3FV8)

**STEARYL ALCOHOL** (UNII: 2KR89I4H1Y)

**SODIUM LAURYL SULFATE** (UNII: 368GB5141J)

**CETYL ALCOHOL** (UNII: 936JST6JCN)

**GLYCERIN** (UNII: PDC6A3C00X)

**LACTIC ACID, UNSPECIFIED FORM** (UNII: 33X04XA5AT)

**.ALPHA.-TOCOPHEROL ACETATE** (UNII: 9E8X80D2L0)

**ASCORBIC ACID** (UNII: PQ6CK8PD0R)

**SODIUM METABISULFITE** (UNII: 4VON5FNS3C)

**WATER** (UNII: 059QF0KOOR)

**METHYLPARABEN** (UNII: A2I8C7HI9T)

**PROPYLPARABEN** (UNII: Z8IX2SC1OH)

**BUTYLATED HYDROXYTOLUENE** (UNII: 1P9D0Z171K)

## Product Characteristics

|                 |       |                     |  |
|-----------------|-------|---------------------|--|
| <b>Color</b>    | WHITE | <b>Score</b>        |  |
| <b>Shape</b>    |       | <b>Size</b>         |  |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |  |
| <b>Contains</b> |       |                     |  |

## Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62032-101-36 | 57 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category       | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| UNAPPROVED DRUG<br>OTHER |  | 01/01/1988           |                    |

## Part 4 of 7

### NU-DERM EXFODERM SKIN SMOOTHING

face and neck (excluding shaving preparations) lotion

## Product Information

|                                |         |
|--------------------------------|---------|
| <b>Route of Administration</b> | TOPICAL |
|--------------------------------|---------|

## Other Ingredients

| Ingredient Kind | Ingredient Name | Quantity |
|-----------------|-----------------|----------|
|-----------------|-----------------|----------|

|      |   |
|------|---|
| INGR | <b>WATER</b> (UNII: 059QF0KO0R)                             |
| INGR | <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                          |
| INGR | <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)                     |
| INGR | <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)                     |
| INGR | <b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)                    |
| INGR | <b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)               |
| INGR | <b>STEARETH-20</b> (UNII: L0Q8IK9E08)                       |
| INGR | <b>CANOLA OIL</b> (UNII: 331KBJ17RK)                        |
| INGR | <b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)                     |
| INGR | <b>MAGNESIUM ALUMINUM SILICATE</b> (UNII: 6M3P64V0NC)       |
| INGR | <b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)                     |
| INGR | <b>FYTIC ACID</b> (UNII: 7IGF0S7R8I)                        |
| INGR | <b>GLYCERYL MONOSTEARATE</b> (UNII: 2300U9XXE4)             |
| INGR | <b>PEG-100 STEARATE</b> (UNII: YD01N1999R)                  |
| INGR | <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                       |
| INGR | <b>PEG-150 STEARATE</b> (UNII: 7BSG7DF10Q)                  |
| INGR | <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                    |
| INGR | <b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)                      |
| INGR | <b>ETHYLPARABEN</b> (UNII: 14255EXE39)                      |
| INGR | <b>ISOBUTYLPARABEN</b> (UNII: 0QQJ25X58G)                   |
| INGR | <b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)         |
| INGR | <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)                       |
| INGR | <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)        |
| INGR | <b>GLYCERETH-7</b> (UNII: 3D2Y91QZ2H)                       |
| INGR | <b>DIETHYLENE GLYCOL MONOETHYL ETHER</b> (UNII: A1A1I8X02B) |
| INGR | <b>BIS-DIGLYCERYL POLYACYLADIPATE-2</b> (UNII: 6L246LAM9T)  |
| INGR | <b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)                  |

### Product Characteristics

|       |      |        |
|-------|------|--------|
| color | BLUE | C48333 |
|-------|------|--------|

### Packaging

| # | Item Code | Package Description  | Marketing Start Date | Marketing End Date |
|---|-----------|--|----------------------|--------------------|
| 1 |           | 57 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| COSMETIC           |  | 01/01/1988           |                    |

### Part 5 of 7

**NU-DERM HYDRATE FACIAL MOISTURIZER**

face and neck (excluding shaving preparations)

## Product Information

### Route of Administration

TOPICAL

## Other Ingredients

| Ingredient Kind | Ingredient Name  | Quantity |
|-----------------|--|----------|
| INGR            | <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| INGR            | <b>GLYCERIN</b> (UNII: PDC6A3C0OX)   |          |
| INGR            | <b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)                                 |          |
| INGR            | <b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)   |          |
| INGR            | <b>CAESALPINIA SPINOSA RESIN</b> (UNII: WL3883U2PO)                                  |          |
| INGR            | <b>SHEA BUTTER</b> (UNII: K49155WL9Y)  |          |
| INGR            | <b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5) |          |
| INGR            | <b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)   |          |
| INGR            | <b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)  |          |
| INGR            | <b>SACCHARIDE ISOMERATE</b> (UNII: W8K377W98I)                                       |          |
| INGR            | <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)  |          |
| INGR            | <b>TOCOPHEROL</b> (UNII: R0ZB2556P8)   |          |
| INGR            | <b>LAURETH-12</b> (UNII: OAH19558U1)   |          |
| INGR            | <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)   |          |
| INGR            | <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)   |          |
| INGR            | <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)   |          |
| INGR            | <b>AVOCADO OIL</b> (UNII: 6VNO72PFC1)  |          |
| INGR            | <b>SOY STEROL</b> (UNII: PL360EPO9J)   |          |
| INGR            | <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)  |          |
| INGR            | <b>LEVOMENOL</b> (UNII: 24WE03BX2T)  |          |
| INGR            | <b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)  |          |
| INGR            | <b>TETRAHYDRODIFERULOYL METHANE</b> (UNII: 00U0645U03)                               |          |
| INGR            | <b>PANTHENOL</b> (UNII: W9CM0067Z)   |          |
| INGR            | <b>MANGIFERA INDICA SEED BUTTER</b> (UNII: 40XD9M35X2)                               |          |
| INGR            | <b>SODIUM STEAROYL GLUTAMATE</b> (UNII: 65A9F4P024)                                  |          |
| INGR            | <b>CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE</b> (UNII: 0A5MM307FC)                     |          |
| INGR            | <b>ALLANTOIN</b> (UNII: 344S277G0Z)  |          |
| INGR            | <b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)                                      |          |

## Product Characteristics

|       |       |        |
|-------|-------|--------|
| color | WHITE | C48325 |
|-------|-------|--------|

## Packaging

| # | Item Code | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|-----------|--|----------------------|--------------------|
| 1 |           | 48 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination |                      |                    |

|  | Product   |                             |                           |
|--|---|-----------------------------|---------------------------|
| <b>Marketing Information</b>   |   |                             |                           |
| <b>Marketing Category</b>  | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
| COSMETIC   |   | 11/07/2012                  |                           |
| <b>Part 6 of 7</b>   |   |                             |                           |
| <b>NU-DERM BLENDER SKIN LIGHTENER AND BLENDING</b><br>hydroquinone cream |   |                             |                           |
| <b>Product Information</b>   |   |                             |                           |
| <b>Item Code (Source)</b>  | NDC:62032-100                                   |                             |                           |
| <b>Route of Administration</b>   | TOPICAL   |                             |                           |
| <b>Active Ingredient/Active Moiety</b>                                   |   |                             |                           |
| Ingredient Name  | Basis of Strength                               | Strength                    |                           |
| HYDROQUINONE (UNII: XV74C1N1AE) (HYDROQUINONE - UNII:XV74C1N1AE)         | HYDROQUINONE                                    | 40 mg in 1 g                |                           |
| <b>Inactive Ingredients</b>  |   |                             |                           |
| Ingredient Name  | Strength  |                             |                           |
| EDETA DISODIUM (UNII: 7FLD91C86K)  |   |                             |                           |
| PPG-2 MYRISTYL ETHER PROPIONATE (UNII: 88R97D8U8A)                       |   |                             |                           |
| TROLAMINE SALICYLATE (UNII: H8O4040BHD)                                  |   |                             |                           |
| SODIUM LAURYL SULFATE (UNII: 368GB514J)                                  |   |                             |                           |
| CETYL ALCOHOL (UNII: 936JST6JCN)   |   |                             |                           |
| GLYCERIN (UNII: PDC6A3C00X)  |   |                             |                           |
| LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)                         |   |                             |                           |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)                            |   |                             |                           |
| ASCORBIC ACID (UNII: PQ6CK8PD0R)   |   |                             |                           |
| SODIUM METABISULFITE (UNII: 4VON5FNS3C)                                  |   |                             |                           |
| WATER (UNII: 059QF0KO0R)   |   |                             |                           |
| METHYLPARABEN (UNII: A2I8C7HI9T)   |   |                             |                           |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)   |   |                             |                           |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)                              |   |                             |                           |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)                                   |   |                             |                           |
| <b>Product Characteristics</b>   |   |                             |                           |
| <b>Color</b>   | WHITE   | <b>Score</b>                |                           |
| <b>Shape</b>   |   | <b>Size</b>                 |                           |

|                 |  |                     |  |
|-----------------|--|---------------------|--|
| <b>Flavor</b>   |  | <b>Imprint Code</b> |  |
| <b>Contains</b> |  |                     |  |

## Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62032-100-36 | 57 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category       | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| UNAPPROVED DRUG<br>OTHER |  | 01/01/1988           |                    |

## Part 7 of 7

### NU-DERM SUN-SHIELD MATTE BROAD SPECTRUM SPF 50 SUNSCREEN

homosalate, octinoxate and zinc oxide lotion

## Product Information

|                         |               |
|-------------------------|---------------|
| Item Code (Source)      | NDC:62032-141 |
| Route of Administration | TOPICAL       |

## Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength      |
|---|-------------------|---------------|
| <b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE        | 100 mg in 1 g |
| <b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE        | 50 mg in 1 g  |
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE        | 165 mg in 1 g |

## Inactive Ingredients

| Ingredient Name                                      | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)                      |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C00X)                   |          |
| <b>Hydroxyacetophenone</b> (UNII: G1L3HT4CMH)        |          |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)                |          |
| <b>Sodium Chloride</b> (UNII: 451W47IQ8X)            |          |
| <b>Sodium Hydroxide</b> (UNII: 55X04QC32I)           |          |
| <b>Octyldodecyl Neopentanoate</b> (UNII: X8725R883T) |          |
| <b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)    |          |
| <b>C15-19 Alkane</b> (UNII: CI87N1IM01)              |          |

|  |
|--|
| <b>Disteardimonium Hectorite</b> (UNII: X687XDK09L)              |
| <b>Polyglyceryl-2 Isostearate</b> (UNII: 7B8OE71MQC)             |
| <b>Sorbitan Olivate</b> (UNII: MDL271E3GR)                       |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                            |
| <b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)                         |
| <b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)                        |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)                       |
| <b>Candelilla Wax</b> (UNII: WL0328HX19)                         |
| <b>Yellow Wax</b> (UNII: 2ZA36H0S2V)                             |
| <b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69) |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                        |

### Product Characteristics

|                 |       |                     |  |
|-----------------|-------|---------------------|--|
| <b>Color</b>    | WHITE | <b>Score</b>        |  |
| <b>Shape</b>    |       | <b>Size</b>         |  |
| <b>Flavor</b>   |       | <b>Imprint Code</b> |  |
| <b>Contains</b> |       |                     |  |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:62032-141-10 | 85 g in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352                                  | 12/02/2019           |                    |

### Marketing Information

| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| UNAPPROVED DRUG OTHER |  | 12/02/2019           |                    |

**Labeler** - OBAGI COSMECEUTICAL LLC (790553353)

### Establishment

| Name                | Address | ID/FEI    | Business Operations   |
|---------------------|---------|-----------|---|
| PURETEK CORPORATION |         | 785961046 | MANUFACTURE(62032-529) , LABEL(62032-529) , PACK(62032-529) |

### Establishment

| Name                     | Address | ID/FEI    | Business Operations    |
|--------------------------|---------|-----------|------------------------|
| Swiss-American CDMO, LLC |         | 080170933 | MANUFACTURE(62032-529) |

## Establishment

| Name                          | Address | ID/FEI    | Business Operations    |
|-------------------------------|---------|-----------|------------------------|
| G. S. Cosmeceutical USA, Inc. |         | 017014734 | MANUFACTURE(62032-529) |

Revised: 1/2023

OBAGI COSMECEUTICAL LLC