

SHEER TINT SPF20 - LIGHT- zinc oxide and octinoxate lotion
SHEER TINT SPF20 - MEDIUM- zinc oxide and octinoxate lotion
SHEER TINT SPF20 - DARK- zinc oxide and octinoxate lotion
Dermalogica, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sheer Tint
SPF20

Drug Facts

Active Ingredients

Octinoxate 4.5%,
Zinc Oxide 9.5%

Purpose

Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see **Directions**), helps decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a Doctor

- if rash occurs

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To help decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats and sunglasses
- Children under 6 months: ask a doctor

Other information

- Protect this product from excessive heat and direct sun

Inactive ingredients

Water/Aqua, Caprylic/Capric Triglyceride, Dimethicone, Dimethyl Isosorbide, Methyl Gluceth-20, Glyceryl Stearate, PEG-100 Stearate, Stearic Acid, Cetearyl Alcohol, Hydrolyzed Pearl, Juglans Regia (Walnut) Seed Extract, Sodium Hyaluronate Crosspolymer, Silanetriol, Lavandula Spica (Lavender) Flower Oil, Lavandula Hybrida Oil, Eucalyptus Globulus Leaf Oil, Lavandula Angustifolia (Lavender) Flower/Leaf/Stem Extract, Hydroxyethyl Acrylate/ Sodium Acryloyldimethyl Taurate Copolmer, Polyhydroxystearic Acid, Squalane, Triethoxycaprylylsilane, Polysorbate 60, Cetyl Alcohol, Silica Dimethyl Silylate, Magnesium Aluminum Silicate, Pentylene Glycol, Ethylhexylglycerin, Disodium EDTA, Silica, Phenoxyethanol, Tin Oxide, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891).

Questions?

1-800-831-5150 in USA

PRINCIPAL DISPLAY PANEL - 40 mL Tube Carton - Light

sheer
tint

spf
20

broad
spectrum

light

1.3 US FL OZ / 40 mL e

dermalogica®

sheer
tint



light

Lightly-tinted moisturizer provides an all-day sheer wash of color. Natural, light-diffusing Iron Oxides provide translucent color for radiant skin, while Broad Spectrum sunscreens shield against damaging UV rays. Hydrolyzed Pearl amino acids, hydrating Hyaluronic Acid and antioxidant Walnut Seed extracts help improve skin texture and reduce the appearance of fine dehydration lines.

Formulated without artificial fragrances, colors or parabens. Product guaranteed when professionally recommended.

© Dermalogica, Inc.
Dermalogica, Dist.
Los Angeles, CA 90009 USA
1-800-831-5150
Europe: London KT22 8JL UK Made in the USA

dermalogica
dermalogica.com



Drug Facts

Active Ingredients

Octinoxate 4.5%
Zinc Oxide 9.5%

Purpose Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), helps decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a Doctor

- if rash occurs

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To help decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats and sunglasses
- Children under 6 months: ask a doctor

sheer
tint
light

sheer
tint



light

dermalogica®

a skin care system researched and developed by The International Dermal Institute

Drug Facts (continued)

Other Information

- Protect this product from excessive heat and direct sun

Inactive ingredients

Water/Aqua, Caprylic/Capric Triglyceride, Dimethicone, Dimethyl Isosorbide, Methyl Gluceth-20, Glycerol Stearate, PEG-100 Stearate, Stearic Acid, Cetearyl Alcohol, Hydrolyzed Pearl, Juglans Regia (Walnut) Seed Extract, Sodium Hyaluronate Crosspolymer, Silanetriol, Lavandula Spica (Lavender) Flower Oil, Lavandula Hybrid Oil, Eucalyptus Globulus Leaf Oil, Lavandula Angustifolia (Lavender) Flower/Leaf/Stem Extract, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polyhydroxystearic Acid, Squalane, Triethoxycaprylylsilane, Polysorbate 60, Cetyl Alcohol, Silica Dimethyl Silylate, Magnesium Aluminum Silicate, Pentylene Glycol, Ethylhexylglycerin, Disodium EDTA, Silica, Phenoxyethanol, Tin Oxide, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891).

Questions?
1-800-831-5150
in USA

1.3 US FL OZ / 40 mL e

(D1121-01)



PRINCIPAL DISPLAY PANEL - 40 mL Tube Carton - Medium

sheer
tint

spf
20

broad
spectrum

medium

1.3 US FL OZ / 40 mL e

dermalogica[®]

sheer tint



medium

Lightly-tinted moisturizer provides an all-day sheer wash of color. Natural, light-diffusing Iron Oxides provide translucent color for radiant skin, while Broad Spectrum sunscreens shield against damaging UV rays. Hydrolyzed Pearl amino acids, hydrating Hyaluronic Acid and antioxidant Walnut Seed extracts help improve skin texture and reduce the appearance of fine dehydration lines.

Formulated without artificial fragrances, colors or parabens. Product guaranteed when professionally recommended.

© Dermalogica, Inc. Dermalogica, Dist. Los Angeles, CA 90009 USA 1-800-831-5150 Europe: London KT22 8JF UK Made in the USA

dermalogica
dermalogica.com

Drug Facts

Active Ingredients

Octinoxate 4.5%,
Zinc Oxide 9.5%

Purpose

Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), helps decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a Doctor

- if rash occurs

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To help decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats and sunglasses
- Children under 6 months: ask a doctor

sheer tint
medium

sheer tint



medium

dermalogica®

a skin care system researched and developed by The International Dermal Institute

Drug Facts (continued)

Other Information

- Protect this product from excessive heat and direct sun

Inactive ingredients

Water/Aqua/Eau, Caprylic/Capric Triglyceride, Dimethicone, Dimethyl Isosorbide, Methyl Gluceth-20, Glycerin Stearate, PEG-100 Stearate, Stearic Acid, Cetearyl Alcohol, Hydrolyzed Pearl, Juglans Regia (Walnut) Seed Extract, Sodium Hyaluronate Crosspolymer, Silanetriol, Lavandula Spica (Lavender) Flower Oil, Lavandula Hybrid Oil, Eucalyptus Globulus Leaf Oil, Lavandula Angustifolia (Lavender) Flower/Leaf/Stem Extract, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polyhydroxystearic Acid, Squalane, Triethoxycaprylylsilane, Polysorbate 60, Cetyl Alcohol, Silica Dimethyl Silylate, Magnesium Aluminum Silicate, Pentylene Glycol, Ethylhexylglycerin, Disodium EDTA, Silica, Phenoxethanol, Tin Oxide, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891).

Questions?
1-800-831-5150
in USA

1.3 US FL OZ / 40 mL e

(D1119-01)

111127-01





PRINCIPAL DISPLAY PANEL - 40 mL Tube Carton - Dark

sheer

tint

spf

20

broad

spectrum

dark

1.3 US FL OZ / 40 mL e

dermalogica[®]

sheer
tint



dark

Lightly-tinted moisturizer provides an all-day sheer wash of color. Natural, light-diffusing Iron Oxides provide translucent color for radiant skin, while Broad Spectrum sunscreens shield against damaging UV rays. Hydrolyzed Pearl amino acids, hydrating Hyaluronic Acid and antioxidant Walnut Seed extracts help improve skin texture and reduce the appearance of fine dehydration lines.

Formulated without artificial fragrances, colors or parabens. Product guaranteed when professionally recommended.

© Dermalogica, Inc.
Dermalogica, Dist.
Los Angeles, CA 90009 USA
1-800-831-5150
Europe: London KT22 8JB UK Made in the USA



dermalogica
dermalogica.com

Drug Facts

Active Ingredients

Octinoxate 4.5%,
Zinc Oxide 9.5%

Purpose

Sunscreen

Uses

- helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), helps decrease the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a Doctor

- if rash occurs

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To help decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats and sunglasses
- Children under 6 months: ask a doctor

sheer
tint
dark

sheer
tint



dark

dermalogica®

a skin care system researched and developed by The International Dermal Institute

Drug Facts (continued)

Other Information

- Protect this product from excessive heat and direct sun

Inactive ingredients

Water/Aqua/Eau, Caprylic/Capric Triglyceride, Dimethicone, Dimethyl Isosorbide, Methyl Gluceth-20, Glycerol Stearate, PEG-100 Stearate, Stearic Acid, Cetearyl Alcohol, Hydrolyzed Pearl, Juglans Regia (Walnut) Seed Extract, Sodium Hyaluronate Crosspolymer, Silanetriol, Lavandula Spica (Lavender) Flower Oil, Lavandula Hybrid Oil, Eucalyptus Globulus Leaf Oil, Lavandula Angustifolia (Lavender) Flower/Leaf/Stem Extract, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polyhydroxystearic Acid, Squalane, Triethoxycaprylsilane, Polysorbate 60, Cetyl Alcohol, Silica Dimethyl Silylate, Magnesium Aluminum Silicate, Pentylene Glycol, Ethylhexylglycerin, Disodium EDTA, Silica, Phenoxyethanol, Tin Oxide, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891).

Questions?

1-800-831-5150
in USA

1.3 US FL OZ / 40 mL e

(D1123-01)

11128-01



SHEER TINT SPF20 - LIGHT

zinc oxide and octinoxate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68479-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	95 mg in 1 mL
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	45 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Medium-Chain Triglycerides (UNII: C9H2L21V7U)	
Dimethicone (UNII: 92RU3N3Y1O)	
Dimethyl Isosorbide (UNII: SA6A6V432S)	
Methyl Gluceth-20 (UNII: J3QD0LD11P)	
Glyceryl Monostearate (UNII: 230OU9XXE4)	
PEG-100 Stearate (UNII: YD01N1999R)	
Stearic Acid (UNII: 4ELV7Z65AP)	
Cetostearyl Alcohol (UNII: 2DMT128M1S)	
Calcium Carbonate (UNII: H0G9379FGK)	
English Walnut (UNII: 1V3SHR7QB7)	
PEG-9 Diglycidyl Ether/Sodium Hyaluronate Crosspolymer (UNII: 788QAG3W8A)	
Silanetriol (UNII: E52D0J3TS5)	
Lavender Oil (UNII: ZBP1YXW0H8)	
Lavandin Oil (UNII: 9RES347CKG)	
Eucalyptus Oil (UNII: 2R04ONI662)	
LAVANDULA ANGUSTIFOLIA SUBSP. ANGUSTIFOLIA FLOWERING TOP (UNII: 9YT4B71U8P)	
Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (100000 MPA.S at 1.5%) (UNII: 86FQE96TZ4)	
Polyhydroxystearic Acid (2300 MW) (UNII: YXH47AOU0F)	
Squalane (UNII: GW89575KF9)	
Triethoxycaprylsilane (UNII: LDC331P08E)	
Polysorbate 60 (UNII: CAL22UVI4M)	
Cetyl Alcohol (UNII: 936JST6JCN)	
Silica Dimethyl Silylate (UNII: EU2PSP0G0W)	
Magnesium Aluminum Silicate (UNII: 6M3P64V0NC)	
Pentylene Glycol (UNII: 50C1307PZG)	

Ethylhexylglycerin (UNII: 147D247K3P)	
Edetate Disodium (UNII: 7FLD91C86K)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Stannic Oxide (UNII: KM7N50LOS6)	
Ferric Oxide Red (UNII: 1K09F3G675)	
Ferric Oxide Yellow (UNII: EX438O2MRT)	
Ferrosferric Oxide (UNII: XM0M87F357)	
Titanium Dioxide (UNII: 15FIX9V2JP)	

Product Characteristics

Color	BROWN (Skin Tone Light)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68479-201-02	1 in 1 CARTON	01/22/2015	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:68479-201-00	2 mL in 1 POUCH; Type 0: Not a Combination Product	01/22/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/22/2015	

SHEER TINT SPF20 - MEDIUM

zinc oxide and octinoxate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68479-901
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	95 mg in 1 mL
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	45 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

Water (UNII: 059QF0KO0R)
Medium-Chain Triglycerides (UNII: C9H2L21V7U)
Dimethicone (UNII: 92RU3N3Y1O)
Dimethyl Isosorbide (UNII: SA6A6V432S)
Methyl Gluceth-20 (UNII: J3QD0LD11P)
Glyceryl Monostearate (UNII: 230OU9XXE4)
PEG-100 Stearate (UNII: YD01N1999R)
Stearic Acid (UNII: 4ELV7Z65AP)
Cetostearyl Alcohol (UNII: 2DMT128M1S)
Calcium Carbonate (UNII: H0G9379FGK)
English Walnut (UNII: 1V3SHR7QB7)
PEG-9 Diglycidyl Ether/Sodium Hyaluronate Crosspolymer (UNII: 788QAG3W8A)
Silanetriol (UNII: E52D0J3TS5)
Lavender Oil (UNII: ZBP1YXW0H8)
Lavandin Oil (UNII: 9RES347CKG)
Eucalyptus Oil (UNII: 2R04ONI662)
LAVANDULA ANGUSTIFOLIA SUBSP. ANGUSTIFOLIA FLOWERING TOP (UNII: 9YT4B71U8P)
Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (100000 MPA.S at 1.5%) (UNII: 86FQE96TZ4)
Polyhydroxystearic Acid (2300 MW) (UNII: YXH47AOU0F)
Squalane (UNII: GW89575KF9)
Triethoxycaprylsilane (UNII: LDC331P08E)
Polysorbate 60 (UNII: CAL22UVI4M)
Cetyl Alcohol (UNII: 936JST6JCN)
Silica Dimethyl Silylate (UNII: EU2PSP0G0W)
Magnesium Aluminum Silicate (UNII: 6M3P64V0NC)
Pentylene Glycol (UNII: 50C1307PZG)
Ethylhexylglycerin (UNII: 147D247K3P)
Edetate Disodium (UNII: 7FLD91C86K)
Silicon Dioxide (UNII: ETJ7Z6XBU4)
Phenoxyethanol (UNII: HIE492ZZ3T)
Stannic Oxide (UNII: KM7N50LOS6)
Ferric Oxide Red (UNII: 1K09F3G675)
Ferric Oxide Yellow (UNII: EX438O2MRT)
Ferrosoferric Oxide (UNII: XM0M87F357)
Titanium Dioxide (UNII: 15FIX9V2JP)

Product Characteristics

Color	BROWN (Skin Tone Medium)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68479-901-02	1 in 1 CARTON	01/22/2015	

1		40 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:68479-901-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/22/2015	
3	NDC:68479-901-00	2 mL in 1 POUCH; Type 0: Not a Combination Product	01/22/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/22/2015	

SHEER TINT SPF20 - DARK

zinc oxide and octinoxate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68479-301
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	95 mg in 1 mL
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	45 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Medium-Chain Triglycerides (UNII: C9H2L21V7U)	
Dimethicone (UNII: 92RU3N3Y1O)	
Dimethyl Isosorbide (UNII: SA6A6V432S)	
Methyl Gluceth-20 (UNII: J3QD0LD11P)	
Glyceryl Monostearate (UNII: 230OU9XXE4)	
PEG-100 Stearate (UNII: YD01N1999R)	
Stearic Acid (UNII: 4ELV7Z65AP)	
Cetostearyl Alcohol (UNII: 2DMT128M1S)	
Calcium Carbonate (UNII: H0G9379FGK)	
English Walnut (UNII: 1V3SHR7QB7)	
PEG-9 Diglycidyl Ether/Sodium Hyaluronate Crosspolymer (UNII: 788QAG3W8A)	
Silanetriol (UNII: E52D0J3TS5)	
Lavender Oil (UNII: ZBP1YXW0H8)	
Lavandin Oil (UNII: 9RES347CKG)	
Eucalyptus Oil (UNII: 2R04ONI662)	
LAVANDULA ANGUSTIFOLIA SUBSP. ANGUSTIFOLIA FLOWERING TOP (UNII: 9YT4B71U8P)	
Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (10000 MPA.S at 1.5%) (UNII: 86FQE96TZ4)	
Polyhydroxystearic Acid (2300 MW) (UNII: YXH47AOU0F)	

Squalane (UNII: GW89575KF9)
Triethoxycaprylylsilane (UNII: LDC331P08E)
Polysorbate 60 (UNII: CAL22UVI4M)
Cetyl Alcohol (UNII: 936JST6JCN)
Silica Dimethyl Silylate (UNII: EU2PSP0G0W)
Magnesium Aluminum Silicate (UNII: 6M3P64V0NC)
Pentylene Glycol (UNII: 50C1307PZG)
Ethylhexylglycerin (UNII: 147D247K3P)
Edetate Disodium (UNII: 7FLD91C86K)
Silicon Dioxide (UNII: ETJ7Z6XBU4)
Phenoxyethanol (UNII: HIE492ZZ3T)
Stannic Oxide (UNII: KM7N50LOS6)
Ferric Oxide Red (UNII: 1K09F3G675)
Ferric Oxide Yellow (UNII: EX438O2MRT)
Ferrosoferric Oxide (UNII: XM0M87F357)
Titanium Dioxide (UNII: 15FIX9V2JP)

Product Characteristics

Color	BROWN (Skin Tone Dark)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68479-301-02	1 in 1 CARTON	01/22/2015	
1		40 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:68479-301-00	2 mL in 1 POUCH; Type 0: Not a Combination Product	01/22/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	01/22/2015	

Labeler - Dermalogica, Inc. (177698560)

Establishment

Name	Address	ID/FEI	Business Operations
Cosway		620899877	MANUFACTURE(68479-201, 68479-901, 68479-301)

Establishment

Name	Address	ID/FEI	Business Operations
Diamond Wipes		161104729	MANUFACTURE(68479-201, 68479-901, 68479-301)

