

**ATHLETES FOOT- terbinafine hydrochloride cream**  
**Chain Drug Marketing Association, Inc.**

-----  
**Athlete's Foot Cream**

***Drug Facts***

**Active ingredient**

Terbinafine hydrochloride 1%

**Purpose**

Antifungal

**Uses**

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ringworm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

**Warnings**

**For external use only**

**Do not use**

- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

**When using this product** do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

**Stop use and ask a doctor if**


- too much irritation occurs or gets worse.
- side effects occur.

**Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

**Directions**

- adults and children 12 years and older
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
    - **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor.

1 week  
between the toes



- **on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor.

2 weeks on the bottom  
or sides of the foot



- **for jock itch and ringworm:** apply once a day (morning **or** night) for **1 week** or as directed by a doctor.
- wash hands after each use
- children under 12 years: ask a doctor

#### **Other information**

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20°-25°C (68°-77°F)
- see carton or tube crimp for lot number and expiration date

#### **Inactive ingredients**

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol.

#### **Questions?**

Call **1-800-935-2362**

**DISTRIBUTED BY QUALITY CHOICE**

**43157 WEST NINE MILE ROAD, NOVI, MI 48376-0995**

**PRINCIPAL DISPLAY PANEL - 15 g Tube Carton**

**QC  
QUALITY  
CHOICE®**

**Athlete's Foot Cream**

**Terbinafine Hydrochloride Cream 1%**

**Antifungal**

**NET WT 1/2 OZ (15 g )**



NDC 63868-364-12

Compare to the active ingredient in Lamisil AT®\*

# Full Prescription Strength Athlete's Foot Cream

## Terbinafine Hydrochloride Cream 1%

### Antifungal

- Cures Most Athlete's Foot • Relieves Itching & Burning

LPK-6571-0  
08-10-0  
M98

- Relieves Itching & Burning
- Full Prescription Strength

T174



# Athlete's Foot Cream

## Terbinafine Hydrochloride Cream 1%

### Antifungal

NET WT 1/2 OZ (15 g)

Athlete's Foot Cream  
Terbinafine Hydrochloride Cream 1%

Antifungal

#### Questions? Call 1-800-935-2362

**Inactive ingredients:** benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polyorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol.

- see carton or tube crimp for lot number and expiration date
- store at controlled room temperature 20°-25°C (68°-77°F)
- do not use if seal on tube is broken or is not visible

#### Drug Facts (continued)

- Directions**
- adults and children 12 years and older
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
  - between the toes only; apply twice a day (morning and night) for 1 week or as directed by a doctor.
  - on the bottom or sides of the foot; apply twice a day (morning and night) for 2 weeks or as directed by a doctor.
  - for lock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor.
  - wash hands after each use
  - children under 12 years: ask a doctor


- Warnings** For external use only
- Do not use • on nails or scalp • in or near the mouth or the eyes
  - for vaginal yeast infections
  - When using this product do not get into the eyes. If eye contact occurs, rinse thoroughly with water.
  - Stop use and ask a doctor if • too much irritation occurs or gets worse.
  - side effects occur.
  - Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.
- Uses**
- cures most athlete's foot (tinea pedis)
  - cures most lock itch (tinea cruris) and ringworm (tinea corporis)
  - relieves itching, burning, cracking and scaling which accompany these conditions
- Directions**
- on the bottom or sides of the foot; apply twice a day (morning and night) for 2 weeks or as directed by a doctor.
  - for lock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor.



43 BY WISH NEW E WICK ROAD, NOK, MA14531-0915  
© DISTRIBUTED BY QUALITY CHOICE  
BUY WITH CONFIDENCE  
www.qualitychoice.com



inc. owner of the  
reg. ® of trademark



## ATHLETES FOOT

terbinafine hydrochloride cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-364
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Terbinafine Hydrochloride</b> (UNII: 012C11ZU6G) (Terbinafine - UNII:G7RIW8S0XP)	Terbinafine Hydrochloride	1 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>benzyl alcohol</b> (UNII: LKG8494WBH)	
<b>cetyl alcohol</b> (UNII: 936JST6JCN)	
<b>cetyl palmitate</b> (UNII: 5ZA2S6B08X)	
<b>isopropyl myristate</b> (UNII: 0RE8K4LNJS)	
<b>polysorbate 60</b> (UNII: CAL22UVI4M)	
<b>water</b> (UNII: 059QF0K00R)	
<b>sodium hydroxide</b> (UNII: 55X04QC32I)	
<b>sorbitan monostearate</b> (UNII: NVZ4I0H58X)	
<b>stearyl alcohol</b> (UNII: 2KR89I4H1Y)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-364-12	1 in 1 CARTON		
1		15 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077511	07/02/2007	

**Labeler** - Chain Drug Marketing Association, Inc. (011920774)

**Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(63868-364)

Revised: 12/2012

Chain Drug Marketing Association, Inc.