

SPF33 MINERAL FACIAL CARIPOSA- zinc oxide lotion
Talent Brands Company LLC

SPF33 Mineral Facial Lotion

Active ingredients

Zinc Oxide 20%

Purpose

Sunscreen

Uses

•helps prevent sunburn• If used as directed with other sun protection measures (**see Directions**),decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on

- damaged or broken skin.

When using this product

- keep out of eyes. Rinse with waterto remove.

Stop use and ask a doctor if

- rash or initiation develops and lasts

Keep out of reach of children. If swallowed,get medical help orcontact a Poison Control Center right away

Directions:

- apply liberally 15 minutes before sun exposure and as needed. Reapply:

after 40 minutes of sweeming or sweating immidiately after towel drying at least every 2 hours. **Sun Protection Measures.** Spending time in the sun increase your risk of skin cancer and early skin aging. To decrease this risk, regularly usea sunscreen wrtha Broad Spectrum SPF value of15 or higher and other suncrin protection measures including:

- limrt time in the sun, especial from 10a.m. -2 p.rn. •wear long-sleeve shorts , pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Benzyl Alcohol, Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Citric Acid, Coco-Caprylate, Dehydroacetic Acid, Glycerin, Glyceryl Stearate, Niacinamide, Panthenol, Polyhydroxystearic Acid, Saccharide Isomerate, Sodium Phytate, Sodium Stearoyl Glutamate, Sucrose Palmitate, Sucrose Tristearate, Tocopheryl Acetate, Xanthan Gum, Water.



Drug Facts

Active ingredient	Purpose
Zinc Oxide 20%	Sunscreen

Uses Helps prevent sunburn · If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings For external use only.
Do not use on damaged or broken skin.
When using this product · keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions Apply evenly to face and neck 15 minutes before sun exposure reapply: After 40 minutes of swimming or sweating · Immediately after towel drying · At least every 2 hours · **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10a.m. – 2p.m. · Wear long-sleeve shirts, pants, hats, and sunglasses. · Children under 6 months: Ask a doctor.

Other information Protect this product from excessive heat and direct sun.

Inactive ingredients Benzyl Alcohol, Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Citric Acid, Coco-Caprylate, Dehydroacetic Acid, Glycerin, Glyceryl Stearate, Niacinamide, Panthenol, Polyhydroxystearic Acid, Saccharide Isomerate, Sodium Phytate, Sodium Stearoyl Glutamate, Sucrose Palmitate, Sucrose Tristearate, Tocopheryl Acetate, Xanthan Gum, Water.

Questions? (888) 528-7616



Distributed by Cariposa Beauty
 1 Marina Park Drive, Suite 1410, Boston, MA 02210

SPF33 MINERAL FACIAL CARIPOSA

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84267-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	20 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
COCO-CAPRYLATE (UNII: 4828G836N6)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
NIACINAMIDE (UNII: 25X51I8RD4)	
PANTHENOL (UNII: WW9CM0067Z)	
POLYHYDROXYSTEARIC ACID STEARATE (UNII: 8KQ7I65XZE)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
PHYTATE SODIUM (UNII: 88496G1ERL)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
SUCROSE PALMITATE (UNII: 3OSQ643ZK5)	
SUCROSE TRISTEARATE (UNII: 71I93STU5M)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
XANTHAN GUM (UNII: TTV12P4NEE)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84267-004-01	50 mL in 1 CONTAINER; Type 0: Not a Combination Product	04/18/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/18/2024	

Labeler - Talent Brands Company LLC (061158156)

Registrant - Bridgeview Investments LLC (035014854)

Establishment

Name	Address	ID/FEI	Business Operations
Inspec Solutions LLC		081030372	manufacture(84267-004)