

**ICY HOT WITH LIDOCAINE PAIN RELIEVING- lidocaine hcl and menthol cream  
Chattem, Inc.**

-----  
**Icy Hot Cream**

***ICY HOT® with LIDOCAINE  
PAIN RELIEVING CREAM***

***Drug Facts***

***Active Ingredients***

Lidocaine HCl 4%

***Purposes***

Topical anesthetic

***Active Ingredients***

Menthol 1 %

***Purposes***

Topical analgesic

***Uses***

Temporarily relieves minor pain

***Warnings***

**For external use only**

**Do not use**

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

**When using this product**

- Use only as directed. Read and follow all directions and warnings on this carton.
- avoid contact with eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) to the area of use

- do not use at the same time as other topical analgesics
- a transient burning sensation may occur upon application but generally disappears in several days
- avoid applying into skin folds

**Stop use and ask a doctor if**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

**adults and children over 12 years:**

- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- **AFTER APPLYING, WASH HANDS WITH SOAP AND WATER**

**children 12 years or younger: ask a doctor**

***Inactive ingredients***

acrylates/C10-30 alkyl acrylate crosspolymer, alcohol denat. (15%), aloe barbadensis leaf juice, aminomethyl propanol, C30-45 alkyl cetearyl dimethicone crosspolymer, caprylyl methicone, cetearyl alcohol, ceteth-20 phosphate, dicetyl phosphate, dimethicone, disodium EDTA, ethylhexylglycerin, glyceryl stearate, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, isohexadecane, methylparaben, polysorbate 60, steareth-21, water

**Keep Carton As It Contains Important Information**

**Close cap tightly between uses.**

**PRINCIPAL DISPLAY PANEL**

ICY HOT  
MAX  
LIDOCAINE  
PAIN RELIEF CREAM

Net Wt 2.7 OZ (76.5 g)



## ICY HOT WITH LIDOCAINE PAIN RELIEVING

lidocaine hcl and menthol cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-1710
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.4 g in 1 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.1 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>CARBOMER INTERPOLYMER TYPE A (55000 CPS)</b> (UNII: 59TL3WG5CO)	

<b>ALCOHOL</b> (UNII: 3K9958V90M)
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)
<b>AMINOMETHYLPROPANOL</b> (UNII: LU49E6626Q)
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)
<b>CETETH-20 PHOSPHATE</b> (UNII: 921FTA1500)
<b>DIHEXADECYL PHOSPHATE</b> (UNII: 2V6E5WN99N)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%)</b> (UNII: 86FQE96TZ4)
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)
<b>STEARETH-21</b> (UNII: 53J3F32P58)
<b>WATER</b> (UNII: 059QF0KO0R)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-1710-2	1 in 1 CARTON	03/01/2016	
1		49.6 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41167-1710-0	1 in 1 CARTON	03/01/2016	
2		76.5 g in 1 TUBE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/01/2016	

**Labeler** - Chattem, Inc. (003336013)