

**CHILDRENS ROBITUSSIN COUGH LONG-ACTING- dextromethorphan  
hydrobromide liquid  
Haleon US Holdings LLC**

-----

***DRUG FACTS***

***Active ingredient (in each 10 ml)***

Dextromethorphan HBr, USP 15 mg

***Purpose***

Cough suppressant

***Use***

temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

***Warnings***

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

1. cough that occurs with too much phlegm (mucus)
2. cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

1. measure only with dosing cup provided
  2. keep dosing cup with product
  3. ml = milliliter
  4. do not take more than 4 doses in any 24-hour period
-

<b>age</b>	<b>dose</b>
children under 4 years	do not use
children 4 to under 6 years	5 ml every 6 - 8 hours
children 6 to under 12 years	10 ml every 6 to 8 hours
adults and children 12 years and older	20 ml every 6 to 8 hours

### ***Other information***

1. **each 10 ml contains:**sodium 11 mg
2. store at 20-25°C (68-77°F)

### ***Inactive ingredients***

anhydrous citric acid, artificial flavor, FD&C red no. 40, glycerin, high fructose corn syrup, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate

### ***Questions or comments?***

Call weekdays from 9 AM to 5 PM EST at **1-800-762-4675**

Distributed by:  
Pfizer, Madison, NJ 07940 USA

For most recent product information, visit  
[www.robitussin.com](http://www.robitussin.com)

## **PRINCIPAL DISPLAY PANEL**

***NEW***

***Dosing***

***Information***

**Children's  
Robitussin®**

**NOW FOR AGES 4 & OVER**

**Cough**

**Long-Acting**

**DEXTROMETHORPHAN HBr (Cough Suppressant)**

**Relieves:**

✓ Cough Up to **8 Hours**

**Alcohol-Free**

**fruit  
punch**

flavor

4 FL OZ  
(118 ml)



## CHILDRENS ROBITUSSIN COUGH LONG-ACTING

dextromethorphan hydrobromide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0031-8694
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	7.5 mg in 5 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	

**Product Characteristics**

<b>Color</b>	red (bright red)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	FRUIT PUNCH	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0031-8694-12	1 in 1 CARTON	07/01/2015	
1		118 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2004	

**Labeler** - Haleon US Holdings LLC (079944263)