

VAMOUSSE LICE TREATMENT- pediculicide aerosol, foam
Alliance Pharma Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Vamousse Lice Treatment

Active Ingredient

Natrum muriaticum 2X (HPUS)

Purpose

Pediculicide

Uses

Treats head lice infestation

For external use only

Do Not Use near eyes, inside nose, mouth, or vagina, on lice in eyebrows or eyelashes. See a doctor if lice are present in these areas.

When using this product Keep eyes tightly closed and protect eyes with a washcloth or towel.

If product gets in eyes, flush with water right away.

Scalp itching or redness may occur.

Do not puncture or incinerate, contents under pressure.

Do not smoke or use near open flame or heated surface.

Consider using gloves to apply the product if you have sensitive skin as prolonged contact may dry your skin.

Stop use and ask a doctor if eye irritation occurs, skin or scalp irritation continues or infection occurs.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Directions Important: Read ALL instructions on pamphlet inside box. Do not use on pets or to treat pubic or body lice. Adults and children 2 years and older: Treat to kill lice and eggs (nits): Start off with DRY hair. Separate hair into 3-4 sections with clips. Shake can well. Part a section of hair into a 1-inch section, focus the nozzle tip on the scalp and apply a generous amount of mousse along the length of the hair. Pay special attention to nape of neck and behind ears. Saturate all hair and scalp, massaging the mousse to break down the foam, thoroughly soaking the hair. To be effective all lice and nits must

be contacted. Depending on length of hair, the full can may be needed. Repeat process until all sections of hair are saturated and wait 15 minutes. Remove lice and eggs (nits): Although dead, nits remain attached to the hair. After 15-minute treatment, use enclosed comb, to remove dead lice and nits from wet hair. Working with a 1-inch section of hair, insert the comb against the scalp, and pull through to the end, wiping on a disposable paper towel after each stroke. If hair dries during combing, apply more product to ease combing. Repeat combing if necessary. Shampoo and towel dry hair. Vamousse may be repeated as needed. Children under 2 years: ask a doctor.

Other Information

Other Information Do not store at temperature above 120°F (49°C). See package insert for additional information.

Inactive Ingredients Ammonium benzoate, Benzyl alcohol, Butyl lactate, Cocamidopropyl betaine, Fragrance, Isopropyl alcohol, Isopropyl myristate, Propellant A-46, Sodium lauryl sulfate, Triethyl citrate, Water

Questions? 1.855.373.7210 or www.VamousseLice.com. Call to report serious side effects.

Additional Label Content

VAMOUSSE

Mousse kills lice AND eggs by dehydration

Kills Pesticide-Resistant Super Lice

Pesticide-free

Smells Great

Easy Mousse Application

Rinses out easily

Safe for children 2+

CONTENTS INCLUDE

One 6 fl. oz. mousse can

One reusable professional steel comb

USAGE GUIDELINES

One can designed to saturate hair

Depending on length and thickness of hair, you may need more than one can to saturate the hair

Made in the U.S.A.

Vamousse, Alliance and associated devices are trademarks of Alliance Pharmaceuticals Limited

Manufactured for

ALLIANCE

Alliance Pharma, Inc.

Cary, NC 27511

NDC 72238-001-01

Pesticide-Free

LICE TREATMENT

CLINICALLY PROVEN

KILLS SUPER LICE & EGGS

ONCE AND DONE!

EASY TO USE MOUSSE

VAMOUSSE

HOMEOPATHIC

6 FL OZ (177 ML) & 1 COMB

View video instructions at VamousseLice.com/how-to

KILLS LICE & EGGS ONCE AND DONE



SHAKE WELL BEFORE USE

Drug Facts

Active Ingredient	Purpose
Nonoxonyl (10.1%) (NONS)	Pediculicide

Warnings
For external use only.

Do Not Use • inside nose, mouth or vagina • on face in eyebrows or eyelashes. See a doctor if it gets around in these areas.

When using this product:

- Keep eyes tightly closed and protect eyes with a washcloth or towel.
- If product gets in eye, flush with water right away.
- Scalp itching or redness may occur.
- Do not puncture or incise, cauterize under pressure.
- Do not smoke or use near open flame or heated surface.
- Consider using gloves to apply this product if you have sensitive skin as prolonged contact may dry your skin.

Stop use and ask a doctor if eye irritation occurs, skin or scalp irritation continues or infection occurs.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions:
Important: Read ALL instructions on pamphlet inside box. Do not use on pets or to treat public or body lice. Adults and children 2 years and older:

Treat to kill lice and eggs (both):

- Start with DRY hair
- Separate hair into 3-4 sections with clips
- Shake can well
- Put a section of hair into a 1-inch section, focus the nozzle tip of the spray and apply a generous amount of mousse along the length of the hair
- Try to avoid saturation to scalp of neck and behind ears
- Saturate all hair and scalp, massaging the mousse to break down the tangle, thoroughly saturating the hair. To be effective all lice and nits must be contacted. Depending on length of hair, the full can may be needed.**
- Repeat process until all sections of hair are saturated with 1.5 minutes

Remove lice and eggs (both):

- Although done, this remains attached to the hair
- After 1.5-minute treatment, use enclosed comb, to remove dead lice and nits from the wet hair
- Working with a 1-inch section of hair, insert the comb against the scalp, and pull through to the end, wiping on a disposable paper towel after each stroke
- If hair dries, apply more product to each section
- Repeat combing if necessary
- Shampoo and towel dry hair

Vamousse may be repeated as needed. Children under 2 years: call a doctor.

Other Information: In use store at temperature above 120° (49° F). See package insert for additional information.

Inactive Ingredients: Anisomium benzoate, Benzyl alcohol, Butyl lactate, Cocamidopropyl betaine, Fragrance, Isopropyl alcohol, Isopropyl myristate, Propellant A-44, Sodium lauryl sulfate, Sodium citrate, Water

Questions? 1-855-373-7219 or www.VamousseLice.com
Call to report serious side effects.

NDC 72238-001-01



Pesticide-Free LICE TREATMENT

CLINICALLY PROVEN

KILLS SUPER LICE & EGGS ONCE AND DONE!

EASY TO USE MOUSSE



CONTENTS INCLUDE:

- One 6 fl. oz. mousse can
- One reusable professional steel comb

USAGE GUIDELINES:

- One can designed to saturate hair and effectively treat 1 individual.
- Depending on length and thickness of hair, you may need more than 1 can to completely saturate the hair.

Made in the U.S.A. Vamousse, Alliance and associated devices are trademarks of Alliance Pharmaceuticals Limited

Manufactured for: **ALLIANCE** Alliance Pharma, Inc. Cary, NC 27511



VamousseLice.com HOMEOPATHIC 6 FL OZ (177ML) & 1 COMB VamousseLice.com

HOW TO USE:

Treat • Saturate Hair, Wait 15 Minutes
Working in small sections, apply and massage mousse into DRY hair to thoroughly saturate all hair and scalp. Wait 15 minutes. To be effective, all lice and eggs must come in contact with Vamousse Lice Treatment.



Comb
Remove dead lice and eggs using the enclosed comb.



SEE INSERT FOR FULL DETAILS

For ongoing control to kill lice contacted from re-exposure or missed during treatment, use Vamousse Lice Defense Shampoo daily.

VAMOUSSE LICE TREATMENT

pediculicide aerosol, foam

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:72238-001

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM CHLORIDE	2 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
VANILLIN (UNII: CHI530446X)	
ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS)	
LIQUEFIED PETROLEUM GAS (UNII: 5K616HU99V)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
WATER (UNII: 059QF0KO0R)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
BUTYL LACTATE (UNII: 0UI63W814U)	
GERANIOL (UNII: L837108USY)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
AMMONIUM BENZOATE (UNII: AC80WD7GPF)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72238-001-01	1 in 1 BOX	10/01/2018	
1		177 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/01/2018	

Labeler - Alliance Pharma Inc. (081138954)

Establishment

Name	Address	ID/FEI	Business Operations
PLZ Corp.		118914032	manufacture(72238-001) , pack(72238-001) , label(72238-001)