

SENNALAX- sennosides tablet
MEIJER, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement within 6- 12 hours.

Warnings

Do not use

- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before using if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks.

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- **each tablet contains:** calcium 30 mg
- store at 25° C (77° F); excursions permitted between 15–30°C (59–86°F)

Inactive Ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil*, silicon dioxide*, sodium lauryl sulfate*, stearic acid*, talc*, triacetin*

*contains one or more of these ingredients

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

†Compare to the active ingredient in Senokot®

REGULAR STRENGTH

natural laxative

Senna Laxative

Sennosides | 8.6 mg | Laxative

Gentle, dependable, Overnight Relief

NATURAL VEGETABLE LXATIVE INGREDIENT

TABLETS

†This product is not manufactured or distributed by Aviro Health L.P., distributor of Senokot®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DIST. BY MEIJER
DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

Product Label



NDC 41289-731-10

†Compare to the active ingredient in Senokot®

REGULAR STRENGTH natural laxative

Sennosides | 8.6 mg | Laxative

Gentle, Dependable, Overnight Relief

NATURAL VEGETABLE
LAXATIVE INGREDIENT

100 Tablets



DIST. BY MEIJER
DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com

PID 418289



8 86926 18463 1

PLD-G2ZY F0005460

Lot No.:

Exp. Date:

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

This product is not manufactured or distributed by Aviro Health L.P., distributor of Senokot®.

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Inactive ingredients croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, silicon dioxide, sodium lauryl sulfate, stearic acid, talc, tracetin*
*contains one or more of these ingredients

■ each tablet contains: calcium 30 mg
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Other Information
Drug Facts (continued)

Drug Facts		
Active ingredient (in each tablet) Sennosides 8.6 mg.....Laxative		
Purpose		
Uses ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 6-12 hours		
Warnings Do not use ■ laxative products for longer than 1 week unless directed by a doctor Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that continues over a period of 2 weeks Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.		
Directions ■ take preferably at bedtime or as directed by a doctor		
age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

MEIJER Regular Strength Natural Laxative

SENNALAXATIVE

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-731
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	brown	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	TCL080;PS23;S8
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-731-10	1 in 1 BOX	01/31/2019	01/31/2025
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	01/31/2019	01/31/2025

Labeler - MEIJER, INC. (006959555)

Revised: 1/2023

MEIJER, INC.