

**MOTION SICKNESS RELIEF- meclizine hcl tablet, chewable
Walgreen Company**

Walgreens 44-404A

Active ingredient (in each chewable tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose monohydrate, magnesium stearate, pregelatinized starch, propylene glycol, saccharin sodium, silicon dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

Walgreens

*Compare to the active ingredient
in Bonine® Chewable Tablets††*

• WALGREENS •
PHARMACIST RECOMMENDED

NDC 0363-4040-21

Motion Sickness Relief

MECLIZINE HCl 25 mg CHEWABLE TABLETS / ANTIEMETIC

- Prevents motion sickness
 - Chewable, once-a-day protection
- Ages 12 Years and Over

16

CHEWABLE TABLETS
CHEW OR CRUSH TABLETS COMPLETELY BEFORE
SWALLOWING. DO NOT SWALLOW TABLETS WHOLE.

ACTUAL SIZE

Raspberry

flavor

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2024 Walgreen Co.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

†Our pharmacists recommend the Walgreens brand.
We invite you to compare to national brands.

††This product is not manufactured or distributed by
WellSpring Pharmaceutical Corporation, owner of
the registered trademark Bonine® Chewable Tablets.

50844 ORG082340421

W30RG1021-F3
REV-0524

**Chewable, once-a-day protection
that prevents motion sickness.**

Walgreens

Compare to the active ingredient
in Bonine® Chewable Tablets*



NDC 0363-4040-21

E1042

Motion Sickness Relief

MECLIZINE HCl 25 mg CHEWABLE TABLETS / ANTIEMETIC

- Prevents motion sickness
- Chewable, once-a-day protection

Ages 12 Years and Over

16

CHEWABLE TABLETS

CHEW OR CRUSH TABLETS COMPLETELY BEFORE SWALLOWING. DO NOT SWALLOW TABLETS WHOLE.



ACTUAL SIZE



Raspberry
flavor

B-201-404A-21-HR
ORG082340421

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2024 Walgreen Co.

ITEM 890057 W00000-0000-0



3 11917 05321 9



how2recycle.info

*Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by WellSpring Pharmaceutical Corporation, owner of the registered trademark Bonine® Chewable Tablets.

50844 ORG082340421

Drug Facts (continued)

Purpose
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Active ingredient (in each chewable tablet)
Meclizine HCl 25 mg.....Antiemetic

Uses for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness.

Warnings
Do not use for children under 12 years of age unless directed by a doctor.
Ask a doctor before use if you have
■ difficulty in urination due to enlargement of the prostate gland ■ glaucoma
■ a breathing problem such as emphysema or chronic bronchitis
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
When using this product ■ drowsiness may occur ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic beverages ■ use caution when driving a motor vehicle or operating machinery
If pregnant or breast-feeding, ask a health professional before use.

Directions ■ do not take more than directed dosage should be taken one hour before travel starts ■ chew or crush tablets completely before swallowing; do not swallow tablets whole
■ adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a doctor

Other information
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ protect from heat and humidity
■ see end flap for expiration date and lot number

Inactive ingredients colloidal silicon dioxide, dextrose, FD&C red #40 aluminum lake, flavor, lactose, monohydrate, magnesium stearate, pregelatinized starch, polyene glycol, saccharin sodium, silicon dioxide

(Questions or comments?) 1-800-426-9391

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

No Print/No Varnish Lot & EXP

Walgreens 44-404A

MOTION SICKNESS RELIEF

meclizine hcl tablet, chewable

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-4040 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------|----------|
| MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570) | MECLIZINE HYDROCHLORIDE | 25 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2) | |
| FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T) | |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| STARCH, CORN (UNII: O8232NY3S) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |

Product Characteristics

| | | | |
|-----------------|-----------|---------------------|----------|
| Color | pink | Score | no score |
| Shape | ROUND | Size | 9mm |
| Flavor | RASPBERRY | Imprint Code | 44;404 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:0363-4040-21 | 2 in 1 CARTON | 05/31/2024 | |
| 1 | | 8 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M009 | 05/31/2024 | |

Labeler - Walgreen Company (008965063)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|--|
| LNK International, Inc. | | 832867837 | manufacture(0363-4040) , pack(0363-4040) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. | | 117025878 | manufacture(0363-4040) |

Revised: 5/2024

Walgreen Company