

**BANANA BOAT- avobenzone, homosalate, octisalate, octocrylene spray**  
**Edgewell Personal Care Brands, LLC**

-----

**Active Ingredients**

Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 6%

**Purpose**

Sunscreen

**Uses**

• helps prevent sunburn • if used as directed with other sun protection measures (see **Direction**), decrease the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only.**

**Flammable:** Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

May stain some fabrics.

**Do not use**

on damaged or broken skin.

**When using this product**

• Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

if rash occurs.

**Keep out of reach of children**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• **Shake well.** • hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • do not spray directly into face. Spray on hands then apply to face • do not apply in windy conditions • use in well-

ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months: Ask a doctor.

### **Inactive Ingredient**

Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycrylene, Sodium Chloride, PEG-8, Phenoxyethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroabietate, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate Silica.

### **Other information**

- protect this product from excessive heat and direct sun.

### **Questions or comments?**

Call 1-800-SafeSun, Mon-Fri

BANANA

BOAT®

KIDS

SPORT

SUNSCREEN LOTION SPRAY

UVA/UVB BROAD SPECTRUM SPF50+

50+

with

POWERSTAY

TECHNOLOGY

tear+sting free

High Endurance vs. Sweat & Water

Water Resistant

(80 Minutes)

SHAKE WELL BEFORE USE

NET WT 1.8 OZ. (51 g)

**BANANA BOAT®**  
**KiDS**  
**SPORT**  
 SUNSCREEN LOTION SPRAY  
 UVA/UVB BROAD SPECTRUM SPF 50+

**50+**

with  
**POWERSTAY**  
**TECHNOLOGY™**  
 tear+sting free

High Endurance vs. Sweat & Water

Water Resistant  
 (80 Minutes)

SHAKE WELL BEFORE USE

NET WT 1.8 OZ. (51 g)

**Drug Facts**

<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

**Directions**

■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive Ingredients:** Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycrylene, Sodium Chloride, PEG-8, Phenoxyethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroabietate, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, PEG-8 Dimethicone, Aloe Barbadosensis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate Silica.

**Other information** ■ Protect this product from excessive heat and direct sun

**Questions or comments?**

Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC  
 SHELTON, CT 06484  
[www.bananaboat.com](http://www.bananaboat.com)



© 2018 Edgewell. DOT 20 M5655 93027624



BANANA  
 BOAT®  
 KiDS  
 SPORT  
 SUNSCREEN LOTION SPRAY  
 UVA/UVB BROAD SPECTRUM SPF50+  
 50+  
 with  
 POWERSTAY  
 TECHNOLOGY  
 tear+sting free

High Endurance vs. Sweat & Water  
 Water Resistant  
 (80 Minutes)  
 SHAKE WELL BEFORE USE  
 NET WT 6 OZ. (170 g)

**BANANA BOAT**  
**KIDS SPORT**  
 SUNSCREEN LOTION SPRAY  
 UVA/UVB BROAD SPECTRUM SPF 50+  
**50+**  
 with  
**POWERSTAY TECHNOLOGY™**  
 Tear+sting free  
 High Endurance vs. Sweat & Water  
 Water Resistant  
 (80 Minutes)  
 SHAKE WELL BEFORE USE  
 NET WT 6 OZ. (170 g)

**SUN SAFETY DIRECTIONS**

Apply Liberally  
 Wait 15 min.  
 Reapply  
 Cover Up!

SHAKE WELL BEFORE USE About 4 applications per 170g can

**Drug Facts**

Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
 For external use only.  
 Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.  
 Do not use on damaged or broken skin.  
 When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs.  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.  
 May stain some fabrics.

**Directions**  
 ■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive Ingredients:** Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycrylate, Sodium Chloride, PEG-8, Phenoxyethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroabietate, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isostearate/Dimer Dimaleate Crosspolymer, PEG-8 Dimethicone, Aloe Barbadosis Leaf Juice, Octyldecylol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Trisulfate Silica.

**Other Information**  
 ■ protect this product from excessive heat and direct sun

**Questions or comments?**  
 Call 1-800-SafeSun, Mon-Fri

Distributed by:  
 EDGEWELL PERSONAL CARE BRANDS, LLC  
 Shelton, CT 06484  
 www.bananaboat.com  
 © 2018 Edgewell.

Edgewell™  
 93027626 DOT 2Q M5695

0 79656 01806 6

BONUS  
 33% MORE  
 8 OZ  
 VS  
 6 OZ  
 BANANA

BOAT®  
KIDS  
SPORT  
SUNSCREEN LOTION SPRAY  
UVA/UVB BROAD SPECTRUM SPF50+  
50+  
with  
POWERSTAY  
TECHNOLOGY  
tear+sting free  
High Endurance vs. Sweat & Water  
Water Resistant  
(80 Minutes)  
SHAKE WELL BEFORE USE  
NET WT 8 OZ. (227 g)

**BONUS  
33% MORE**  
8 OZ  
VS  
6 OZ



**KiDS  
SPORT**

SUNSCREEN LOTION SPRAY  
UVA/UVB BROAD SPECTRUM SPF 50+



with  
**POWERSTAY  
TECHNOLOGY™**  
tear+sting free

High Endurance vs. Sweat & Water

Water Resistant  
(80 Minutes)

SHAKE WELL BEFORE USE

NET WT 8 OZ. (227 g)

SUN SAFETY DIRECTIONS



Apply Liberally  
SHAKE WELL BEFORE USE



Wait 15 min.



Reapply  
About 4 applications per 170g can



Cover Up!

**Drug Facts**

Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.  
Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.  
Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.  
May stain some fabrics.

**Directions**

■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive ingredients:** Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycrylate, Sodium Chloride, PEG-8, Phenoxethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroxyethylolate, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isosteate/Dimer Dilinoleate Crosspolymer, PEG-3 Dimethicone, Aloe Barbardensis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium PropoxyhydroxypropylThiosulfate Silica.

**Other Information**

■ protect this product from excessive heat and direct sun

**Questions or comments?**  
Call 1-800-SafeSun, Mon-Fri

Distributed by:  
EDGEWELL PERSONAL  
CARE BRANDS, LLC  
Shelton, CT 06484  
www.bananaboat.com  
© 2018 Edgewell.



93027625

DOT 20 M5655



55%  
MORE  
FAMILY SIZE!  
9.5 OZ VS 6 OZ  
BANANA  
BOAT®  
KiDS  
SPORT  
SUNSCREEN LOTION SPRAY  
UVA/UVB BROAD SPECTRUM SPF50+  
50+  
with  
POWERSTAY  
TECHNOLOGY

tear+sting free  
 High Endurance vs. Sweat & Water  
 Water Resistant  
 (80 Minutes)  
 SHAKE WELL BEFORE USE  
 NET WT 9.5 OZ. (269 g)

**55%  
 MORE  
 FAMILY SIZE!**  
 9.5 OZ VS 6 OZ

**55%  
 MORE  
 FAMILY SIZE!**  
 9.5 OZ VS 6 OZ



with  
**POWERSTAY  
 TECHNOLOGY™**  
 tear+sting free

High Endurance vs. Sweat & Water

Water Resistant  
 (80 Minutes)

SHAKE WELL BEFORE USE

NET WT 9.5 OZ. (269 g)

**SUN SAFETY DIRECTIONS**



Apply Liberally  
 SHAKE WELL BEFORE USE



Wait 15 min



2 HR  
 Reapply  
 About 4 applications per 170g can



Cover Up!

**Drug Facts**

<b>Active Ingredients</b>	<b>Purpose</b>
Azobenzene 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 6.0%	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

Flammable: Contents under pressure. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product - Keep away from face to avoid breathing it - keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.  
 May stain some fabrics.

**Directions**

■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: - after 80 minutes of swimming or sweating - immediately after towel drying - at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m.-2 p.m. - wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive ingredients:** Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEGPPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Dibutyl Adipate, Ethylhexyl Methoxycrylate, Sodium Chloride, PEG-8, Phenoxyethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroabietate, Phenylisopropyl Dimethicone, Polyglyceryl-3 Stearate/Isosteate/Dimer Dilinolate Copolymer, PEG-8 Dimethicone, Aloe Barbadensis Leaf Juice, Octylodecanol, Pabnyl Palmate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate Silica.

**Other Information**

■ protect this product from excessive heat and direct sun

**Questions or comments?**

Call 1-800-SafeSun, Mon-Fri

Distributed by:  
 EDGEWELL PERSONAL  
 CARE BRANDS, LLC  
 Shelton, CT 06484  
 www.bananaboat.com  
 © 2018 Edgewell.



93027623

DOT 20 N5655



BANANA  
 BOAT®  
 KiDS  
 SPORT  
 SUNSCREEN LOTION SPRAY  
 UVA/UVB BROAD SPECTRUM SPF50+  
 50+  
 with  
 POWERSTAY  
 TECHNOLOGY  
 tear+sting free  
 High Endurance vs. Sweat & Water  
 Water Resistant  
 (80 Minutes)  
 SHAKE WELL BEFORE USE  
 2-6 OZ. (170 g) CANS TOTAL NET WT 12 OZ. (340 g)

2

BUY 2 & SAVE!
BUY 2 & SAVE!



**BANANA BOAT®**  
**KiDS**  
**SPORT**  
 SUNSCREEN LOTION SPRAY  
 UVA/UVB BROAD SPECTRUM SPF50+  
 50+  
 WITH  
**POWERSTAY TECHNOLOGY™**  
 tear+sting free  
 High Endurance vs. Sweat & Water  
 Water Resistant  
 (80 Minutes)  
 SHAKE WELL BEFORE USE  
 2-6 OZ. (170 g) CANS TOTAL NET WT. 12 OZ. (340 g)

BANNETT/EDMUND

**Apply liberally**  
WE ARE WELL BEFORE USE

**Rub in well**  
About 4-5 min.

**Reapply**  
About 4-5 min.

**Cover Up!**  
+ 15g can

Drug Facts	Warnings
<b>Active Ingredients</b> Avobenzone 3.0%, Homosaline 10.0%, Octinoxate 5.0%, Octisalate 5.0%	<b>Purpose(s)</b> Sunscreen
<b>Use:</b> Use before sunbathing. Use as directed with other sun protection means as per directions. Decreases the risk of skin cancer and early skin aging caused by the sun.	<b>Warnings</b> <b>For external use only.</b> Flammable—Contains a flammable propellant. Do not puncture or incinerate. Do not expose to heat or flame at temperatures above 120°F. Do not use in the presence of a flame or open fire. Keep away from sources of heat. Flammable aerosol because of flammable propellant and flammable ingredients. A flammable or toxic gas is evolved when the can is heated to 149°F (60°C).
<b>Directions</b> <b>Shake well.</b> Hold container 4 to 6 inches from the skin to apply. Spray liberally and spread evenly by hand 15 minutes before sun exposure. Rub in and spray liberally throughout the day. Reapply often. Apply to face. Do not use in windy conditions. Use in well-ventilated area. Do not apply after 30 minutes of swimming or sweating. Immediately after removal of clothing, wet hair, or after 2 hours. Use in Protected Areas. Do not use in the sun, especially if you are outdoors with a broad spectrum SPF value of 15 or higher and other sun protection measures including: shade in the sun, especially if from 10 a.m. to 2 p.m.; wear long-sleeved shirts, pants, hats, and sunglasses. Do not use on children under 6 months. Ask a doctor.	<b>Other information</b> Do not use the product from someone else and do not use if you have a known or suspected allergy to any of the ingredients.

Distributed by: DISHWELL PHARM, LLC  
 6000 WOODS, LLC  
 Shelton, CT 06484  
 www.banana-boat.com  
 © 2019 Edgewell

BANANA  
 BOAT®  
 TEAR +  
 STING FREE  
 PEDIATRICIAN  
 TESTED  
 LIGHTWEIGHT  
 QUICK  
 ABSORBING  
 HIGH  
 ENDURANCE  
 VS. SWEAT &



WATER  
LASTS AS  
LONG AS THE  
FUN DOES  
FREE FROM

Oxybenzone

Octinoxate

2 - 9.5 OZ. Kids Sport SPF 50+ Sunscreen Lotion Spray Total Net WT 19 OZ. (538 g)



TEAR +  
STING FREE

LIGHTWEIGHT

PEDIATRICIAN  
TESTED

QUICK  
ABSORBING

HIGH  
ENDURANCE  
VS. SWEAT &  
WATER

LASTS AS  
LONG AS THE  
FUN DOES



2 - 9.5 OZ. Kids Sport SPF 50+ Sunscreen Lotion Spray Total Net WT 19 OZ. (538g)



**Banana Boat Kids Sport Broad Spectrum SPF 50+  
Lotion Sunscreen Spray**

**SUN SAFETY DIRECTIONS**



**Apply Liberally**  
SHAKE WELL BEFORE USE



**Wait 15 min.**



**Reapply**  
About 4 applications per 170g can



**Cover Up!**

**Drug Facts**

**Active Ingredients**

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%,  
Octocrylene 6.0%.....Sunscreen

**Purpose**

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

For external use only.

**Flammable:** Contents under pressure. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

May stain some fabrics.

**Directions**

■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

**Inactive ingredients:** Water, Isobutane, Isosteardene, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Dibutyl Adipate, Ethylhexyl Methacrylate, Sodium Chloride, PEG-9, Phenoxethanol, Caprylyl Glycol, Glycerin, Sodium Citrate, Methylparaben, Butylparaben, Ethylparaben, Isobutylparaben, Propylparaben, Methyl Dihydroxyacetate, Phenylpropyl Dimethicone, Polyglyceryl-3 Stearate/Isosteardene Dimer Dimaleate Copolymer, PEG-8 Dimethicone, Aloe Barbadosis Leaf Juice, Octyldodecanol, Retinyl Palmitate, Silica, Tocopheryl Acetate, Ascorbic Acid, Sodium Propoxyhydroxypropyl Thiosulfate Silica.

**Other Information**

■ protect this product from excessive heat and direct sun

**Questions or comments?**

Call 1-800-SafeSun, Mon-Fri



**PROTECT THE FUN**

**APPLYING SUNSCREEN IS AS EASY AS 1-2-3**

**1**

Apply liberally and rub in.



**2**

Apply sunscreen 15 minutes before heading outside for the fun.



**3**

Reapply every two hours and after swimming or sweating.



**SWIMMING OR SWEATING**



Distributed by:  
EDGEWELL PERSONAL  
CARE BRANDS, LLC  
Shelton, CT 06484  
www.bananaboat.com  
©2022 Edgewell

FC22011673



**BANANA BOAT**

avobenzone, homosalate, octisalate, octocrylene spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63354-278
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2)</b> (UNII: V2W71V8T0X)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>SODIUM PROPOXYHYDROXYPROPYL THIOSULFATE SILICA</b> (UNII: 208G222332)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>ETHYLPARABEN</b> (UNII: 14255EXE39)	
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>ISOBUTYLPARABEN</b> (UNII: 0QQJ25X58G)	
<b>METHYL DIHYDROABIETATE</b> (UNII: 7666FJ0J9F)	
<b>PEG-8 DIMETHICONE</b> (UNII: GIA7T764OD)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DIBUTYL ADIPATE</b> (UNII: F4K100DXP3)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:63354-278-36	227 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	

<b>2</b>	NDC:63354-278-31	51 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	
<b>3</b>	NDC:63354-278-34	170 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	
<b>4</b>	NDC:63354-278-37	269 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	
<b>5</b>	NDC:63354-278-38	340 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	
<b>6</b>	NDC:63354-278-30	538 g in 1 CAN; Type 0: Not a Combination Product	03/01/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/15/2018	

**Labeler** - Edgewell Personal Care Brands, LLC (151179769)

Revised: 12/2023

Edgewell Personal Care Brands, LLC