

MILK OF MAGNESIA CHERRY- magnesium hydroxide suspension
Family Dollar (FAMILY WELLNESS)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients
(in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

relieves occasional constipation (irregularity). This product usually produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are

taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you use a laxative for more than 1 week

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not exceed the maximum recommended daily dose in a 24-hour period
- shake well before using
- mL = milliliter
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz) of liquid with each dose.

adults and children 12 years and older	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	do not use

Other information

- **each 15 mL contains:** magnesium 500 mg, sodium 16 mg
- store between 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F). Avoid freezing. Close cap tightly after use.

Inactive Ingredients

carboxymethylcellulose sodium, citric acid, D&C red #28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose xanthan gums

Questions or comments?

call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENT IN PHILLIPS'® MILK OF MAGNESIA*

Milk of Magnesia

Magnesium hydroxide 1200 mg

Saline Laxative

- Comfortable, Cramp-Free Relief
- Stimulant-Free

Alcohol-Free

CHERRY FLAVOR

FL OZ (mL)

*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Phillips'® Milk of Magnesia.

TAMPER EVIDENT: DO NOT USE IS PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING

DISTRIBUTED BY: MIDWOOD BRANDS, LLC

10611 MONROE RD. MATTHEWS, NC 28105

Package Label

COMPARE TO THE ACTIVE INGREDIENT IN PHILLIPS'® MILK OF MAGNESIA*

FAMILY wellness™

NDC 55319-548-12

100% SATISFACTION GUARANTEED OR YOUR MONEY BACK

Milk of Magnesia

Magnesium Hydroxide 1200 mg
Saline Laxative

- Comfortable, Cramp-Free Relief
- Stimulant-Free

Alcohol-Free

12 FL OZ (355 mL)

OTC network

CHERRY FLAVOR

PLD-A455A LB005920

Drug Facts		TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.
Active ingredient (in each 15 mL)	Magnesium hydroxide 1200 mg	Purpose Saline laxative
Use	Relieves occasional constipation (irregularity). This product usually produces bowel movement in 1/2 to 6 hours.	
Warnings	Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet ■ stomach pain, nausea, or vomiting ■ a sudden change in bowel habits that lasts over 14 days Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.	
Stop use and ask a doctor if	■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition. ■ you use a laxative for more than 1 week	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.		
Directions	■ do not exceed the maximum recommended daily dose in a 24-hour period ■ shake well before using ■ mL = milliliter ■ keep dosing cup with product ■ measure only with dosing cup provided. Do not use any other dosing device. ■ dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz) of liquid with each dose.	
adults and children 12 years and older	30 mL to 60 mL	
children 6 to 11 years	15 mL to 30 mL	
children under 6 years	do not use	
Other information	■ each 15 mL contains: magnesium 500 mg, sodium 16 mg ■ store between 20-25°C (68-77°F). Avoid excessive heat above 40°C (104°F). Avoid freezing. Close cap tightly after use.	
Inactive ingredients	carboxymethylcellulose sodium, citric acid, D&C red #28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum	
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST		

*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Phillips'® Milk of Magnesia.

DISTRIBUTED BY: MIDWOOD BRANDS, LLC
10611 MONROE RD. MATTHEWS, NC 28105

NOT 100% SATISFIED? Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

SKU 0915000

0 32251 43263 7

PLD-A455A LB005921

FAMILY WELLNESS Milk of Magnesia

MILK OF MAGNESIA CHERRY

magnesium hydroxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-548
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
GLYCERIN (UNII: PDC6A3C0OX)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SUCROSE (UNII: C151H8M554)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-548-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2018	04/26/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	06/30/2018	04/26/2024

Labeler - Family Dollar (FAMILY WELLNESS) (024472631)

Revised: 10/2021

Family Dollar (FAMILY WELLNESS)