LORATADINE ODT - loratadine tablet, orally disintegrating Chain Drug Consortium, LLC

Loratadine Orally Disintegrating Tablets USP 10 mg

Drug Facts

Active ingredient (in each tablet)

Loratadine USP 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• place 1 tablet on tongue; tablet disintegrates, with or without water

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- Phenylketonurics: Contains phenylalanine 2.25 mg per tablet
- do not use if the individual blister unit is open or torn
- store at 20° to 25°C (68° to 77°F)
- use tablet immediately after opening individual blister
- Complies with USP test 2 for Disintegration

Inactive ingredients

aspartame, crospovidone, mannitol, microcrystalline cellulose, peppermint, pregelatinized starch (maize), sodium stearyl fumarate

Questions or comments?

call **1-855-274-4122**

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 10 mg, Blister Carton 10 Orally Disintegrating Tablets

NDC 68016-088-10

**Compare to the active ingredient
in Claritin® RediTabs®

Original Prescription Strength
Non-Drowsy*

Premier Value®

Loratadine Orally Disintegrating Tablets USP 10 mg

Allergy Relief

Antihistamine
Indoor & Outdoor Allergies
No Water Needed Melts in Your Mouth
24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

10 Orally Disintegrating Tablets *When taken as directed. See Drug Facts Panel.



LORATADINE ODT

loratadine tablet, orally disintegrating

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-088
Route of Administration	ORAL		

Active Ingredient/Active Moiety Ingredient Name Basis of Strength LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN) LORATADINE (UNII: 7AJO3BO7QN) 10 mg

Inactive Ingredients			
Ingredient Name	Strength		
ASPARTAME (UNII: Z0H242BBR1)			
CROSPOVIDONE (15 MPA.S AT 5%) (UNII: 68401960MK)			
MANNITOL (UNII: 30WL53L36A)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
PEPPERMINT (UNII: V95R5KMY2B)			
STARCH, CORN (UNII: O8232NY3SJ)			
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)			

Product Characteristics			
Color	WHITE (White to Off-white)	Score	no score
Shape	ROUND (Biconvex)	Size	8mm
Flavor	PEPPERMINT	Imprint Code	K;9
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016- 088-10	1 in 1 CARTON	04/11/2018	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
ANDA	ANDA208477	04/11/2018	

Labeler - Chain Drug Consortium, LLC (101668460)

Registrant - Aurohealth LLC (078728447)

Establishment			
Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(68016-088), MANUFACTURE(68016-088)