

BANANA BOAT- avobenzone, homosalate, octisalate, octocrylene spray
Edgewell Personal Care Brands, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient

Avobenzone 3%, Homosalate 9%, Octisalate 4.5%, Octocrylene 6%

Purpose

Sunscreen

Uses

Helps prevent sunburn

If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable

Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use

on damaged or broken skin.

When using this product

Keep away from face to avoid breathing it. Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

May stain

some fabrics.

Directions

Shake well. Hold container 4 to 6 inches from the skin to apply. Spray liberally and spread evenly by hand 15 minutes before sun exposure. Do not spray directly into face. Spray on hands and then apply to face. Do not apply in windy conditions. Use in a well-ventilated area. Reapply: • after 80 minutes of swimming or sweating. Immediately after towel drying. At least every 2 hours. Children under 6 months: Ask a doctor. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Myrica Cerifera (Bayberry) Fruit Wax, Ethylhexyl Methoxycrylene, Sodium Chloride, Glycerin, Phenoxyethanol, Caprylyl Glycol, Sodium Citrate.

Other Information

protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

BANANA

BOAT

Simply

Protect

KIDS

SUNSCREEN LOTION SPRAY

UVA/UVB BROAD SPECTRUM SPF 50+

50+

25% FEWER INGREDIENTS

MADE WITHOUT OXYBENZONE & PARABENS

tear free

No Added Oils & Fragrances

Water Resistant

(80 Minutes)

SHAKE WELL BEFORE USE

**55%
MORE
FAMILY SIZE!**
9.5 OZ VS 6 OZ

**55%
MORE
FAMILY SIZE!**
9.5 OZ VS 6 OZ



**NEW
LOOK!**

**simply
protect™
KIDS**

SUNSCREEN LOTION SPRAY
UVA/UVB BROAD SPECTRUM SPF 50+

50+

25% FEWER INGREDIENTS*
MADE WITHOUT OXYBENZONE & PARABENS

tear free

No Added Oils & Fragrances

Water Resistant
(80 Minutes)

SHAKE WELL BEFORE USE

NET WT 9.5 OZ. (269 g)

SUN SAFETY DIRECTIONS



SHAKE WELL BEFORE USE

*by number vs.
Banana Boat Kids Sport
Sunscreen Lotion
Spray SPF 50+
About 4 applications
per 170g can

Drug Facts

Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 9.0%, Octisalate 4.3%, Octocrylene 6.0%	Sunscreen

Uses ■ helps prevent sunburn ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.**

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions

■ **Shake well** ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Do not spray directly into face. Spray on hands and then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area ■ **Reapply:** • after 80 minutes of swimming or sweating ■ Immediately after towel drying ■ At least every 2 hours ■ Children under 6 months: Ask a doctor ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients: Water, Isobutene, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-20/1 Dimethicone, Lauryl PEG-8 Dimethicone, Myrica Cerifera (Bayberry) Fruit Wax, Ethylhexyl Methoxycrylate, Sodium Chloride, Glycerin, Phenoxyethanol, Caprylyl Glycol, Sodium Citrate.

Other Information

■ protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL
CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2018 Edgewell.



93027834

DOT 29 M665





SUNSCREEN LOTION SPRAY
UVA/UVB BROAD SPECTRUM SPF 50+



25% FEWER INGREDIENTS*
MADE WITHOUT OXYBENZONE & PARABENS

Tear free

No Added Oils & Fragrances
Water Resistant
(80 Minutes)

SHAKE WELL BEFORE USE

NET WT 6 OZ. (170 g)

SUN SAFETY DIRECTIONS



SHAKE WELL BEFORE USE

*by number vs. Banana Boat Kids Sport Sunscreen Lotion Spray SPF 50+
About 4 applications per 170g can

Drug Facts

Active Ingredients	Purpose
Azobenzene 3.0%, Homosalate 9.0%	Sunscreen
Octisalate 4.5%, Octocrylene 6.0%	

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.
When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
May stain some fabrics.

Directions

■ Shake well ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ Do not spray directly into face. Spray on hands and then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area ■ Reapply: • after 60 minutes of swimming or sweating ■ Immediately after towel drying ■ At least every 2 hours ■ Children under 6 months: Ask a doctor. ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients: Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEGPPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Myrica Cerifera (Bayberry) Fruit Wax, Ethylhexyl Methoxycrylate, Sodium Chloride, Glycerin, Phenoxyethanol, Caprylyl Glycol, Sodium Citrate.

Other Information

■ protect this product from excessive heat and direct sun

Questions or comments?
Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
Shelton, CT 06484
www.bananaboat.com
© 2018 Edgewell.



93027652 DOT 2Q M5655





SUNSCREEN LOTION SPRAY
UVA/UVB BROAD SPECTRUM SPF 50+

50+

25% FEWER INGREDIENTS*

MADE WITHOUT OXYBENZONE & PARABENS

tear free

No Added Oils & Fragrances

Water Resistant
(80 Minutes)

SHAKE WELL BEFORE USE

NET WT 1.8 OZ. (51 g)

*by number vs. Banana Boat Kids Sport Sunscreen Lotion Spray SPF 50+
SHAKE WELL BEFORE USE

Drug Facts

Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 9.0% Octisalate 4.5%, Octocrylene 6.0%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal. **Do not use** on damaged or broken skin.

When using this product keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

■ Shake well ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ **Do not spray directly into face.** Spray on hands and then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area ■ Reapply: • after 80 minutes of swimming or sweating ■ Immediately after towel drying ■ At least every 2 hours ■ Children under 6 months: Ask a doctor ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients Water, Isobutane, Isohexadecane, C12-15 Alkyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Myrica Cerifera (Bayberry) Fruit Wax, Ethylhexyl Methoxycrylene, Sodium Chloride, Glycerin, Phenoxyethanol, Caprylyl Glycol, Sodium Citrate.

Other information
■ Protect this product from excessive heat and direct sun

Questions or comments?
Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC
SHELTON, CT 06484
www.bananaboat.com

Edgewell
© 2018 Edgewell. DOT 20 M5655 93027633



BANANA BOAT

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-039
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
MORELLA CERIFERA FRUIT WAX (UNII: L41B20QT0M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
WATER (UNII: 059QF0KO0R)	
ISOBUTANE (UNII: BXR49TP611)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-039-31	51 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	
2	NDC:63354-039-34	170 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	
3	NDC:63354-039-37	269 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/15/2018	

Labeler - Edgewell Personal Care Brands, LLC (151179769)