# BANANA BOAT- avobenzone, homosalate, octocrylene spray Edgewell Personal Care Brands LLC

-----

# **Active Ingredients**

Avobenzone 2%, Homosalate 6%, Octocrylene 6%

## **Purpose**

Sunscreen

#### Uses

Helps prevent sunburn.

If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

## Warnings

# For external use only.

**Flammable:** Contents under pressure. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

May stain some fabrics.

#### Do not use

on damaged or broken skin.

# When using this product

Keep away from face to avoid breathing it. Keep out of eyes. Rinse with water to remove.

# Stop use and ask a doctor

if rash occurs.

# Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

Shake well. • hold container 4 to 6 inches from the skin to apply • spray liberally and

spread evenly by hand 15 minutes before sun exposure • do not spray directly into face. Spray on hands then apply to face. Do not apply in windy conditions • use in well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

# **Inactive Ingredients**

Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Fragrance, Tocopheryl Acetate.


#### Other Information

protect this product from excessive heat and direct sun

#### **Questions or comments?**

# **Principal Display Panel**

BANANA **BOAT® SPORT** ultra **CLEAR SUNSCREEN SPRAY BROAD SPECTRUM SPF 30** 30 **UVA/UVB PROTECTION** SUPERIOR ENDURANCE VS. SWEAT & WATER FREE FROM Oxybenzone Octinoxate Water Resistant (80 Minutes) NET WT 1.8 OZ. (51 g)



Drug Facts

Active Ingredients

Purpose

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see Directional, decreases the risk of skin cancer and early skin aging caused by the sun.

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking, Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product keep away from face to avoid breathing it \* keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

May stain some fabrics.

■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray iliberally and spread evenly by hand 15 minutes before sun exposure do not spray directly into face. Spray on hands then apply to face do not apply in windy conditions sue in well-ventilated area reapply:

• after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours such many protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: . I imit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive Ingredients Alcohol Denat., Isobutane Isododecane, Diisopropyl Adipate, VA/Butyl Maleata/Isobornyl Acrylate Copolymer, Caprylyl Glycol Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Fragrance, Tocopheryl Acetate.

Other information

Protect this product from excessive heat and direct sun

Questions or comments? Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC SHELTON, CT 06484

www.bananahoat.com

Edgewell

© 2022 Edgewell.

93038423



**BANANA BOAT® SPORT** ultra CLEAR SUNSCREEN SPRAY **BROAD SPECTRUM SPF 30** 30 CLINICALLY **PROVEN UVA/UVB PROTECTION** SUPERIOR ENDURANCE

VS. SWEAT & WATER FREE FROM Oxybenzone Octinoxate Water Resistant (80 Minutes) NET WT 6 OZ. (170 g)



BONUS 33% MORE 8 OZ VS

6 OZ **BANANA BOAT® SPORT** ultra **CLEAR SUNSCREEN SPRAY BROAD SPECTRUM SPF 30** 30 CLINICALLY **PROVEN UVA/UVB PROTECTION** SUPERIOR ENDURANCE **VS. SWEAT & WATER** FREE FROM Oxybenzone Octinoxate Water Resistant (80 Minutes) NET WT 8 OZ. (226 g)



55%
MORE
9.5 OZ VS 6 OZ
BANANA
BOAT®
SPORT
ultra
CLEAR SUNSCREEN SPRAY
BROAD SPECTRUM SPF 30
30
CLINICALLY
PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE

VS. SWEAT & WATER FREE FROM Oxybenzone Octinoxate Water Resistant (80 Minutes) NET WT 9.5 OZ. (269 g)







CLEAR SUNSCREEN SPRAY BROAD SPECTRUM SPF 30



CLINICALLY PROVEN **UVA/UVB PROTECTION** 

SUPERIOR ENDURANCE **VS. SWEAT & WATER** 



Water Resistant (80 Minutes)

NET WT 9.50Z. (269 g)

#### SUN SAFETY DIRECTIONS









#### Drug Facts

Active Ingredients

Avobenzone 2.0%, Homosalate 6.0%, Octobrylene 6.0% . . . . . . . . . Sunscreen

Purpose

Uses III helps prevent sunburn III if used as directed with other sun protection measures (see Directions), decreases the risk of stin cancer and early stin aging caused by the sun.

#### Warnings

For external use only.

Hammable: Contents under pressure, Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking, Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. Do not use on damaged or broken skin.

When using this product . Keep away from face to avoid breathing it . keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Jirections

Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: eafter 90 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this side regularly uses a supressen with a broad respective. SPE value of 15 or risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • weer long-eleved shirts, pants, hats, and sunglasses III children under 6 months: Ask a doctor

Inactive ingredients: Alcohol Denst., Isobutane, Isododecane, Diisopropy Adipate, VA/Butyl Malestallsobornyl Acrylate Copolymer, Caprylyl Glycol, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Fragrance, Tocopheryl Acetate.

#### Other Information

protect this product from excessive heat and direct sun

Questions or comments? Call 1-800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 © 2022 Edgewell.



93038430

DOT 29 M 5655



BUY 2 & SAVE! BANANA **BOAT® SPORT** ultra CLEAR SUNSCREEN SPRAY BROAD SPECTRUM SPF 30
30
CLINICALLY PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE
VS. SWEAT & WATER
FREE FROM
Oxybenzone
Octinoxate
Water Resistant
(80 Minutes)

2 - 6 OZ. (170 g) CANS TOTAL NET WT. 12 OZ. (340 g)



BUY 2 & SAVE! BANANA **BOAT® SPORT** ultra CLEAR SUNSCREEN SPRAY **BROAD SPECTRUM SPF 30** 30 **CLINICALLY PROVEN UVA/UVB PROTECTION** SUPERIOR ENDURANCE **VS. SWEAT & WATER** FREE FROM Oxybenzone Octinoxate Water Resistant (80 Minutes)



# **BANANA BOAT**

avobenzone, homosalate, octocrylene spray

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-341	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	2 g in 100 g		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	6 g in 100 g		
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g		

Ingredient Name PHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0) TYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) OHOL (UNII: 3K9958V90M) BUTANE (UNII: BXR49TP611) YL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) DODECANE (UNII: A8289P68Y2)	Inactive Ingredients		
CYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)  OHOL (UNII: 3K9958V90M)  BUTANE (UNII: BXR49TP611)  YL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	Strength		
OHOL (UNII: 3K9958V90M) BUTANE (UNII: BXR49TP611) YL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)			
BUTANE (UNII: BXR49TP611) YL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)			
YL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)			
<b>DODECANE</b> (UNII: A8289P68Y2)			
OPROPYL ADIPATE (UNII: P7E6YFV72X)			
RYLYL GLYCOL (UNII: 00YIU5438U)			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63354-341- 37	269 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018			
2	NDC:63354-341- 34	170 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018			
3	NDC:63354-341- 36	226 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018			
4	NDC:63354-341- 31	51 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018			
5	NDC:63354-341- 38	340 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018			
6	NDC:63354-341- 39	452 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	10/15/2018		

Labeler - Edgewell Personal Care Brands LLC (151179769)

Revised: 11/2023 Edgewell Personal Care Brands LLC