BANANA BOAT- avobenzone, homosalate, octisalate, octocrylene spray Edgewell Personal Care Brands, LLC

Active Ingredient

Avobenzone 2.7%, Homosalate 9%, Octisalate 4.5%, Octocrylene 6%

Purpose

Sunscreen

Uses

• **helps prevent sunburn** • **if** used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

May stain some fabrics.

Do not use

on damaged or broken skin.

When using this product

• Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• **Shake well**. • hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly by hand 15 minutes before sun exposure • **do not spray directly into**

face. Spray on hands then apply to face • do not apply in windy conditions • use in well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

Inactive Ingredients

Alcohol Denat., Isobutane, Isododecane, Diisopropyl Adipate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Fragrance, Tocopheryl Acetate.

Other Information

• protect this product from excessive heat and direct sun.

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

BANANA

BOAT®

SPORT

ultra

CLEAR SUNSCREEN SPRAY

BROAD SPECTRUM SPF 50+

50+

CLINICALLY

PROVEN

UVA/UVB PROTECTION

SUPERIOR ENDURANCE

VS. SWEAT & WATER

FREE FROM


Oxybenzone

Octinoxate

Water Resistant

(80 Minutes)

NET WT 6 OZ. (170 g)



SUN SAFETY DIRECTIONS









Drug Facts

Active Ingredients

Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 6.0% Purpose

Uses III helps prevent sunburn III if used as directed with other sun protection measures (see Directions), decreases the risk of stin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Hammable: Contents under pressure, Do not puncture or incinerate, Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition – No smoking, Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions

■ Shake well ■ hold container 4 to 6 inches from the skin to apply ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ do not spray directly into face. Spray on hands then apply to face ■ do not apply in windy conditions ■ use in well-ventilated area ■ reapply: • after eo minutes of swimming or sweating • immediately after towel drying • at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients: Alcohol Derat, Isobutane, Isododecane, Disopropyl Adipate, VARunyl Malestatsobornyl Adrylate Copolymer, Capylyli Glycol, Butyloctyl Salicytate, C12-15 Alkyl Benziste, Fragrance, Tocopheryl Acetata.

Other Information

protect this product from excessive heat and direct sun

Questions or comments? Call 1-900-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 www.bananaboat.com C 2022 Edgewell.







VALUE SIZE 25% MORE 7.5 OZ **VS** 6 OZ **BANANA** BOAT® **SPORT** ultra **CLEAR SUNSCREEN SPRAY BROAD SPECTRUM SPF 50+** 50 +

CLINICALLY
PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE
VS. SWEAT & WATER
REEF FRIENDLY
No Oxybenzone
or Octinoxate
Water Resistant
(80 Minutes)
NET WT 7.5 OZ. (212 g)



8 OZ

VS

6 OZ

BANANA

BOAT®

SPORT

ultra

CLEAR SUNSCREEN SPRAY

BROAD SPECTRUM SPF 50+

50+

CLINICALLY

PROVEN

UVA/UVB PROTECTION

SUPERIOR ENDURANCE

VS. SWEAT & WATER

FREE FROM

Oxybenzone

Octinoxate

Water Resistant

(80 Minutes)

NET WT 8 OZ. (227 g)



MORE
FAMILY SIZE!
9 OZ
VS
6 OZ
BANANA
BOAT®
SPORT
ultra
CLEAR SUNSCREEN SPRAY
BROAD SPECTRUM SPF 50+
50+
CLINICALLY

PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE
VS. SWEAT & WATER
FREE FROM
Oxybenzone
Octinoxate
Water Resistant
(80 Minutes)
NET WT 9.5 OZ. (269 g)







BROAD SPECTRUM SPF 50+



CLINICALLY **PROVEN UVA/UVB PROTECTION**

SUPERIOR ENDURANCE **VS. SWEAT & WATER**



Water Resistant (80 Minutes)

NET WT 9.5 OZ. (269 g)

SUN SAFETY DIRECTIONS









Drug Facts

Active Ingredients

Avobenzone 2.7%, Homosalate 9.0%,

Purpose

Uses III helps prevent surburn III if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Wamings

For external use only.

Flammable: Contents under pressure. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of Ignition – No smoking, Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Plinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right sway. May stain some fabrics.

Directions

Shake well included container 4 to 6 inches from the skin to apply its pray liberally and apread evenly by hand 15 minutes before sun exposure. It do not apply in windy conditions it use in well-ventilated area. If reapply: after 90 minutes of swimming or sweating. I immediately after towel drying a st least every 2 hours. If sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging, To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: I limit time in the sun, sessecially from 10 am. 2 nm. event increased shirts nearly bats and especially from 10 a.m.-2 p.m. • wear long-elseved shirts, pants, hats, and sunglasses III children under 6 months: Ask a doctor

Inactive ingredients: Alcohol Denat, sobutane, Isododecane, Disopropyl Adipate, VARusyl Malestatiobornyl Actylde Copolymer, Caprylyl Glycol, Butyloctyl Salicylate, C12-15 Allyl Benzosta, Fragranca, Tocopheryl Acatate.

Other Information

protect this product from excessive heat and direct sun

Questions or comments? Call 1800-SafeSun, Mon-Fri

Distributed by: EDGEWELL PERSONAL CARE BRANDS, LLC Shelton, CT 06484 www.bananaboat.com @ 2022 Edgewell.



DOT 29 H5655



BUY 2 & SAVE! BANANA **BOAT® SPORT** ultra **CLEAR SUNSCREEN SPRAY** BROAD SPECTRUM SPF 50+
50+
CLINICALLY PROVEN
UVA/UVB PROTECTION
SUPERIOR ENDURANCE
VS. SWEAT & WATER
FREE FROM
Oxybenzone
Octinoxate
Water Resistant
(80 Minutes)

2 - 6 OZ. (170 g) CANS TOTAL NET WT. 12 OZ. (340 g)



BUY 2 & SAVE! BANANA **BOAT® SPORT** ultra **CLEAR SUNSCREEN SPRAY BROAD SPECTRUM SPF 50+** 50 +**CLINICALLY PROVEN UVA/UVB PROTECTION** SUPERIOR ENDURANCE **VS. SWEAT & WATER** FREE FROM Oxybenzone Octinoxate Water Resistant (80 Minutes)



BANANA BOAT

avobenzone, homosalate, octisalate, octocrylene spray

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63354-078

Route of Administration TOPICAL

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	9 g in 100 g			
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g			
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	6 g in 100 g			
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	2.7 g in 100 g			

Inactive Ingredients			
Ingredient Name	Strength		
ALCOHOL (UNII: 3K9958V90M)			
ISOBUTANE (UNII: BXR49TP611)			
ISODODECANE (UNII: A8289P68Y2)			
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)			
CAPRYLYL GLYCOL (UNII: 00YIU5438U)			
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)			
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)			
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63354-078- 34	170 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018			
2	NDC:63354-078- 37	269 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018			
3	NDC:63354-078- 36	227 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018			
4	NDC:63354-078- 35	212 g in 1 CAN; Type 0: Not a Combination Product	10/31/2018			
5	NDC:63354-078- 38	340 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018			
6	NDC:63354-078- 39	452 g in 1 CAN; Type 0: Not a Combination Product	10/15/2018			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M020	10/15/2018			

Labeler - Edgewell Personal Care Brands, LLC (151179769)

Revised: 11/2023 Edgewell Personal Care Brands, LLC