

## **CLO2-C ACTIVATOR- chlorine dioxide teat dip liquid**

### **Direct Farm Supply**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

## **CIO2-C Activator**

### **FIRST AID**

If in eyes, rinse eyes gently with water for several minutes. Remove contact lenses. If irritation persists, consult medical attention. If swallowed, drink large quantities of water and consult medical attention. If breathing difficulty occurs, move to fresh air and consult medical attention.

### **DIRECTIONS FOR USE**

Mix one part CIO2-C Base, one part CIO2-C Activator, and 20 parts water into a clean container. Do not mix CIO2-C Activator and Base directly together. Once mixed, apply through a clean dip cup, foam cup, or other application method. Mix only enough product for one milking of the herd at a time. Do not use to sanitize dairy equipment. Use only in conjunction with CIO2-C Base Concentrate.

### **APPLICATION:**

Pre-Milking: After washing dirt from teats, dip the full teats and leave CIO2-C teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single use towel before milking.  
Post-Milking: Immediately after milking, dip entire teat with teat dip and allow teat to air dry. If the solution in the dip cup becomes visibly dirty, replace with a fresh mixture.

### **STORAGE**

Keep out of direct sunlight. Store at room temperature. Do not freeze. If product is exposed to freezing temperatures, mix thoroughly before use.

### **DISPOSAL**

Dilute unused teat dip with water before flushing down drain. Containers should not be reused. Instead, rinse thoroughly and dispose at a recycling center.

### **GENERAL CAUTION**

For topical use only. Do not ingest. Do not put in contact with food.

### **Package Label**

# CIO2-C ACTIVATOR

## CHLORINE DIOXIDE TEAT DIP CONCENTRATE

**ACTIVE INGREDIENT:** 8.8% Lactic Acid  
**CONTAINS:** 35% Glycerin

**DIRECTIONS FOR USE:** Mix one part CIO2-C Base, one part CIO2-C Activator, and 20 parts water into a clean container. Do not mix CIO2-C Activator and Base directly together. Once mixed, apply through a clean dip cup, foam cup, or other application method. Mix only enough product for one milking of the herd at a time. Do not use to sanitize dairy equipment. Use only in conjunction with CIO2-C Base Concentrate.

**APPLICATION:**

**Pre-Milking:** After washing dirt from teats, dip the full teats and leave CIO2-C teat dip on teats for at least 15-30 seconds. Wipe teats dry using a single use towel before milking.

**Post-Milking:** Immediately after milking, dip entire teat with teat dip and allow teat to air dry. If the solution in the dip cup becomes visibly dirty, replace with a fresh mixture.

**FIRST AID:** If in eyes, rinse eyes gently with water for several minutes. Remove contact lenses. If irritation persists, consult medical attention. If swallowed, drink large quantities of water and consult medical attention. If breathing difficulty occurs, move to fresh air and consult medical attention.

**CAUTION:** For topical use only. Do not ingest. Do not put in contact with food.

**STORAGE:** Keep out of direct sunlight. Store at room temperature. Do not freeze. If product is exposed to freezing temperatures, mix thoroughly before use.

**DISPOSAL:** Dilute unused teat dip with water before flushing down drain. Containers should not be reused. Instead, rinse thoroughly and dispose at a recycling center.

Direct Farm Supply LLC  
 12900 5<sup>th</sup> Avenue South  
 Burnsville, MN 55337  
 612-203-8554

Contents: **275 Gallons**  
 Mfg Code: **201201**  
 Lot:



## CLO2-C ACTIVATOR

chlorine dioxide teat dip liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:86143-001
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID, L- (UNII: F9S9FFU82N) (LACTIC ACID, L- - UNII:F9S9FFU82N)	LACTIC ACID, L-	88 mg in 1 mL

### Product Characteristics

<b>Color</b>	white (clear/white)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86143-001-01	1041000 mL in 1 CONTAINER		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/24/2021	

**Labeler** - Direct Farm Supply (117982784)

Revised: 6/2021

Direct Farm Supply