

**NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - BUFF 09- salicylic acid cream**

**NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - FAIR 05- salicylic acid cream**

**NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - LIGHT 10- salicylic acid cream**

**NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - MEDIUM 15- salicylic acid cream**

**Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **Neutrogena® Skin Clearing Blemish Concealer**

### **Drug Facts**

#### **Active ingredient**

Salicylic Acid 0.5%

#### **Purpose**

Acne medication

#### **Use**

For the treatment of acne.

#### **Warnings**

**For external use only.**

#### **When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- cleanse skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then

- gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

## Other information

Store at room temperature.

## Inactive ingredients

Water, cyclopentasiloxane, dimethicone, kaolin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic acid **May Contain:** titanium dioxide, iron oxides

## Questions?

Call toll-free **800-480-4812** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Dist. by  
Neutrogena Corporation  
Los Angeles, CA 90045

## PRINCIPAL DISPLAY PANEL - 1.4 g Applicator Blister Pack - Buff 09

Buff 09

**SkinClearing**

**blemish concealer**

Don't just  
cover up.

Clear up!

powered by

MICRO **CLEAR**®

-----technology-----

Blemish  
treatment  
with  
Salicylic  
Acid

Conceals  
and treats  
blemishes

Natural-

looking  
coverage

**Neutrogena**

NET WT  
0.05 OZ.  
(1.4g)



BUFF  
09

# SkinClearing<sup>®</sup> blemish concealer

Don't just  
cover up.  
Clear up!

powered by  
**MICROCLEAR<sup>®</sup>**  
— technology —

# Neutrogena<sup>®</sup>

Blemish  
treatment  
with  
Salicylic  
Acid

Conceals  
and treats  
blemishes

Natural-  
looking  
coverage

NET WT  
0.05 OZ.  
(1.4g)



## Neutrogena SkinClearing<sup>®</sup> blemish concealer

- Formula with MICROCLEAR<sup>®</sup> technology rapidly cuts through oil for fast acne relief
- Non-irritating. Won't clog pores

**Application Tips:** Before use, turn bottom of pen until concealer dispenses (first use may require several turns). Use sponge tip to gently apply concealer. Cover blemish and blend outwards for seamless coverage. Avoid eye area.

### Drug Facts

Active ingredient	Purpose
Salicylic Acid 0.5%	Acne medication

**Use** For the treatment of acne.

### Warnings

**For external use only.**

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**Other information** Store at room temperature.

**Inactive ingredients** water, cyclopentasiloxane, dimethicone, kadin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic acid  
**May Contain:** titanium dioxide, iron oxides

**Questions?** Call toll-free  
800-480-4812 or 215-273-8755  
(collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

© T.M. (M.R.) © Dist. by  
Neutrogena Corporation  
Los Angeles, CA 90045 2014



30028954

**PRINCIPAL DISPLAY PANEL - 1.4 g Applicator Blister Pack - Fair 05**

**FAIR  
05**

**SkinClearing  
blemish concealer**

Don't just  
cover up.

Clear up!

powered by

**MICRO CLEAR®**

-----technology-----

Blemish

treatment

with

Salicylic

Acid

Conceals

and treats

blemishes

Natural-

looking

coverage

**Neutrogena**

NET WT

0.05 OZ.

(1.4g)



FAIR  
05

# SkinClearing<sup>®</sup>

blemish concealer

Don't just  
cover up.  
Clear up!

powered by  
**MICROCLEAR<sup>®</sup>**  
technology

Neutrogena<sup>®</sup>

Blemish  
treatment  
with  
Salicylic  
Acid

Conceals  
and treats  
blemishes

Natural-  
looking  
coverage

NET WT  
0.05 OZ.  
(1.4g)



## Neutrogena SkinClearing<sup>®</sup> blemish concealer

- Formula with MICROCLEAR<sup>®</sup> technology rapidly cuts through oil for fast acne relief
- Non-irritating. Won't clog pores

**Application Tips:** Before use, turn bottom of pen until concealer dispenses (first use may require several turns). Use sponge tip to gently apply concealer. Cover blemish and blend outwards for seamless coverage. Avoid eye area.

### Drug Facts

Active ingredient	Purpose
Salicylic Acid 0.5%	Acne medication

**Use** For the treatment of acne.

### Warnings

For external use only.

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.


**Other information** Store at room temperature.

**Inactive ingredients** water, cyclopentasiloxane, dimethicone, kaolin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic acid **May Contain:** titanium dioxide, iron oxides

**Questions?** Call toll-free  
800-480-4812 or 215-273-8755  
(collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

© T.M. (M.R.) © Dist. by  
Neutrogena Corporation  
Los Angeles, CA 90045 2014

30028953



**LIGHT  
10**

**SkinClearing  
blemish concealer**

Don't just  
cover up.

Clear up!

powered by

MICRO **CLEAR**®

-----technology-----

Blemish

treatment

with

Salicylic

Acid

Conceals

and treats

blemishes

Natural-

looking


coverage

**Neutrogena**

NET WT

0.05 OZ.

(1.4g)



LIGHT  
10

# SkinClearing<sup>®</sup> blemish concealer

Don't just  
cover up.  
Clear up!

powered by  
**MICROCLEAR<sup>®</sup>**  
technology


Neutrogena<sup>®</sup>

Blemish  
treatment  
with  
Salicylic  
Acid

Conceals  
and treats  
blemishes

Natural-  
looking  
coverage

NET WT  
0.05 OZ.  
(1.4g)



## Neutrogena SkinClearing<sup>®</sup> blemish concealer

- Formula with MICROCLEAR<sup>®</sup> technology rapidly cuts through oil for fast acne relief
- Non-irritating. Won't clog pores

**Application Tips:** Before use, turn bottom of pen until concealer dispenses (first use may require several turns). Use sponge tip to gently apply concealer. Cover blemish and blend outwards for seamless coverage. Avoid eye area.

### Drug Facts

Active ingredient	Purpose
Salicylic Acid 0.5%	Acne medication

**Use** For the treatment of acne.

### Warnings

**For external use only.**  
**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.


**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**Other information** Store at room temperature.

**Inactive ingredients** water, cyclopentasiloxane, dimethicone, kaolin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, panthenol, ascorbic acid  
**May Contain:** titanium dioxide, iron oxides

**Questions?** Call toll-free  
800-480-4812 or 215-273-8755  
(collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

© T.M. (M.R.) © Dist. by  
Neutrogena Corporation  
Los Angeles, CA 90045 2014



30028955



**MEDIUM**

**15**

**SkinClearing  
blemish concealer**

Don't just  
cover up.

Clear up!

powered by

**MICRO CLEAR®**

-----technology-----

Blemish

treatment

with

Salicylic

Acid

Conceals

and treats

blemishes

Natural-

looking


coverage

**Neutrogena**

NET WT

0.05 OZ.

(1.4g)



MEDIUM  
15

# SkinClearing blemish concealer

Don't just  
cover up.  
Clear up!

powered by  
**MICROCLEAR®**  
technology

# Neutrogena®

Blemish  
treatment  
with  
Salicylic  
Acid

Conceals  
and treats  
blemishes

Natural-  
looking  
coverage

NET WT  
0.05 OZ.  
(1.4g)



## Neutrogena SkinClearing® blemish concealer

- Formula with MICROCLEAR® technology rapidly cuts through oil for fast acne relief
- Non-irritating. Won't clog pores

**Application Tips:** Before use, turn bottom of pen until concealer dispenses (first use may require several turns). Use sponge tip to gently apply concealer. Cover blemish and blend outwards for seamless coverage. Avoid eye area.

### Drug Facts

Active ingredient	Purpose
Salicylic Acid 0.5%	Acne medication

**Use** For the treatment of acne.

### Warnings

For external use only.

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.


**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**Other information** Store at room temperature.

**Inactive ingredients** water, cyclopentasiloxane, dimethicone, kaolin, cyclomethicone, VP/hexadecene copolymer, synthetic wax, cetyl PEG/PPG-10/1 dimethicone, trisiloxane, BIS-PEG/PPG-14/14 dimethicone, cyclohexasiloxane, butylene glycol, silica, phenoxyethanol, boron nitride, polysilicone-11, quaternium-90 bentonite, sodium chloride, magnesium sulfate, propylene glycol, methylparaben, farnesol, chamomilla recutita (matricaria) flower extract, propylene carbonate, triethoxycaprylsilane, propylparaben, aloe barbadensis leaf juice, polymethyl methacrylate, tocopheryl acetate, cocamidopropyl PG-dimonium chloride phosphate, cetyl lactate, C12-15 alkyl lactate, benzalkonium chloride, retinyl palmitate, pantothenic acid, ascorbic acid  
**May Contain:** titanium dioxide, iron oxides

**Questions?** Call toll-free  
800-480-4812 or 215-273-8755  
(collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

© T.M. (M.R.) © Dist. by  
Neutrogena Corporation  
Los Angeles, CA 90045 2014



30028956

# NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - BUFF 09

salicylic acid cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10812-520
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5.5 mg in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FARNESOL</b> (UNII: EB41QIU6JL)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: H2KVQ74JM4)	
<b>CETYL LACTATE</b> (UNII: A7EVH2RK4O)	
<b>C12-15 ALKYL LACTATE</b> (UNII: GC844VRD7E)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	

**TITANIUM DIOXIDE** (UNII: 15FIX9V2JP)  
**FERRIC OXIDE RED** (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-520-01	1 in 1 BLISTER PACK	02/05/2010	
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	02/05/2010	

## NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - FAIR 05

salicylic acid cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10812-519
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5.5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	

<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>FARNESOL</b> (UNII: EB41QIU6JL)
<b>CHAMOMILE</b> (UNII: FGL3685T2X)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: H2KVQ74JM4)
<b>CETYL LACTATE</b> (UNII: A7EVH2RK4O)
<b>C12-15 ALKYL LACTATE</b> (UNII: GC844VRD7E)
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-519-01	1 in 1 BLISTER PACK	02/05/2010	
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	02/05/2010	

## NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - LIGHT 10

salicylic acid cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10812-521
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>SALICYLIC ACID</b> (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	5.5 mg in 1 g
---	----------------	---------------

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>BIS-PEG/PPG-14/14 DIMETHICONE</b> (UNII: X2I70H0QJE)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85KORA)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FARNESOL</b> (UNII: EB41QIU6JL)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: H2KVQ74JM4)	
<b>CETYL LACTATE</b> (UNII: A7EVH2RK4O)	
<b>C12-15 ALKYL LACTATE</b> (UNII: GC844VRD7E)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-521-01	1 in 1 BLISTER PACK	02/05/2010	
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	02/05/2010	

## NEUTROGENA SKIN CLEARING BLEMISH CONCEALER - MEDIUM 15

salicylic acid cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10812-522
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5.5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
KAOLIN (UNII: 24H4NWX5CO)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FARNESOL (UNII: EB41QIU6JL)	
CHAMOMILE (UNII: FGL3685T2X)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

<b>COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: H2KVQ74JM4)	
<b>CETYL LACTATE</b> (UNII: A7EVH2RK4O)	
<b>C12-15 ALKYL LACTATE</b> (UNII: GC844VRD7E)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10812-522-01	1 in 1 BLISTER PACK	02/05/2010	
1		1.4 g in 1 APPLICATOR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	02/05/2010	

### Labeler - Johnson & Johnson Consumer Inc. (002347102)

Revised: 9/2021

Johnson & Johnson Consumer Inc.