

**MILK OF MAGNESIA MINT- magnesium hydroxide liquid**  
**Chain Drug Marketing Association**

-----  
**qc mom mint**

**Active ingredient (in each 15 mL)**

Magnesium hydroxide 1200 mg

**Purpose**

Saline laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug.

This product may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period

- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

### **Other information**

- **each 15 mL contains:** magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

### **Inactive ingredients**

flavor, purified water, saccharin sodium, sodium hypochlorite

### **package label**

NDC 63868-788-57



*\*Compare to the Active Ingredient In Phillips<sup>®</sup> Milk of Magnesia*

# Milk of Magnesia

## Saline Laxative

Effective Overnight Relief  
Very Low Sodium  
Stimulant Free  
Sugar Free

Mint Flavor



12 FL OZ (355 mL)

REV 0414  
231-19212-2

**Drug Facts** TAMPER-EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS MISSING OR BROKEN.

Active Ingredient (in each 15 mL)	Purpose
Magnesium hydroxide 1200 mg	Saline laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

**Warnings**

**Ask a doctor before use if you have**

- a magnesium-restricted diet
- a sudden change in bowel habits that lasts over 14 days
- kidney disease
- stomach pain, nausea or vomiting

**Ask a doctor or pharmacist before use if you are presently taking a prescription drug.** This product may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose


age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

**Other information**

- each 15 mL contains: magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

**Inactive Ingredients** flavor, purified water, saccharin sodium, sodium hypochlorite

\*This product is not manufactured or distributed by Bayer Healthcare LLC., distributors of Phillips<sup>®</sup> brand Milk of Magnesia.



Distributed by C.D.M.A., Inc.©  
43157 W. Nine Mile  
Novi, MI 48376-0995  
www.qualitychoice.com  
Questions: 248-449-9300 931-19212-4 REV GC1121

MILK OF MAGNESIA MINT			
magnesium hydroxide liquid			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-788
<b>Route of Administration</b>	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL	

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM HYPOCHLORITE</b> (UNII: DY38VHM5OD)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-788-57	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/01/2014	

**Labeler** - Chain Drug Marketing Association (011920774)

**Registrant** - GCP Laboratories (965480861)

## Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(63868-788)

Revised: 11/2023

Chain Drug Marketing Association