

**CHILDRENS PAIN RELIEF- acetaminophen tablet, chewable**  
**DISCOUNT DRUG MART**

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Acetaminophen USP 160 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- the common cold
- flu
- headache
- sore throat
- toothache
- temporarily reduces fever

**Warnings**

- **Liver warning:**This product contains acetaminophen. Severe liver damage may occur if your child takes:
  - more than 5 doses in 24 hours, which is the maximum daily amount
  - with other drugs containing acetaminophen
- **Allergy alert:**Acetaminophen may cause severe skin reactions. Symptoms may include:
  - skin reddening
  - blisters
  - rash.

If a skin reaction occurs, stop use and seek medical help right away.

- **Sore throat warning:**If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

**When using this product**

do not exceed recommended dosage.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- find right dose on chart below. If possible, use weight to dose; otherwise, use age
- chew before swallowing; this product will soften in mouth for ease of chewing
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (tablets)*
-------------	----------	-----------------

under 24	under 2 years	ask a doctor
24-35	2-3 years	1 tablet
36-47	4-5 years	1½ tablets
48-59	6-8 years	2 tablets
60-71	9-10 years	2½ tablets
72-95	11 years	3 tablets

\* or as directed by a doctor

## Other information

- store at 20° to 25°C (68° to 77°F). Avoid high humidity.
- Tamper Evident: Do not use if carton is open or if printed seal on blister is broken or missing.

## Inactive ingredients

citric acid anhydrous, colloidal silicon dioxide, copovidone, crospovidone, D&C red No.27 lake, D&C red 30 aluminum lake, dextrose monohydrate, ethylcellulose, flavor, magnesium stearate, mannitol, sodium starch glycolate, stearic acid, sucralose.

## Questions or comments?

Call 1-855-274-4122

\* This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol® Chewables.

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

**Distributed by:**Discount Drug Mart  
211 Commerce Drive  
Medina, OH 44256  
www.discount-drugmart.com

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 160 mg (24 Chewable Tablets)**

**NDC 53943-837-76**

**\*Compare to the active ingredient  
in Children's Tylenol® Chewables  
Ages 2-11  
Children's Pain Relief  
Acetaminophen 160 mg  
Pain reliever/Fever reducer**

- **Aspirin Free**
- **Ibuprofen Free**

**Bubblegum Flavor**

**24  
Chewable Tablets**



Ages 2-11  
**Children's Pain Relief**  
**Acetaminophen 160 mg**  
 Pain reliever/Fever reducer  
 Bubblegum Flavor  
 Chewable Tablets

830 # NKS  
 6320002006



NDC 53943-837-76

Ages 2-11  
**Children's Pain Relief**  
**Acetaminophen 160 mg**

Pain reliever/Fever reducer

- Aspirin Free
- Ibuprofen Free



**24**  
**Bubblegum Flavor**      **Chewable Tablets**

**Drug Facts (continued)**

■ find right dose on chart below. If possible, use weight to dose; otherwise, use age ■ chew before swallowing, this product will soften in mouth for ease of chewing ■ repeat dose every 4 hours while symptoms last ■ do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (tablets)*
under 24	under 2 years	ask a doctor
24-35	2-3 years	1 tablet
36-47	4-5 years	1½ tablets
48-59	6-8 years	2 tablets
60-71	9-10 years	2½ tablets
72-95	11 years	3 tablets

\* or as directed by a doctor

**Other Information**

■ store at 20° to 25°C (68° to 77°F). Avoid high humidity. ■ Tamper Evident: Do not use if carton is open or if printed seal on blister is broken or missing.

**Inactive ingredients**

citric acid anhydrous, colloidal silicon dioxide, copovidone, croscopolone, D&C red No. 27 lake, D&C red 30 aluminum lake, dextrose monohydrate, ethylcellulose, flavor, magnesium stearate, mannitol, sodium starch glycolate, stearic acid, sucralose.

**Drug Facts (continued)**

Questions or comments? call 1-855-274-4122

Lot:  
 EXP:

**RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION**

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN TAMPER EVIDENT: DO NOT USE IF CARTON IS OPEN OR IF PRINTED SEAL ON BLISTER IS BROKEN OR MISSING.

**SATISFACTION GUARANTEED**  
 IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol® Chewables. Distributed by: Discount Drug Mart 211 Commerce Drive Medina, OH 44256 www.discount-drugmart.com



0193351026270

**Drug Facts (continued)**

any of the inactive ingredients in this product  
 Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.  
 When using this product do not exceed recommended dosage.

Stop use and ask a doctor if  
 ■ pain gets worse or lasts more than 5 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ new symptoms occur  
 ■ redness or swelling is present  
 These could be signs of a serious condition.

Keep out of reach of children.  
**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ this product does not contain directions or complete warnings for adult use. ■ do not give more than directed (see overdose warning)

**Drug Facts**

**Active ingredient (in each tablet) Purpose**  
 Acetaminophen USP 160 mg.....Pain reliever/fever reducer

**Uses**  
 ■ temporarily relieves minor aches and pains due to: ■ the common cold ■ flu ■ headache ■ sore throat ■ toothache  
 ■ temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes: ■ more than 5 doses in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen  
**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away.  
**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if your child is allergic to acetaminophen or

# CHILDRENS PAIN RELIEF

acetaminophen tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53943-837
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
COPOVIDONE K25-31 (UNII: D9C330MD8B)	
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE (4 MPA.S) (UNII: KC5472WRJK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

## Product Characteristics

<b>Color</b>	pink	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	F8
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-837-76	4 in 1 CARTON	09/13/2017	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/13/2017	

**Labeler** - DISCOUNT DRUG MART (047741335)

**Registrant** - Aurohealth LLC (078728447)

## Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	manufacture(53943-837)

Revised: 12/2023

DISCOUNT DRUG MART