

LUNG DISTRESS- blatta orientalis, bryonia (alba), carbo vegetabilis, eupatorium perfoliatum, histaminum hydrochloricum, iodum, ipecacuanha, lung suis, natrum sulphuricum, nitricum acidum, pulsatilla (pratensis), quebracho, sambucus nigra, sticta pulmonaria, urtica urens spray
Liddell Laboratories

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

DRUG FACTS:

ACTIVE INGREDIENTS:

(in each spray) 6.25% of Blatta Orientalis 30C, Bryonia 6X, Carbo Vegetabilis 12X, Eupatorium Perfoliatum 6X, Histaminum Hydrochloricum 200C, Iodium 200C, Ipecacuanha 4X, Lung Suis 6X, Natrum Sulphuricum 30C, Nitricum Acidum 200C, Pulsatilla (Pratensis) 30C, Quebracho 12X, Sambucus Nigra 3X, Sticta Pulmonaria 200C, Urtica Urens 6X, 200C.

USES:

May temporarily relieve minor symptoms associated with breathing difficulties:

- congestion
- coughing
- wheezing
- tight feeling in the chest**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Stop use and ask a doctor if symptoms persist for more than 3 days, worsen, or if new symptoms occur.

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

OTHER INFORMATION: Store at room temperature.

Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

DIRECTIONS:

Adults and children over 12: Spray twice under the tongue 3 times per day. For frequent symptoms, dosage may be taken up to six times the first day.

Children 12 and under: Consult a doctor prior to use.

INDICATIONS:

May temporarily relieve minor symptoms associated with breathing difficulties:

- congestion
- coughing
- wheezing
- tight feeling in the chest**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Organic alcohol 20% v/v, Purified water.

QUESTIONS:

DIST. BY:

LIDDELL LABORATORIES INC.

201 APPLE BLVD.

WOODBINE, IA 51579

WWW.LIDDELL.NET

1-800-460-7733

PACKAGE LABEL DISPLAY:**ORAL SPRAYS**

**LIDDELL
LABORATORIES**

EST 1994

**16 Lu
Lung Distress**

May relieve minor symptoms
associated with breathing
difficulties: congestion, coughing,
wheezing, tight feeling in the chest.

HOMEOPATHIC

DOCTOR FORMULATED


Readily absorbed. Safe.
No known side effects. Easy to use.

1.0 FL OZ. (30 ml)

INDICATIONS May temporarily relieve minor symptoms associated with breathing difficulties: congestion, coughing, wheezing, tight feeling in the chest.**

DIRECTIONS *Adults & children over 12:* Spray twice under the tongue 3 times per day. For severe symptoms, dosage may be taken up to 6 times the first day. *Children 12 and under:* Consult a doctor prior to use.

WARNINGS See box. Do not use if **TAMPER EVIDENT** seal around neck of bottle is missing or broken.



ACTIVE INGREDIENTS (in each spray) 6.67% of Arsenicum iod 200C, Blatta or 30C, Bryonia 6X, Carbo veg 12X, Eupatorium perf 6X, Histaminum hydrochloricum 200C, Ipecac 4X, Lung suis 6X, Nat sulphuricum 30C, Nitricum ac 200C, Quebracho 3X, Sambucus nig 3X, Sticta 200C, Urtica ur 6X, 200C. **INACTIVE INGREDIENTS** Organic alcohol 20% v/v, Purified water.

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DIST. BY LIDDELL LABORATORIES INC.
WOODBINE, IA 51579
WWW.LIDDELL.NET 1-800-460-7733

LOT: XXXXXX EXP: MM/YY

Drug Facts
(continued)

Other information
Store at room temperature.

Inactive ingredients
Organic alcohol 20% v/v, Purified water.

Questions or comments?
1-800-460-7733
www.liddell.net

ESTABLISHED 1994

LIDDELL
LABORATORIES™

Do not use if **TAMPER EVIDENT** seal around neck of bottle is missing or broken.

*Homeopathic guide at
www.liddell.net

Lu
Lung Distress

Liddell's Lung Distress formulation may aid in the temporary relief of minor symptoms associated with breathing difficulties, such as congestion, coughing, wheezing, and tight feeling in the chest.

ORAL SPRAYS

LIDDELL®

~ LABORATORIES ~

EST. 1994

16

Lu™

Lung Distress

May relieve minor symptoms associated with breathing difficulties: congestion, coughing, wheezing, tight feeling in the chest.

HOMEOPATHIC

DOCTOR FORMULATED
Readily absorbed. Safe.
No known side effects. Easy to use.

1.0 FL. OZ. (30 ml) 20% organic alcohol

SPRAY YOUR WAY TO HEALTH®

Oral sprays, a Liddell® innovation, are the modern and better way to deliver medication. Here's why:

- FAST ABSORPTION
- EASY TO SWALLOW
- ACCURATE-DOSE SPRAY PUMP
- CONVENIENT
- NO KNOWN NEGATIVE SIDE EFFECTS
- NO KNOWN CONTRAINDICATIONS
- NO KNOWN DRUG INTERACTIONS

Money Back Guarantee
No questions asked!
For details, visit:
www.liddell.net

***Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.*

DIST. BY
LIDDELL LABORATORIES INC.
201 APPLE BLVD.
WOODBINE, IA 51579
WWW.LIDDELL.NET
1-800-460-7733

MADE IN THE USA



Drug Facts

Active ingredients Purposes
(in each spray)
6.67% of Arsenicum iod 200C, Blatta or 30C, Bryonia 6X, Carbo veg 12X, Eupatorium perf 6X, Histaminum hydrochloricum 200C, Ipecac 4X, Lung suis 6X, Nat sulphuricum 30C, Nitricum ac 200C, Quebracho 3X, Sambucus nig 3X, Sticta 200C, Urtica ur 6X, 200C.
(Symptom relief for breathing difficulties**)

Uses May temporarily relieve minor symptoms associated with breathing difficulties:
• congestion • tight feeling in the chest**
• coughing
• wheezing

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Stop use and ask a doctor if symptoms persist for more than 3 days, worsen, or if new symptoms occur.
Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.
If pregnant or breast feeding, ask a doctor before using product.

Directions

Adults and children over 12	Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day.
Children 12 and under	Consult a doctor prior to use.

LUNG DISTRESS

blatta orientalis, bryonia (alba), carbo vegetabilis, eupatorium perfoliatum, histaminum hydrochloricum, iodium, ipecacuanha, lung suis, natrum sulphuricum, nitricum acidum, pulsatilla (pratensis), quebracho, sambucus nigra, sticta pulmonaria, urtica urens spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50845-0275
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BLATTA ORIENTALIS (UNII: 535787266D) (BLATTA ORIENTALIS - UNII:535787266D)	BLATTA ORIENTALIS	30 [hp_C] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_X] in 1 mL
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	12 [hp_X] in 1 mL
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	6 [hp_X] in 1 mL

HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	200 [hp_C] in 1 mL
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	200 [hp_C] in 1 mL
IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	4 [hp_X] in 1 mL
SUS SCROFA LUNG (UNII: 7GL3G1COB3) (SUS SCROFA LUNG - UNII:7GL3G1COB3)	SUS SCROFA LUNG	6 [hp_X] in 1 mL
SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750)	SODIUM SULFATE	30 [hp_C] in 1 mL
NITRIC ACID (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	200 [hp_C] in 1 mL
PULSATILLA PRATENSIS WHOLE (UNII: 8E272251DI) (PULSATILLA PRATENSIS WHOLE - UNII:8E272251DI)	PULSATILLA PRATENSIS WHOLE	30 [hp_C] in 1 mL
ASPIDOSPERMA QUEBRACHO-BLANCO BARK (UNII: 52B1340190) (ASPIDOSPERMA QUEBRACHO-BLANCO BARK - UNII:52B1340190)	ASPIDOSPERMA QUEBRACHO-BLANCO BARK	12 [hp_X] in 1 mL
SAMBUCUS NIGRA FLOWERING TOP (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)	SAMBUCUS NIGRA FLOWERING TOP	3 [hp_X] in 1 mL
LOBARIA PULMONARIA (UNII: D1YM0P5Z2T) (LOBARIA PULMONARIA - UNII:D1YM0P5Z2T)	LOBARIA PULMONARIA	200 [hp_C] in 1 mL
URTICA URENS WHOLE (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)	URTICA URENS WHOLE	6 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50845-0275-2	1 in 1 CARTON	10/05/2021	
1	NDC:50845-0275-1	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/05/2021	

Labeler - Liddell Laboratories (832264241)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(50845-0275) , api manufacture(50845-0275) , label(50845-0275) , pack(50845-0275)

Revised: 10/2021

Liddell Laboratories