OXYGEN 4C21E554-D402-480D-896D-8185C05C7863- oxygen liquid Gases Plus Norco, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID USP UN1073



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS:	LTRS:	CUFT
CONTENTS:	Larko:	CUPI

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, $\mathbf{R_x}$ only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. **Produced by Air Liquefaction.**

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do no walk on or roll equipment over spills. Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the **Material Safety Data Sheet (MSDS)**.

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately. CAS: 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

GASES PLUS NORCO

GILLETTE, WY 82718 (307) 682-8250 47136 (R 10/05)

REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP





1 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 1 DO NOT CHANGE OR FORCE FIT CONNECTIONS.

	LTRS:
CONTENTS:	CU FT:□

WARNING:

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, R only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

WARNING:

EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER

PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY

EXPLODE ON IGNITION OR IMPACT CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52°C (125°F)

Close valve after each use and when empty. Use a back flow preventive device in the piping.

Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

GASES PLUS NORCO LLC

GILLETTE, WY 82718 (307) 682-8250

> 47136 (R 10/05)

OXYGEN 4C21E554-D402-480D-896D-8185C05C7863

oxygen liquid

Product Information

Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:51758-004

Route of Administration RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065) 999 L in 1000 L Oxygen

Packaging

ı u	ckaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1 N	NDC:51758-004-01	165 L in 1 DEWAR		
2 N	NDC:51758-004-02	185 L in 1 DEWAR		
3 N	NDC:51758-004-03	196 L in 1 DEWAR		

Marketing Information

Marketing Category Application Number or Monograph Citation **Marketing Start Date Marketing End Date** unapproved medical gas 09/01/2008

Labeler - Gases Plus Norco, LLC (039148457)

Establishment

Name	Address	ID/FEI	Business Operations
Gases Plus Norco, LLC-Casper		039050695	manufacture

Establishment

Lottonomient			
Name	Address	ID/FEI	Business Operations
Gases Plus Norco, LLC-Gillette		832014042	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Gases Plus Norco, LLC-Billings		034050950	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Gases Plus Norco, LLC-Rock Springs		825074797	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Gases Plus Norco, LLC-Cheyenne		825066710	manufacture

Revised: 9/2009 Gases Plus Norco, LLC