

**MUCUS DM EXTENDED RELEASE- dextromethorphan hydrobromide and guaifenesin tablet**  
**P & L Development, LLC**

-----  
**Drug Facts**

**Active ingredients (in each extended-release tablet)**

Dextromethorphan HBr 30 mg

Guaifenesin 600 mg

**Purpose**

Cough suppressant

Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhales irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep

**Warnings**

**Do not use**

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

**When using this product,**

do not use more than directed.

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for timing of meals
- adults and children 12 years of age and older: take 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

**Other information**

- store between 20° to 25°C (68° to 77°F)

**Inactive ingredients**

carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

**Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

**Principal Display Panel**

Mucus relief DM

guaifenesin 600 mg expectorant

dextromethorphan HBr 30 mg cough suppressant

- 12-hour relief
- controls cough
- thins & loosens mucus

extended-release tablets

\*Compare to the active ingredients in Mucinex® DM

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex® DM.

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERINGS.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Distributed by: **PL Developments**

200 Hicks Street, Westbury, NY 11590

## Package Label

<b>Drug Facts</b>	
<b>Active ingredients (in each extended-release tablet)</b>	<b>Purposes</b>
Dextromethorphan HBr 30 mg	Cough Suppressant
Guaifenesin 600 mg	Expectorant
<b>Uses</b>	
■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive	
■ temporarily relieves	
■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants	
■ the intensity of coughing	
■ the impulse to cough to help you get to sleep	
<b>Warnings</b>	
<b>Do not use</b> ■ for children under 12 years of age	
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.	
<b>Ask a doctor before use if you have</b>	
■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema	
■ cough accompanied by too much phlegm (mucus)	
<b>When using this product, do not use more than directed.</b>	
<b>Stop use and ask a doctor</b> if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.	
If pregnant or breast-feeding, ask a health professional before use.	
<b>Keep out of the reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
<b>Directions</b>	
■ do not crush, chew, or break tablet	
■ take with a full glass of water	
■ this product can be administered without regard for timing of meals	
■ adults and children 12 years of age and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hours	
■ children under 12 years of age: do not use	
<b>Other information</b>	
■ store between 20° to 25°C (68° to 77°F)	
<b>Inactive ingredients</b> carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc	
<b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex® DM.

Distributed by: **PL Developments**  
200 Hicks Street, Westbury, NY 11590



Actual Size



**wb**  
wellness basics

**mucus relief DM**

guaifenesin 600 mg  
expectorant

dextromethorphan HBr 30 mg  
cough suppressant

- 12-hour relief
- controls cough
- thins & loosens mucus

20 extended-release tablets

\*Compare to the active ingredients in Mucinex® DM

**TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Lot No.:  
Exp. Date:

**WELLNESS BASICS Mucus Relief DM**

## MUCUS DM EXTENDED RELEASE

dextromethorphan hydrobromide and guaifenesin tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59726-833	
<b>Route of Administration</b>	ORAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	30 mg	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	600 mg	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
CARBOMER 934 (UNII: Z135WT9208)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
POVIDONE (UNII: FZ989GH94E)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)				
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)				
TALC (UNII: 7SEV7J4R1U)				
<b>Product Characteristics</b>				
<b>Color</b>	yellow (light yellow)	<b>Score</b>	no score	
<b>Shape</b>	OVAL	<b>Size</b>	16mm	
<b>Flavor</b>		<b>Imprint Code</b>	AN038	
<b>Contains</b>				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:59726-833-20	20 in 1 CARTON	01/01/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
ANDA	ANDA209692	01/01/2019		

**Labeler** - P & L Development, LLC (800014821)

