

CHERRY COUGH DROPS- menthol lozenge

Bestco Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Menthol 5.8 mg

Active ingredient (in each drop)

Menthol 5.8 mg

Purpose

Cough suppressant / Oral anesthetic

Uses temporarily relieves:

- cough as may occur with a cold
- occasional minor irritation and sore throat

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore throat is severe, or irritation, pain or redness lasts or worsens
- sore mouth does not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children.

Directions

- Adults and children 5 years and over: dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor.
- Children under 5 years: ask a doctor

Other information:

- 10 calories per drop

Inactive ingredients: Corn starch, corn syrup, eucalyptus oil, FD&C red no. 40, glycerin, medium chain triglycerides, natural and artificial flavors, soybean oil, sucrose and water.

Questions? Or to report an adverse event call 1-800-245-2898. Monday - Friday, 9AM to 4PM EST

Do not use if bag

No lo consuma si la

is torn or open

bolsa está rota o abierta.

< Tear Here /
Abrir Aquí

Resealable Bag / Bolsa con cierre hermético

Tear Here >>
Abrir Aquí

Strong, Effective and Affordable for your...
Fuerte, efectiva y económica...

BestHealth®

Menthol • Cough Suppressant/Oral Anesthetic
Mentol • Antitusivo/anestésico bucal



Compare to active ingredient in HALLS® *
*Comparación con los ingredientes activos de HALLS®**

CHERRY FLAVOR
Sabor de Cereza

Soothes Sore Throat Pain
Calma el dolor de garganta

40 DROPS Pastillas

Temporarily Relieves Cough

Alivia la tos tempralmente



Gluten-Free
Libre de gluten



PN-501355

Made in USA of U.S. and

Imported ingredients.

Hecho en EE. UU de Estados

Unidos e ingredientes importados.

Manufactured by: | Fabricado por:
Bestco Inc., 288 Mazappa Road
Moorestville, NC 28115, USA
©2017 Bestco Inc.

Este producto no lo elabora ni lo distribuye el
propietario de la marca registrada HALLS®

? Tiene preguntas? Si tiene preguntas o
desea informar un efecto secundario, llame al
1-800-245-2898. De lunes a viernes, de 9:00
a.m. a 4 p.m., hora del este.

Excipientes: almídon de maíz, jarabe de
maíz, aceite de eucalipto, aditivo de color rojo n.º
40 certificado para alimentos, drogas y
cosméticos, glicerina, triglicéridos de cadena
media, saborizantes naturales y artificiales, aceite
de soja, sacarosa y agua.

Información adicional:

- 10 calorías por pastilla
- **Indicaciones**
Adultos y niños a partir de los 5 años: disolver
lentamente dos pastillas en la boca, una a la
vez. Se puede repetir cada 2 horas según sea
necesario o según indicación médica.
■ Niños menores de 5 años: consulte con
el médico

Mantener fuera del alcance de los niños.
Si está embarazada o amamantando, consulte
con un profesional médico antes de consumir.

- Si la afección bucal no mejora en 7 días,
o empeora.
■ Si el dolor de garganta es intenso o si la
irritación, el dolor o el enrojecimiento perduran
pueden ser signos de una enfermedad grave.
Sarpullido o dolor de cabeza constante. Estos
a reaparecer o está acompañada de fiebre,
■ Si la tos persiste durante más de 7 días, tiende
los siguientes casos:
Suspenda el uso y consulte con el médico en

- tos acompañada de fiebra excesiva (mucosidad)
- de tabaquismo, asma o enfisema
- tos crónica o persistente, como en los casos
tiene:

Consulte con el médico antes de consumir si
dentista. Estos síntomas pueden ser graves.
7 días, consulte de inmediato con el médico o el
los síntomas de la afección bucal no mejoran en
vómitos, consulte a su médico de inmediato. Si
cabeza, sarpullido, inflamación, náuseas o
acompañado o seguido de fiebre, dolor de
agudo, persiste por más de 2 días y viene

Advertencias

- el dolor de garganta y la irritación leve
ocasionales

This product is not manufactured or distributed
the owner of the registered trademark HALLS®

Questions? Or to report an adverse
event call: 1-800-245-2898
Monday through Friday, 8AM to 4PM EST

Inactive ingredients: Corn starch, corn
syrup, eucalyptus oil, FD&C red no. 40, glycerin,
medium chain triglycerides, natural & artificial
flavors, soybean oil, sucrose and water.

Other information:

- 10 calories per drop
- Children under 5 years: ask a doctor
a doctor
every 2 hours as needed or as directed by
dissolve 1 lozenge slowly in mouth. Repeat

Directions

- Adults and children 5 years and over:
dissolve 1 lozenge slowly in mouth. Repeat
every 2 hours as needed or as directed by
a doctor
- Children under 5 years: ask a doctor
a doctor

Stop use and ask doctor if
to recur, or is accompanied by fever, rash, or
cough persists for more than 7 days, tends
persistent headache. These could be signs
of a serious condition.

Ask a doctor before use if you have
persistent or chronic cough such as occurs
with smoking, asthma, or emphysema
cough accompanied by excessive
phlegm (mucus)

Warnings
Sore throat warning: If sore throat is severe,
persists for more than 2 days, is accompanied
or followed by fever, headache, rash, swelling,
nausea, or vomiting, consult a doctor promptly.
If sore mouth symptoms do not improve in 7
days, see your dentist or doctor promptly.
These symptoms may be serious.



CHERRY COUGH DROPS

menthol lozenge

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:52642-043 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 5.8 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------|----------|
| WATER (UNII: 059QF0K00R) | |

Product Characteristics

| | | | |
|----------|--------|--------------|----------|
| Color | red | Score | no score |
| Shape | OVAL | Size | 17mm |
| Flavor | CHERRY | Imprint Code | B |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:52642-043-40 | 40 in 1 BAG; Type 0: Not a Combination Product | 10/10/2018 | |



Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part341 | 10/10/2018 | |

Labeler - Bestco Inc. (002149136)

Registrant - Bestco Inc. (002149136)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------|---------|-----------|------------------------|
| Bestco Inc. | | 002149136 | manufacture(52642-043) |