

OMEPRAZOLE AND SODIUM BICARBONATE- omeprazole and sodium bicarbonate capsule
Zydus Lifesciences Limited

Omeprazole and Sodium Bicarbonate Capsules

Drug Facts

Active ingredients (in each capsule)

Omeprazole, USP20 mg

Sodium Bicarbonate, USP1100 mg

Purpose

Omeprazole, USPAcid reducer

Sodium Bicarbonate, USPAllows absorption of this omeprazole product

Use

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect.

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food
- vomiting with blood
- bloody or black stools

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

- a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking taking a prescription drug. Acid reducers may interact with certain prescription drugs

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours

14 Day Course of Treatment

- swallow 1 capsule with a glass of water at least 1 hour before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not chew or crush the capsule
- do not open capsule and sprinkle on food
- do not use for more than 14 days unless directed by your doctor

Repeated 14 Day Courses (if needed)

- you may repeat a 14 day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor.

Heartburn in children may sometimes be caused by a serious condition.

Other information

- each capsule contains: **sodium 301.34 mg**
- read the directions, warnings and accompanying label information before use

- store at 20° to 25°C (68° to 77°F)
- tamper-evident: do not use if the blue band around the capsule is missing or broken. Do not use if foil inner seal imprinted with "Sealed for your protection" is missing, open or broken.
- keep product out of high heat and humidity
- protect product from moisture

Inactive ingredient

croscarmellose sodium, FD&C blue # 1, gelatin, magnesium stearate, polysorbate 80, sodium lauryl sulfate and titanium dioxide. The capsule shell is printed with black pharmaceutical ink which contains following ingredients: black iron oxide, butyl alcohol, dehydrated alcohol, isopropyl alcohol, potassium hydroxide, propylene glycol, purified water, shellac and strong ammonia solution.

Questions or comments?

Serious side effects associated with use of this drug product may be reported to this number: 1-877-993-8779 or visit www.zydususa.com

Hours of operation:

9:00 am to 5:00 pm

EST M-F.

You may report side effects to FDA at 1-800-FDA-1088.

How Omeprazole and Sodium Bicarbonate Capsule Works For Your Frequent Heartburn

Omeprazole and sodium bicarbonate capsule works differently from other OTC heartburn products, such as antacids and other acid reducers. Omeprazole and sodium bicarbonate capsule stops acid production at the source – the **acid pump** that produces stomach acid. Omeprazole and sodium bicarbonate capsule is to be used once a day (every 24 hours), every day for 14 days.

What to Expect When Using Omeprazole and Sodium Bicarbonate Capsule

Omeprazole and sodium bicarbonate capsule is a different type of medicine from antacids and other acid reducers. Omeprazole and sodium bicarbonate capsule may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours. Make sure you take the entire 14 days of dosing to treat your frequent heartburn.

Tips for Managing Heartburn

- Do not lie flat or bend over soon after eating.
- Do not eat late at night or just before bedtime.
- Certain foods or drinks are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some fruits and vegetables.
- Eat slowly and do not eat big meals.
- If you are overweight, lose weight.
- If you smoke, quit smoking.
- Raise the head of your bed.

- Wear loose-fitting clothing around your stomach.

How are Omeprazole and Sodium Bicarbonate Capsules Sold

Omeprazole and Sodium Bicarbonate Capsules, 20 mg/1100 mg are white to off-white fine powder filled in hard gelatin capsule shells of size '00' having an opaque white cap and an opaque white body printed with '503' on body in black ink and a blue tamper evident band and are available as follows:

NDC 68382-503-67 in one HDPE bottle of 14 capsules

NDC 68382-503-17 in two HDPE bottles of 28 capsules (one bottle contains 14 capsules)

NDC 68382-503-04 in three HDPE bottles of 42 capsules (one bottle contains 14 capsules)

Do not use for more than 14 days in a row unless directed by your doctor. For the 28 count (two 14 day courses) and the 42 count (three 14 day courses), you may repeat a 14 day course every 4 months.

Manufactured by:

Cadila Healthcare Ltd.

Ahmedabad, India

Rev.: 02/19

Carton and container labels

NDC 70771-1337-7

Omeprazole and Sodium Bicarbonate Capsules, 20 mg/1100 mg

14 Capsules



ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
Ask Name
Variable horizontal scale adheres to 30 characters per inch
Drug Facts - 5 pt Ask Name, Bold Italic
Drug Facts (continued)
Drug Facts - 5 pt Ask Name, Bold Italic
(continued) - 5 pt Ask Name
Warnings - 5 pt Ask Name, Bold Italic
Sub Heads - 5 pt Ask Name, Bold Italic
Text - 6 pt Ask Name, Minimum leading 0.5
Repeat Bullets - 4 pt Ask Name No compression
Border - 35 pt Ask Name
Barline - 35 pt Ask Name
Header - 3 pt Ask Name

Drug Facts (continued) Use • treats frequent heartburn (occurs 2 or more days a week) • not intended for immediate relief of heartburn. This drug may take 1 to 4 days for full effect. Warnings Allergy alert: Do not use if you are allergic to omeprazole	Drug Facts (continued) Do not use if you have: • trouble or pain swallowing food • vomiting with blood • bloody or black stools These may be signs of a serious condition. See your doctor. Ask a doctor before use if you have: • had heartburn over 3 months. This may be a sign of a more serious condition.	Drug Facts (continued) • heartburn with light-headedness, sweating or dizziness • chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness • frequent chest pain • frequent heartburn, particularly with heartburn • unexplained weight loss • nausea or vomiting • stomach pain	Drug Facts (continued) • sodium or acid-related Ask a doctor or pharmacist before use if you are taking: • warfarin, clopidogrel or clostazolam (blood-thinning medicine) • prescription antifungal or anti-viral medicines • disacupram (anxiety medicine) • digoxin (heart medicine) • baclofen or myofasciculate (muscle relaxant) • prescription antiretroviral (medicines for HIV infection) • methotrexate (cancer medicine)	Drug Facts (continued) • any other prescription drugs: Sodium bicarbonate may interact with certain prescription drugs Stop use and ask a doctor if: • your heartburn continues or worsens • you need to take this product for more than 14 days
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PAGE 01

PAGE 02

PAGE 03

PAGE 04

PAGE 05

Drug Facts (continued) • you need to take more than 1 course of treatment every month • you get diarrhea • you develop a rash or joint pain If pregnant or breastfeeding, ask a health professional for advice. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.	Drug Facts (continued) Directions • for adults 18 years of age and older • this product is to be used once a day (every 24 hours), every day for 14 days • if you take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours	Drug Facts (continued) 14 Day Course of Treatment • swallow 1 capsule with a glass of water at least 1 hour before eating in the morning • take every day for 14 days • do not take more than 1 capsule a day • do not chew or crush the capsule • do not open capsules and sprinkle on food • do not use for more than 14 days unless directed by your doctor	Drug Facts (continued) Repeated 14 Day Courses (if needed) • you may repeat a 14 day course every 4 months • do not take for more than 14 days or more often than every 4 months unless directed by a doctor • children under 18 years of age ask a doctor. Heartburn in children may sometimes be caused by a serious condition.	Drug Facts (continued) Other Information • each capsule contains sodium 381.34 mg • read the directions, warnings and accompanying information before use • store at 20° to 25°C (68° to 77°F)
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PAGE 06

PAGE 07

PAGE 08

PAGE 09

PAGE 10

Drug Facts (continued) • tamper-evident: do not use if the blue band around the capsule is missing or broken. Do not use if full inner seal imprinted with "Sealed for your protection" is missing, open or broken. • keep product out of high heat and humidity • protect product from moisture	Drug Facts (continued) Inactive Ingredients croscarmellose sodium, FD&C blue #1, gelatin, magnesium stearate, polyethylene glycol, sodium lauryl sulfate and titanium dioxide. The capsule shell is printed with black phosphorescent ink which contains the following ingredients:	Drug Facts (continued) black iron oxide, butyl alcohol, dehydrated alcohol, isopropyl alcohol, potassium hydroxide, polyethylene glycol, purified water, shellac, and strong ammonia solution.	Drug Facts (continued) Questions or comments? Serious side effects associated with use of this drug product may be reported to this number: 1-877-847-7777 or via www.zydususa.com Hours of operation: 9:00 am to 9:00 pm EST M-F.	How Omeprazole and Sodium Bicarbonate Capsule Works For Your Frequent Heartburn Omeprazole and sodium bicarbonate capsule works differently from other OTC heartburn products, such as antacids and other acid reducers. Omeprazole and sodium bicarbonate capsule stops acid production at the source – the acid pump that produces stomach acid.	Omeprazole and sodium bicarbonate capsule is to be used once a day (every 24 hours), every day for 14 days. What to Expect When Using Omeprazole and Sodium Bicarbonate Capsule Omeprazole and sodium bicarbonate capsule is a different type of medicine from antacids and other acid reducers. Omeprazole and sodium
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PAGE 11

PAGE 12

PAGE 13

PAGE 14

PAGE 15

PAGE 16

bicarbonate capsule may take 1 to 4 days for full effect, although some people get complete relief of symptoms within 24 hours. Make sure you take the entire 14 days of dosing to treat your frequent heartburn.	Tips for Managing Heartburn • Do not lie flat or bend over soon after eating. • Do not eat late at night or just before bedtime. • Certain foods or drinks are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some fruits and vegetables. • Eat slowly and avoid eating meals.	• If you are overweight, lose weight. • If you smoke, quit smoking. • Raise the head of your bed. • Wear loose-fitting clothing around your stomach.	How are Omeprazole and Sodium Bicarbonate Capsules Solid? Omeprazole and Sodium Bicarbonate Capsules are available as follows: NDC 68362-503-67 (one 14 day HOPE bottle of 14 capsules) NDC 68362-503-17 (two 14 day HOPE bottles of 28 capsules (one bottle contains 14 capsules))	How Omeprazole and Sodium Bicarbonate Capsule Works For Your Frequent Heartburn Omeprazole and sodium bicarbonate capsule works differently from other OTC heartburn products, such as antacids and other acid reducers. Omeprazole and sodium bicarbonate capsule stops acid production at the source – the acid pump that produces stomach acid. Omeprazole and sodium bicarbonate capsule is to be used once a day (every 24 hours), every day for 14 days.	Manufactured by: Cadila Health Care Ltd. Ahmedabad, India
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------

PAGE 17

PAGE 18

PAGE 19

PAGE 20

PAGE 21

PAGE 22

ATTACH LEGEND ON ALL DIGITAL MECHANICALS

STANDARD FORMAT
Ask Name
Variable horizontal scale adheres to 30 characters per inch
Drug Facts - 5 pt Ask Name, Bold Italic
Drug Facts (continued)
Drug Facts - 5 pt Ask Name, Bold Italic
(continued) - 5 pt Ask Name
Warnings - 5 pt Ask Name, Bold Italic
Sub Heads - 5 pt Ask Name, Bold Italic
Text - 6 pt Ask Name, Minimum leading 0.5
Repeat Bullets - 4 pt Ask Name No compression
Border - 35 pt Ask Name
Barline - 35 pt Ask Name
Header - 3 pt Ask Name

How Omeprazole and Sodium Bicarbonate Capsule Works For Your Frequent Heartburn

Omeprazole and sodium bicarbonate capsule works differently from other OTC heartburn products, such as antacids and other acid reducers. Omeprazole and sodium bicarbonate capsule stops acid production at the source – the acid pump that produces stomach acid. Omeprazole and sodium bicarbonate capsule is to be used once a day (every 24 hours), every day for 14 days.

Tips for Managing Heartburn

- Do not lie flat or bend over soon after eating.
- Do not eat late at night or just before bedtime.
- Certain foods or drinks are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some fruits and vegetables.
- Eat slowly and avoid eating meals.
- If you are overweight, lose weight.
- If you smoke, quit smoking.
- Raise the head of your bed.
- Wear loose-fitting clothing around your stomach.

Treats Frequent Heartburn

Omeprazole and Sodium Bicarbonate Capsules
20 mg / 1100 mg

- Omeprazole 20 mg/Acid Reducer
- Sodium Bicarbonate 1100 mg / Allows Absorption of this Omeprazole Product

Drug Facts (continued)
Other Information
• each capsule contains sodium 381.34 mg
• read the directions, warnings and accompanying information before use
• store at 20° to 25°C (68° to 77°F)
• tamper-evident: do not use if the blue band around the capsule is missing or broken. Do not use if full inner seal imprinted with "Sealed for your protection" is missing, open or broken.
• keep product out of high heat and humidity
• protect product from moisture

Inactive Ingredients
croscarmellose sodium, FD&C blue #1, gelatin, magnesium stearate, polyethylene glycol, sodium lauryl sulfate and titanium dioxide. The capsule shell is printed with black phosphorescent ink which contains the following ingredients: black iron oxide, butyl alcohol, dehydrated alcohol, isopropyl alcohol, potassium hydroxide, polyethylene glycol, purified water, shellac and strong ammonia solution.

GTIN: 00000000000000
Lot: xxxxxx
Exp: MMYYY
SR: No: 000000000000000000

Over Coding Template

Colours: PANTONE 2857 C PANTONE 384 C CMYK

OMEPRAZOLE AND SODIUM BICARBONATE

omeprazole and sodium bicarbonate capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70771-1337
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OMEPRAZOLE (UNII: KG60484QX9) (OMEPRAZOLE - UNII:KG60484QX9)	OMEPRAZOLE	20 mg
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	1100 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)	
ALCOHOL (UNII: 3K9958V90M)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SHELLAC (UNII: 46N107B71O)	
AMMONIA (UNII: 5138Q19F1X)	

Product Characteristics

Color	WHITE (OPAQUE WHITE) , WHITE (OPAQUE WHITE)	Score	no score
Shape	CAPSULE (CAPSULE)	Size	24mm
Flavor		Imprint Code	503
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70771-1337-7	1 in 1 CARTON	07/19/2018	

1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:70771-1337-8	2 in 1 CARTON	07/19/2018	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:70771-1337-4	3 in 1 CARTON	07/19/2018	
3		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA203345	07/19/2018	

Labeler - Zydus Lifesciences Limited (918596198)

Registrant - Zydus Lifesciences Limited (918596198)

Establishment

Name	Address	ID/FEI	Business Operations
Zydus Lifesciences Limited		918596198	ANALYSIS(70771-1337) , MANUFACTURE(70771-1337)

Revised: 11/2023

Zydus Lifesciences Limited