

**CHILDRENS ALLERGY RELIEF- diphenhydramine hydrochloride solution**  
**Walgreen Company**

-----  
**Walgreen Co. Children's Allergy Relief Drug Facts**

**Active ingredient (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itching of the nose or throat
- runny nose
- itchy, watery eyes

**Warnings**

**Do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if the child has**

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-

800-222-1222).

## Directions

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

## Other information

- **each 5 mL contains:** sodium 15 mg
- store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- **do not use if printed neckband is broken or missing**

## Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

## Questions or comments?

**1-800-719-9260**

## Package/Label Principal Display Panel

Walgreens

• WALGREENS • PHARMACIST RECOMMENDED

Compare to the active ingredient in Children's Benadryl® Allergy

Children's Allergy Relief

DIPHENHYDRAMINE HCl / ANTIHISTAMINE

12.5 mg / 5 mL ORAL SOLUTION

Alcohol Free

- Relieves: runny nose, sneezing, itchy, watery eyes, itchy throat or nose

AGES 6-11 YEARS

Cherry flavor

4 FL OZ (118 mL)

**Información sobre el fármaco**

**Principio activo**      **Indicaciones**  
(en cada 5 mL)  
Clorhidrato de difenhidramina 12.5 mg.....Antihistamínico

**Usos**  
■ alivia temporalmente los siguientes síntomas ocasionados por la fiebre del heno u otras alergias del tracto respiratorio superior:  
■ estornudos      ■ picazón en la nariz o la garganta  
■ goteo nasal      ■ ojos llorosos y picazón en los ojos

**Advertencias**  
No usar ■ para inducir el sueño de un niño  
■ con cualquier otro producto que contenga difenhidramina, incluso uno que se use sobre la piel  
Consultar con un médico antes de tomarlo si el niño tiene ■ un problema respiratorio como bronquitis crónica  
■ glaucoma      ■ una dieta con restricción de sodio  
Consultar con un médico o farmacéutico antes de tomarlo si el niño está tomando sedantes o tranquilizantes

**Al usar este producto**  
■ puede ocurrir somnolencia marcada  
■ puede ocurrir excitabilidad, particularmente en niños  
■ los sedantes y tranquilizantes pueden aumentar la somnolencia  
Mantener fuera del alcance de los niños. En caso de sobredosis busque asistencia médica o contáctese inmediatamente con el Centro de Control Toxicológico (1-800-222-1222).

**Instrucciones**  
■ busque la dosis adecuada en la tabla a continuación  
■ mL= mililitro  
■ tomar cada 4 a 6 horas, o según las indicaciones del médico  
■ no tomar más de 6 dosis en 24 horas

Edad (años)	Dosis (mL)
niños menores de 2 años	no tomar
niños de 2 a 5 años	no tomar a menos que lo indique un médico
niños de 6 a 11 años	5 mL a 10 mL

Atención: usar solamente el vaso dosificador adjunto específicamente diseñado para ser usado con este producto. No usar ningún otro dispositivo de administración de dosis.

**Otra información**  
■ cada 5 mL contiene: sodio 15 mg  
■ almacenar entre 20 y 25 °C (68 y 77 °F). Proteger de la luz.  
■ Almacenar en la caja externa hasta que se use el contenido.  
■ no utilizar si falta la banda impresa superior o si está rota

**Información sobre el fármaco**  
(continuación)

**Excipientes** ácido cítrico anhidro, D&C rojo #33, FD&C rojo #40, sabor, glicerina, jarabe de maíz de alta fructosa, poloxámero 407, agua purificada, benzoato de sodio, cloruro de sodio, citrato de sodio, solución de sorbitol

**¿Preguntas o comentarios? 1-800-710-9260**

Gluten Free Sin Gluten

PAPER BOX    PLASTIC BOTTLE    PLASTIC CUP

**DOSE CUP PROVIDED**  
**TAZA DE DOSIFICACIÓN**  
**PROPORCIONADA**

<sup>1</sup>Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.  
<sup>2</sup>This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Children's Benadryl® Allergy.  
<sup>3</sup>Este producto no es fabricado ni distribuido por McNeil Consumer Healthcare, el distribuidor de Children's Benadryl® Allergy.

DISTRIBUTED BY: WALGREEN CO.  
DISTRIBUIDO POR: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015

**Walgreens**  
**100% SATISFACTION GUARANTEED**

walgreens.com  
©2021 Walgreen Co.

**Walgreens**

**Children's Allergy Relief**  
**Alivio para las alergias de niños**

NDC 0363-1236-26

**Walgreens**

Compare to the active ingredient in Children's Benadryl® Allergy<sup>1</sup>  
Comparable con el principio activo de Children's Benadryl® Allergy<sup>1</sup>

**Children's Allergy Relief**  
**Alivio para las alergias de niños**

DIPHENHYDRAMINE HCl / ANTIHISTAMINE  
12.5 mg / 5 mL ORAL SOLUTION  
CLORHIDRATO DE DIFENHIDRAMINA / ANTIHISTAMÍNICO  
12.5 mg / 5 mL, SOLUCIÓN ORAL

**Alcohol Free**  
Sin alcohol

- Relieves: runny nose, sneezing, itchy, watery eyes, itchy throat or nose
- Alivia: goteo nasal, estornudos, ojos llorosos y picazón en los ojos, picazón en la garganta o la nariz

**AGES 6-11 YEARS**

Para niños de 6 a 11 años de edad

**4 FL OZ (118 mL)**      Cherry flavor  
sabor a Cereza

Cherry flavor  
sabor a Cereza

**Drug Facts**

**Active ingredient (in each 5 mL)**      **Purpose**  
Diphenhydramine HCl 12.5 mg.....Antihistamine

**Uses**  
■ temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
■ sneezing      ■ itching of the nose or throat  
■ runny nose      ■ itchy, watery eyes

**Warnings**  
Do not use ■ to make a child sleep  
■ with any other product containing diphenhydramine, even one used on skin  
Ask a doctor before use if the child has ■ a breathing problem such as chronic bronchitis  
■ glaucoma      ■ a sodium-restricted diet  
Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers

**When using this product**  
■ marked drowsiness may occur  
■ excitability may occur, especially in children  
■ sedatives and tranquilizers may increase drowsiness  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  
■ find right dose on chart below      ■ mL = milliliter  
■ take every 4 to 6 hours, or as directed by a doctor  
■ do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

**Other information**  
■ each 5 mL contains: sodium 15 mg  
■ store at 20-25 °C (68-77 °F). Protect from light. Store in outer carton until contents used.  
■ do not use if printed neckband is broken or missing

**Inactive ingredients** anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

**Questions or comments? 1-800-710-9260**

W3ORG0222-F

ITEM 126853 W10106-0822-L

3 11917 10244 3

379A2 94 C2

diphenhydramine hydrochloride solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-1236
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>POLOXAMER 407</b> (UNII: TUF21VW3M2)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>	RED (Bluish-Red)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1236-26	1 in 1 CARTON	04/29/2024	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/29/2024	

---

**Labeler** - Walgreen Company (008965063)

Revised: 4/2024

Walgreen Company