

HYDROGEN PEROXIDE 3 PERCENT- hydrogen peroxide liquid
Sam's West, Inc

Drug Facts

Active ingredient

Hydrogen peroxide 3%

Purpose

first aid antiseptic/oral debriding agent

Uses

- first aid to help prevent the risk of infection in minor cuts, scrapes and burns
- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only.

Do not use

- in the eyes or apply over large areas of the body
- longer than one week

Ask a doctor before use if you have

- deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

- the condition persists or gets worse
- sore mouth symptoms do not improve in 7 days
- irritation, pain or redness persists or worsens
- swelling, rash or fever develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

For use as a first aid antiseptic:

- clean affected area
- apply small amount of product on affected area 1-3 times a day
- may be covered with a sterile bandage

- if bandaged, let dry first

For use as an oral debriding agent (oral rinse):

- **adults and children 2 years of age and over:**
 - mix with an equal amount of water
 - swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
 - use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- **children under 12 years** should be supervised in the use of this product
- **children under 2 years of age:** consult a doctor or dentist

Other information

- keep tightly closed and in a dark place at room temperature.
- do not shake bottle. Hold away from face when opening.

Inactive ingredient

purified water

Principal Display Panel

Helps prevent the risk of infection

Hydrogen peroxide 3% USP

first aid antiseptic

oral debriding agent

- for use as a gargle or rinse
- For treatment of minor cuts and abrasions

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

For comments or suggestions, call us toll-free at 1-877-753-3935 Monday-Friday 9:00AM-5:00PM EST

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.

FL OZ (mL)

DISTRIBUTED BY:

SAM'S WEST, INC.

BENTONVILLE, AR 72716

Package Label

Helps prevent the risk of infection*



NDC 68196-268-32

hydrogen peroxide

3% USP

first aid antiseptic
oral debriding agent

- For use as a gargle or rinse
- For treatment of minor cuts and abrasions

These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.


TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND OR UNDER CAP IS BROKEN OR MISSING.

For comments or suggestions, call us toll-free at 1-877-753-3935 Monday-Friday 9:00AM-5:00PM EST

DISTRIBUTED BY:
SAM'S WEST, INC.
BENTONVILLE, AR 72716



PLD-A220B LB002731
32 FL OZ (1 QT) 946 ML



Drug Facts

Active ingredient	Purpose
Hydrogen peroxide 3%.....	First aid antiseptic/oral debriding agent

Uses • first aid to help prevent the risk of infection in minor cuts, scrapes, and burns • aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings
For external use only.

Do not use • in the eyes or apply over large areas of the body • longer than one week

Ask a doctor before use if you have • deep puncture wounds, animal bites or serious burns

Stop use and ask a doctor if • the condition persists or gets worse • sore mouth symptoms do not improve in 7 days • irritation, pain, or redness persists or worsens • swelling, rash, or fever develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions For use as a first aid antiseptic:
• clean affected area • apply small amount of product on affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

For use as an oral debriding agent (oral rinse):
• adults and children 2 years of age and over: • mix with an equal amount of water • swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow.
• use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor • children under 12 years should be supervised in the use of this product
• children under 2 years of age: consult a doctor or dentist

Other information
• keep tightly closed and in a dark place at room temperature.
• do not shake bottle. Hold away from face when opening.

Inactive ingredient purified water

PLD-A220B LB002146

Member's Mark hydrogen Peroxide 3% USP

HYDROGEN PEROXIDE 3 PERCENT

hydrogen peroxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68196-268
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	2.65 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68196-268-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/30/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	11/30/2014	

Labeler - Sam's West, Inc (051957769)

Revised: 1/2024

Sam's West, Inc