FAMOTIDINE - famotidine tablet, film coated Cardinal Health

Drug Facts

Active ingredient (in each tablet)

Famotidine USP 20 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness**, **sweating**, **or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years and over:
 - to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
 - to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **10 to 60 minutes before** eating food or drinking beverages that cause heartburn
 - do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20° to 25°C (68° to 77°F)
- protect from moisture

Inactive ingredients

carnauba wax, corn starch, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, red iron oxide, sodium starch glycolate, talc, titanium dioxide and yellow iron oxide.

Questions or comments?

call **1-855-274-4122**

Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

JUST ONE TABLET prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

Do not use if carton is open or if printed foil seal under bottle cap is open or torn.

Dist. by CAH, Dublin, OH 43017
1-800-200-6313
Made in India
© 2023 CARDINAL HEALTH, LEADER, and LOGOs are trademarks of Cardinal Health.
All other marks are the property of their respective owners.

Code: TS/DRUGS/22/2009

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL -20 mg (25 Tablets, Container Label)


LEADER_{TM}

NDC 70000-0049-1 Maximum Strength Acid Reducer Famotidine Tablets USP, 20 mg | Acid Reducer

Just One Tablet! Prevents & Relieves Heartburn Due to Acid Indigestion

25 TABLETS

100% Money Back Guarantee



PACKAGE LABEL-PRINCIPAL DISPLAY PANEL -20 mg (25 Tablets, Container Carton Label)

LEADER_{TM}

NDC 70000-0049-1
Maximum Strength
Acid
Reducer
Famotidine Tablets USP, 20 mg
Acid Reducer

Just One Tablet! Prevents & Relieves Heartburn Due to Acid Indigestion

Actual Size COMPARE TO

ORIGINAL
STRENGTH
PEPCID® AC
active ingredient

25 TABLETS

100% Money
Back Guarantee



FAMOTIDINE

famotidine tablet, film coated

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:70000-0049 Route of Administration ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	20 mg

Inactive Ingredients	
Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
HYPROMELLOSE 2910 (5 MPA.S) (UNII: R75537T0T4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	

Product Characteristics			
Color	YELLOW	Score	no score
Shape	ROUND (Square shaped Biconvex)	Size	5mm
Flavor		Imprint Code	CC;59
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000- 0049-1	1 in 1 CARTON	04/04/2020	
1		25 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Marketing End Date Date	
ANDA	ANDA206531	04/04/2020	

Labeler - Cardinal Health (063997360)

Registrant - Aurohealth LLC (078728447)

Establishment			
Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	ANALYSIS(70000-0049), MANUFACTURE(70000-0049)

Establishment			
Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(70000-0049), MANUFACTURE(70000-0049)

Revised: 7/2023 Cardinal Health