

MD CELL SOLUTION- niacinamide, panthenol, salicylic acid spray
A Joint-stock Corporation GMC Holdings

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

MD CELL Solution

Active ingredients

Niacinamide (0.3%)

Panthenol (0.2%)

Salicylic Acid (0.001%)

Purpose

scalp tonic

hair regrowth treatment

Keep out of reach of children

- Do not swallow. In case of accidental ingestion, get medical help or contact a Poison Control Center right away.

Uses

Helps restore damaged scalp and keep it moisturized after hair transplant. To give nutrition on hair follicle of the surgical site to help graft anchoring in hair transplant. Reduces scalp itching. To regrow hair on the top of the scalp

Warnings

For external use only

Do not use on damaged or broken scalp

When using this product

- Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water.

Stop use and ask doctor if rash or irritation on scalp develops and lasts.

- Store at room temperature

Directions

Spray on scalp hourly (recommended) after hair transplant more than three days to keep the area moist.

Inactive Ingredients

Water, Glycerin, Butylene Glycol, Urtica Dioica (Nettle) Extract, Honey Extract, Betaine, sh-

Polypeptide-9, Nelumbo Nucifera Flower Extract, Prunus Mume Fruit Extract, Copper Tripeptide-1, rh-Oligopeptide-1, rh-Polypeptide-3, Aloe Barbadosis Leaf Extract, Allantoin, Citric Acid, Paeonia Lactiflora Root Extract, Magnolia Kobus Branch/Flower/Leaf Extract, Lilium Candidum Flower Extract, Ipomoea Purpurea Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Rubus Fruticosus (Blackberry) Fruit Extract, Euterpe Oleracea Fruit Extract, Rubus Idaeus (Raspberry) Fruit Extract, Fragaria Chiloensis (Strawberry) Fruit Extract, Vaccinium Myrtillus Fruit Extract, Phyllanthus Emblica Fruit Extract, Fragaria Vesca (Strawberry) Leaf Extract, Vaccinium Macrocarpon (Cranberry) Fruit Extract, Erythritol

MD CELL Solution

Drug Facts	
Active Ingredient	Purpose
Niacinamide (0.3%)	scalp tonic
Panthenol (0.2%)	Hair regrowth treatment
Salicylic Acid (0.001%)	Hair regrowth treatment
Uses Helps restore damaged scalp and keep it moisturized after hair transplant. To give nutrition on hair follicle of the surgical site to help graft anchoring in hair transplant. Reduces scalp itching. To regrow hair on the top of the scalp.	
Warnings For external use only Do not use on damaged or broken scalp When using this product	
<ul style="list-style-type: none"> ▪ Avoid contact with eyes. If contact occurs, rinse eyes thoroughly with water. 	
Stop use and ask doctor if rash or irritation on scalp develops and lasts.	
Keep out of reach of children	
<ul style="list-style-type: none"> ▪ Do not swallow. In case of accidental ingestion, get medical help or contact a Poison Control Center right away. ▪ Store at room temperature 	
Directions	
Spray on scalp hourly (recommended) after hair transplant more than three days to keep the area moist.	
Inactive Ingredients Water, Glycerin, Butylene Glycol, Urtica Dioica (Nettle) Extract, Honey Extract, Betaine, sh-Polypeptide-9, Nelumbo Nucifera Flower Extract, Prunus Mume Fruit Extract, Copper Tripeptide-1, rh-Oligopeptide-1, rh-Polypeptide-3, Aloe Barbadosis Leaf Extract, Allantoin, Citric Acid, Paeonia Lactiflora Root Extract, Magnolia Kobus Branch/Flower/Leaf Extract, Lilium Candidum Flower Extract, Ipomoea Purpurea Extract, Vaccinium Angustifolium (Blueberry) Fruit Extract, Rubus Fruticosus (Blackberry) Fruit Extract, Euterpe Oleracea Fruit Extract, Rubus Idaeus (Raspberry) Fruit Extract, Fragaria Chiloensis (Strawberry) Fruit Extract, Vaccinium Myrtillus Fruit Extract, Phyllanthus Emblica Fruit Extract, Fragaria Vesca (Strawberry) Leaf Extract, Vaccinium Macrocarpon (Cranberry) Fruit Extract, Erythritol	
Manufactured by	
A Joint-stock Corporation GMC Holdings 400 Seobusaet-gil, Geumcheon-gu, Seoul 08593, South Korea	
Question or Comments	
Call +82-02-6959-1366	

제품 특징

스프레이형 타입으로 이식수술 후 생착이 이루어 지지 않은 부위의 모낭에 EGF, KGF의 성장 인자들 다양한 성분으로 모발의 생착을 도와줄 수 있는 환경을 만들어 주는 모발이식 전용 솔루션입니다.

진성분

정제수, 부틸렌글라이콜, 글리세린, 쉐기풀추출물, 꿀추출물, 연꽃추출물, 매실추출물, 베타인, 에스에이치-폴리펩타이드-9, 카피트리펩타이드-1, 휴먼올리고펩타이드-1, 알에이치-폴리펩타이드-3, 블루베리추출물, 블랙베리추출물, 아사이아자추출물, 라즈베리추출물, 딸기추출물, 밤베리열매추출물, 인디언구스 베리열매추출물, 산딸기잎추출물, 덩굴열매열매추출물, 자약 추출물, 목련나무가지/꽃/잎추출물, 마더나뭇잎추출물, 동근잎나팔꽃추출물, 알로에베라잎추출물, 살리실레이트, 알란토인, 에리스리톨, 시트릭 에시드

본 제품이 이상이 있을 경우 공정거래위원회 고시 [소비자 분쟁해결 기준]에 의해 보상해드립니다.
(소비자 상담실: 02-6959-1366)

제조 번호 및 사용기한 : 별도 표기
제조판매업자 : (주)GMC홀딩스
서울특별시 금천구 서부샛길 400 3F
제조업자:(주)솔레오 경기도 평택시 산단로 16번길 52

사용법

이식 수술 후 약 3일간 수술 부위가 건조해 지지 않도록 1시간 간격으로 수시로 분무를 해 주어 두피의 촉촉함을 유지시켜 줍니다.

사용시주의사항

1. 화장품 사용 후 다음과 같은 이상이 있는 경우에는 사용을 중지하여야 하며, 계속 사용 하면 증상이 악화되므로 피부과 전문의 등에게 상담할 것.
- 가) 사용 중 붉은 반점, 부어오름, 가려움증, 저극 등의 이상이 있는 경우
- 나) 적용부위가 직사 광선에 의하여 위와 같은 이상이 있는 경우
2. 상처가 있는 부위, 습진 및 피부부염 등의 이상이 있는 부위에는 사용을 하지 말 것.
3. 보관 및 취급 시의 주의 사항
가) 사용 후에는 반드시 마개를 닫아 둘 것
나) 유아/소아의 손이 닿지 않는 곳에 보관 할 것
다) 고온 또는 저온의 장소 및 직사광선이 닿는 곳에는 보관하지 말 것
4. 눈에 들어갔을 때에는 즉시 씻어낼 것

E.G.F

MD CELL SOLUTION

100ml

MADE IN KOREA

8 809132 963717

niacinamide, panthenol, salicylic acid spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70834-102
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Niacinamide (UNII: 25X518RD4) (NIACINAMIDE - UNII:25X518RD4)	Niacinamide	0.003 in 100 mL
Panthenol (UNII: WV9CM0O67Z) (PANTHENOL - UNII:WV9CM0O67Z)	Panthenol	0.002 in 100 mL
Salicylic Acid (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	Salicylic Acid	0.00001 in 100 mL

Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
Glycerin (UNII: PDC6A3C0OX)	
Butylene Glycol (UNII: 3XUS85K0RA)	
URTICA DIOICA LEAF (UNII: X6M0DRN46Q)	
HONEY (UNII: Y9H1V576FH)	
Betaine (UNII: 3SCV180C9W)	
NELUMBO NUCIFERA FLOWER (UNII: 61W322NLDV)	
PRUNUS MUME FRUIT (UNII: 639190I8CU)	
PREZATIDE COPPER (UNII: 6BJQ43T1I9)	
NEPIDERMIN (UNII: TZK30RF92W)	
FIBROBLAST GROWTH FACTOR 7 (UNII: 9YXF283GP1)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
Allantoin (UNII: 344S277G0Z)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
PAEONIA LACTIFLORA ROOT (UNII: 3Z3866YW6P)	
MAGNOLIA KOBUS FLOWERING TOP (UNII: X2725LP5TL)	
LILIUM CANDIDUM FLOWER (UNII: COV655U2CJ)	
IPOMOEA PURPUREA TOP (UNII: XMQ0V9812O)	
LOWBUSH BLUEBERRY (UNII: G90PX41VP0)	
BLACKBERRY (UNII: 8A6OMU3I8L)	
ACAI (UNII: 46AM2VJ0AW)	
RASPBERRY (UNII: 4N14V5R27W)	
BEACH STRAWBERRY (UNII: 98542F2TQS)	
BILBERRY (UNII: 9P2U39H18W)	
PHYLLANTHUS EMBLICA FRUIT (UNII: YLX4CW2576)	
FRAGARIA VESCA LEAF (UNII: I14FE7JUBB)	
CRANBERRY (UNII: 0MVO31Q3QS)	
Erythritol (UNII: RA96B954X6)	

Packaging

		Marketing Start	Marketing End
--	--	------------------------	----------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70834-102-02	1 in 1 PACKAGE	07/22/2016	
1	NDC:70834-102-01	100 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/22/2016	

Labeler - A Joint-stock Corporation GMC Holdings (689847352)

Registrant - A Joint-stock Corporation GMC Holdings (689847352)

Establishment

Name	Address	ID/FEI	Business Operations
A Joint-stock Corporation GMC Holdings		689847352	manufacture(70834-102)

Revised: 7/2016

A Joint-stock Corporation GMC Holdings