

TO BE REFILLED BY A BOC GASES AUTHORIZED FACILITY ONLY DO NOT REMOVE THIS PRODUCT LABEL.

CAS 7782-44-7 8/94

BOC GASES
Medical Gases

Filled And Distributed By: **FERGUSON INDUSTRIAL GASES**
8900 4TH
FRISCO, TX 75034

OXYGEN,*
REFRIGERATED LIQUID
U.S.P. UN 1073



Gross Wt.	lbs.	oz.	
Net Wt.	lbs.	oz.	
Size		Contents	Liters

*Oxygen produced by Air Liquefaction
ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.
WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.
Keep oil, grease and combustibles away.
Use only with equipment cleaned for oxygen service.
Use only with equipment designated for and compatible with oxygen and rated for cylinder pressure.
Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop.
Use hand truck specifically designed for liquid cylinder movement.
Avoid spills.
Do not walk on or roll equipment over spills.
Close valve after each use and when empty.
Use in accordance with BOC Gases MSDS G-102

WARNING: For oxygen deficiency in breathing persons or emergency resuscitation when used by personnel instructed in oxygen administration. For other medical applications, use only as directed by a licensed practitioner. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen.



FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

TO BE REFILLED BY A BOC GASES AUTHORIZED FACILITY ONLY.

CAS 7782-44-7 Alcoa® DO NOT REMOVE THIS PRODUCT LABEL. MEDGAS LESP 00548 8/94

PRODUCT WARNINGS AND PRECAUTIONS

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS R_x ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS AFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT.

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:63385-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63385-001-01	143 L in 1 CYLINDER		
2	NDC:63385-001-02	426 L in 1 CYLINDER		
3	NDC:63385-001-03	648 L in 1 CYLINDER		
4	NDC:63385-001-04	3462 L in 1 CYLINDER		
5	NDC:63385-001-05	7200 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1991	

Labeler - Ferguson Industrial Gases dba Ferguson Enterprises (884727256)**Registrant** - Ferguson Industrial Gases dba Ferguson Enterprises (884727256)**Establishment**

Name	Address	ID/FEI	Business Operations
Ferguson Industrial Gases		884727256	manufacture

Revised: 1/2010

Ferguson Industrial Gases dba Ferguson Enterprises