

DM MAX- dextromethorphan hbr, guaifenesin solution
Walgreen Company

Walgreens 44-031

Active ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg
Guaifenesin 400 mg

Purpose

Cough suppressant
Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if

cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- dose as follows or as directed by a doctor
- adults and children 12 years and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years: do not use

Other information

- **each 20 mL contains:** sodium 9 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

anhydrous citric acid, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sodium metabisulfite, sorbitol, sucralose, xanthan gum

Questions or comments?

1-800-426-9391

Principal display panel

NDC 0363-8031-45

• WALGREENS •
PHARMACIST RECOMMENDED†
Compare to the active ingredients
in Maximum Strength
Mucinex® FAST-MAX® DM MAX††

DM Max

DEXTROMETHORPHAN HBr /
COUGH SUPPRESSANT
GUAIFENESIN / EXPECTORANT

Maximum Strength

- Controls cough
- Relieves chest congestion
- Thins & loosens mucus
- Ages 12 years & over

6 FL OZ (177 mL)

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

DISTRIBUTED BY: ITEM 818266 W00000-0000-0

WALGREEN CO.

DEERFIELD, IL 60015

100% SATISFACTION

GUARANTEED

walgreens.com

©2023 Walgreen Co.

†Our pharmacists recommend the Walgreens brand.

We invite you to compare to national brands.

††This product is not manufactured or distributed by RB

Health (US) LLC, owner of the registered trademark

Maximum Strength Mucinex® FAST-MAX® DM MAX.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED

SAFETY SEAL UNDER CAP IS BROKEN OR MISSING



PARENTS:
Learn about how medicine works
www.StopMedicineAdverse.org

50844 ORG062303145
B-031-45 ORG
ITEM 818266 W00000-0000-0

DISTRIBUTED BY: WALGREEN CO.
DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com
©2023 Walgreen Co.

PEEL BACK TAB TO READ COMPLETE DRUG FACTS AND INFORMATION

3 11917 03412 6
W3ORG0923-F

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
††This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Maximum Strength Mucinex® FAST-MAX® DM MAX.

Drug Facts
TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredients (in each 20 mL) Purpose
Dextromethorphan HBr 20 mg Cough suppressant
Guaifenesin 400 mg Expectorant

Uses
■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
■ temporarily relieves:
■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
■ the intensity of coughing
■ the impulse to cough to help you get to sleep

No Print / No Varnish Area
Lot # and Exp. Info

Drug Facts (continued)

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have
■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
■ cough that occurs with too much phlegm (mucus)

Stop use and ask a doctor if cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
■ do not take more than directed
■ do not take more than 6 doses in any 24-hour period
■ mL = milliliter
■ only use the dose cup provided
■ dose as follows or as directed by a doctor
■ adults and children 12 years and over: 20 mL in dosing cup provided every 4 hours
■ children under 12 years: do not use

Drug Facts (continued)

Other information
■ each 20 mL contains: sodium 9 mg
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ use by expiration date on package

Inactive ingredients anhydrous citric acid, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sodium metabisulfite, sorbitol, sucralose, xanthan gum

Questions or comments? 1-800-426-9391

Discard Seal, Empty & Replace Cap

PLASTIC BOTTLE PLASTIC CUP
how2recycle.info

Walgreens 44-031

DM MAX

dextromethorphan hbr, guaifenesin solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-8031
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	red	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-8031-45	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/03/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/03/2023	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(0363-8031) , pack(0363-8031)

Revised: 10/2023

Walgreen Company